




Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Block	742783M91, 746898M91, U5BA0007, 3637490M91	135,140,145,148,152,235, 240,245,250	BORE: 91.48MM CYL:3CYL ENGINE NO.: Perkins AD3.152
	Cylinder Block	743069M91	184,185,188,194,194F,194S,284, 285,290,290E,293,294,294S, 3055,3060,3235AP(X),3235FP(X), 3235GE(X),3235SP(X),382N,390, 390E,393,393LX,394AP,394AP(X), 394AQ,394FP,394FP(X),394FQ, 394GE,394GE(X),394SP,394SP(X), 394SQ,396C,396CF,397,590,690	BORE: 98.48MM CYL:4CYL ENGINE NO.: Perkins A4.236
	Cylinder Block	3711H062	4225,4235,4240,6110,6120	BORE: 101.05MM CYL:4CYL ENGINE NO.: Perkins 4.41

Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Head Assembly	3637389M1, 3637389M91, 4222810M91, 4224048M91, 737704M91, 740595M91, 743201M91, 747574M91, ZZ80025, ZZ80082, ZZ80246, 0011673U91	135,148,230,233,240,250,253, 254,254 S,255,353,353 LX,354, 340,342,350,550,20B,20D,20E, 20F,2205,30E,30H,40,40E,154 F, 134 V,240S	ENGINE NO. PERKINS AD3.152
	Cylinder Head Assembly	3637784M91, 3638321E91, 3638321M91, 3638321P, 68131, 731781M91, 743272M91, U5BD0024, ZZ80058	133,135 (France only ), 203,205,35	CYL:3CYL ENGINE NO.: PERKINS A3.144, AD3.152
	Cylinder Head Assembly	3637486M91, 3640877M91, 68115, 68120, 83509, 86584, 86588, 86608, A5BD1135, A5BD2383, A5BD2631, ZZ80015, ZZ80054, ZZ80062, ZZ80079	10 Plot,16,16 Plot,165,168,168F, 168S,174,174C,174F,174S,174V, 175,175S,178,184,184F,184S, 185,186,187,188,194,194C, 194F,194S,20,206,24,240, 255 (USA),265,273,274,274C, 274CF,274S,274SK,275,275E, 283,284,284S,285,290,290E, 293,294,294C,294S,3050,3055, 3060,307,3220AP(X),3220FP(X), 3220GE(X),3220SP(X), 3225AP(X),3225FP(X), 3225GE(X),3225SP(X), 3235AP(X),3235FP(X), 3235GE(X),3235SP(X),330,362, 362N,365,367CF,372N,373, 373LX,373S,374AP,374AP(X), 374AQ,374F,374FP,374FP(X), 374FQ,374GE,374GE(X),374H, 374S,374SP,374SP(X),374SQ, 374V,374VQ,375,375E,376C, 376CF,376XCF,377,382N,383, 383LX,383S,384AP,384AP(X), 384AQ,384F,384FP,384FP(X), 384FQ,384GE,384GE(X),384S, 384SP,384SP(X),384SQ,384V, 384VQ,387,390,390E,393, 393LX,393S,394AP,394AP(X), 394AQ,394C,394F,394FP, 394FP(X),394FQ,394GE, 394GE(X),394H,394S,394SP, 394SQ,396C,396CF,397,430, 440,487,506,565,575,590,675, 690,8 Plot,99	CYL:4CYL ENGINE NO.: Perkins A4.212, A4.236, A4.248

Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Head	3638333M91, 3641088M1, ZZ80004, ZZ80176	10 Plot,16,16 Plot,165,168,168F, 168S,174,174C,174F,174S,174V, 175,175S,178,184,184F,184S, 185,186,187,188,194,194C,194F, 194S,20,206,24,240,255 (USA), 265,273,274,274C,274CF,274S, 274SK,275,275E,283,284,284S, 285,290,290E,293,294,294C, 294S,3050,3055,3060,307, 3220AP(X),3220FP(X),3220GE(X), 3220SP(X),3225AP(X),3225FP(X), 3225GE(X),3225SP(X),3235AP(X), 3235FP(X),3235GE(X),3235SP(X), 330,362,362N,365,367CF,372N, 373,373LX,373S,374AP,374AP(X), 374AQ,374F,374FP,374FP(X), 374FQ,374GE,374GE(X),374H, 374S,374SP,374SP(X),374SQ, 374V,374VQ,375,375E,376C, 376CF,376XCF,377,382N,383, 383LX,383S,384AP,384AP(X), 384AQ,384F,384FP,384FP(X), 384FQ,384GE,384GE(X),384S, 384SP,384SP(X),384SQ,384V, 384VQ,387,390,390E,393, 393LX,393S,394AP,394AP(X), 394AQ,394C,394F,394FP, 394FP(X),394FQ,394GE, 394GE(X),394H,394S,394SP, 394SQ,396C,396CF,397,430, 440,487,506,565,575,590,675, 690,8 Plot,99	CYL:4CYL ENGINE NO.: Perkins A4.212, A4.236, A4.248
	Cylinder Head	0011562U91	134 V,135,148,154 F,20B,20D, 20E,20F,2205,230,233,240,240S, 250,253,254,254 S,255,30E,30H, 340,342,350,353,353 LX,354,40, 40E,550	ENGINE NO. PERKINS AD3.152
	Cylinder Head	ZZ80216	4225,4235,4240,6110,6120	CYL:4CYL ENGINE NO.: PERKINS 4.41

Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Head Bolt	32181458, 1476265X1	133,134V,135,135MKIII,135V, 145MKIII,145V,148MKIII,152F, 152MKIII,152V,154F,154S,154V, 164TF,164TS,164TV,20D,20E, 2205,233,234,240,244,250,253, 254,254CF,263T,264T,264TCF, 264TS,30E,30H,3210,333,334V, 353,353LX,353S,354,356,360, 363,364,366,40E	LENGTH: 110 MM THREAD: M11*1.25 MM
	Cylinder Head Bolt	32181425, 739505M1	1014,1100/1130,1104,1105/1135, 1200,165,168,168 MKIII/168 F, 168 MKIII/168 S,168/175,174, 174S,174V,175/178,184,184S, 185,188,194,194S,261,265,273, 274,274 SK,274S,275,283,284, 284S,285,290,293,294,294S,362, 372 N,565,575,575/590,590, 620/625,675,690	LENGTH: 103 MM THREAD: 1/2"UNF
	Cylinder Head Bolt	894061M1	165,168,175,178,185,188,265, 275,290,565,575,590,675,690, 65,765	LENGTH: 102.5 MM THREAD: 1/2"UNF



Photo	Item Name	OEM/ REF	Applications	Description
	Piston	735187M91, 735188M91, 735195M1	168,174,174 -4S,174 V,175,178, 184,184 -4,184 -4S,184 S, 187 Combine,240,265,273,274, 274 -4,274 -4SK,274 S,274 Stock, 275,283,284,284 S-4S,3050, 307 Combine,362,362 N,365,372, 372 N,373,373 S,374,374 S,375, 377,383,384 S,387,565,575,675, 99 Combine	ORE:98.48MM HEIGHT: 120.65MM COMPRESSION HEIGHT: 69.92MM PIN DIA: 34.92MM NO.OF RING:5 ENGINE NO.: Perkins A4.236
	Piston	740821M91	194,178,185,188,294 S-4S,285, 290,293,294,294 -4,294 -4S, 294 S,383,383 S,387,393,397, 382,382 N,390,3060,590,690, 487 Combine,506 Combine, 440 Combine,194 C, 60H,194 -4F,394 F	BORE:100MM HEIGHT:121MM COMPRESSION HEIGHT:70MM PIN DIA: 34.925MM PIN LENGTH: 84MM NO.OF RING:4 ENGINE NO.: Perkins A4.248
	Piston	3637035M91	396,399,3075,3085,3095,3115, 4260,4270,6160,6170,6260, 8925,8926,8926 T,8937,8937 T, 8939 T,8989	BORE:100MM HEIGHT: 108.06MM COMPRESSION HEIGHT: 76.37MM PIN DIA: 34.92MM NO.OF RING:3 ENGINE NO.: Perkins 1004.4, 1006.6,1006.6T
	Piston	3640593M91, U5LL0014	3075,3120,3120 T,3125,3140, 3635,3645,3655,4245,4255, 4265,6130,6140,6150,6180, 6190,6235,6245,6255,6265, 6270,6280,6290,8110,8120, 8130,8140,8150,8220,865, 760 Combine,960,965,8925 T	BORE:100MM HEIGHT: 108.06MM PIN DIA:38MM NO.OF RING:3 ENGINE NO.: Perkins 1004.40T, 1004.4T, 1006.60T, 1006.6T

Photo	Item Name	OEM/ REF	Applications	Description
	Piston	3135J241, 4222134M91, U5LP0057	4225,4235,4245,4255,4260, 4265,4270,6270,6280,6290	BORE:100MM HEIGHT: 108.23MM COMPRESSION HEIGHT:70.3MM PIN DIA:39.7MM PIN LENGTH: 78MM NO.OF RING:3 ENGINE NO.: Perkins 1004.4,1004.40, 1004.40T,1006.6, 1006.60,100
	Piston	738871M91, 738871Z91, 86740	1100,1130,2620,2640,2625,1014, 1104,24,27,500,507,510,520,525, 530,530S	BORE:98.48MM HEIGHT: 120.65MM COMPRESSION HEIGHT: 69.85MM PIN DIA: 34.925MM NO.OF RING:5 ENGINE NO.: Perkins A6.354, A6.354.1, A6.354.4, AT6.354,AD3.152
	Piston	738249M1, 738249M91, 738249Z91, 86721	174,165,3303,3305,50,50B, 174C,186	BORE:98.48 MM HEIGHT: 127.40MM COMPRESSION HEIGHT:76.6MM PIN DIA: 31.75MM NO.OF RING:4 ENGINE NO.: Perkins A4.212,A4.236
	Piston	740082M91, 89206	165,3303,3305,50,50B	BORE:98.48MM HEIGHT:116MM COMPRESSION HEIGHT:76.5MM PIN DIA: 34.925MM PIN LENGTH: 84MM NO.OF RING:3 ENGINE NO.: Perkins A4.212

Photo	Item Name	OEM/ REF	Applications	Description
	Piston	3637516M91, 68301, 743110M91, 743110Z91, U5LP0035	174,174 -4S,174 S,184,184 -4, 184 -4S,184 S,168,175,175 S,178, 284 S-4S,240,261,265,273,274, 274 -4,274 -4SK,274 S,274 SK,275, 283,284,284 S,373,373 LX,373 S, 374,374 AP,374 FP,374 FQ,374 GE, 374 S,374 SP,374 SQ,377,383, 384 S,387,362,362 N,365,372, 372 N,375,375 E,3050,565,575, 675,10 Combine,307 Combine, 330 Combine,174 C,367 CF,30D,50, 50B,50B MKII,50C,50D,50E,50EX, 50H,50HS,50HT,50HX,50HXS,60H, 174 F,184 F,374 F,174 V,374 V, 374 VQ	BORE:98.48MM HEIGHT:121MM COMPRESSION HEIGHT:70.3MM PIN DIA: 34.925MM PIN LENGTH: 84MM NO.OF RING:5 ENGINE NO.: Perkins A4.236
	Piston	734460M91, 734460V91, 734460Z91, 81512, 81874, 82113, 82136	135,203,203X,205,205X,2135, 260,35,35X,50,65,765	BORE:91.48MM HEIGHT: 107.9MM COMPRESSION HEIGHT: 57.32MM PIN DIA: 31.75MM PIN LENGTH: 75.2MM NO.OF RING:5 ENGINE NO.: Perkins A3.152,A4.203
	Piston	3638405M91, 4224523M91, 4224523Z91, 742621M91, 89214, U5LP0034	135,140,148,150,152,154, 154C,155,158,165,203,20C, 20D,2135,2205,230,231,233, 234,235,240,244CF,245,250, 253,254,254C,255,260,30E, 30H,340,342,350,353,353LX, 354,356CF,360,550,560,65,765	BORE:91.48MM HEIGHT:109MM COMPRESSION HEIGHT:61.6MM PIN DIA: 31.75MM PIN LENGTH: 75MM NO.OF RING:4 ENGINE NO.: Perkins AD3.152, AD4.203
	Piston	3135J241, 4222134M91, U5LP0057	4225,4235,4245,4255,4260, 4265,4270,6270,6280,6290	BORE:100MM HEIGHT: 108.23MM COMPRESSION HEIGHT:70.3MM PIN DIA:39.7MM PIN LENGTH: 78MM NO.OF RING:3 ENGINE NO.: Perkins 1004.4,1004.40, 1004.40T, 1006.6,1006.60, 100

Photo	Item Name	OEM/ REF	Applications	Description
	Piston	4225019M91	3425,3435,3445,3455,410,420, 492,5425,5435,5445,5455,5460, 6445,6455,6460,6470,8925, 8926,89410,8947	BORE:105MM HEIGHT:108MM COMPRESSION HEIGHT: 69.55MM PIN DIA:39.7MM PIN LENGTH: 77.8MM NO.OF RING:3 ENGINE NO.: 1103B- 33T DG, 1103C-33T DD, 1103C-33TA DE, 1104A-44T
	Piston	4225018M91	275,283 Brazilian,290,3425, 3435,3445,3455,375E Brazilian, 390E Brazilian,410,420, 460Xtra Brazilian,481 Brazilian, 5425,5435	BORE:105MM HEIGHT:108MM COMPRESSION HEIGHT: 69.55MM PIN DIA:39MM PIN LENGTH: 73MM NO.OF RING:3 ENGINE NO.: Perkins 1103A-33 DJ, 1103A-33T DK, 1103B-33 DF, 1103C-33 DC, 1103C-33T DD, 1103D-33 XK, 1103D-33TA XM, 1104A-44 RR, 1104C-44 RE, 1104C-E44 RF, 1104D-44TA NM
	Piston	3639048M1, 41158059, 4223940M91, 4223940V91, 59618, 68332, 734466M91, 734467M91, 743824M91, 743824V91, 743824Z91, 745820M91, 780006, 82111, 82112, 82137, 82147, 82906	135,140,145,148,150,152,154, 155,158,165,20,203,205,20B, 20C,20E,20F,2135,2200,2203, 2205,230,233,234,235,240, 245,250,2500,253,254,255, 260,30,302,304,30B,30D,30E, 30H,3165,3303,3305,333,340, 342,350,354,40,40B,50,550, 560,65,765	BORE:91.48MM HEIGHT: 109.6MM COMPRESSION HEIGHT: 62.02MM PIN DIA: 31.75MM PIN LENGTH: 75.3MM NO.OF RING:5 ENGINE NO.: Perkins AD3.152, AD4.203

Photo	Item Name	OEM/ REF	Applications	Description
	Piston	747050M91, U5LP0009	194,194 S,178,185,188,294 S-4S, 285,290,293,294,294 -4,294 -4S, 294 S,383,383 S,387,393,393 LX, 393 S,394 AP,394 AQ,394 FP, 394 FQ,394 GE,394 H,394 S, 394 SQ,397,382,382 N,390, 390 E,3060,590,690,430, 440 Combine,294 C,394 C,396 C, 396 CF,20,50EX,50H,50HX, 50HXS,50HXT,60H,60HS,60HT, 194 -4F,194 F,394 F	BORE: 101.06MM HEIGHT: 120.75MM COMPRESSION HEIGHT: 69.90MM NO.OF RING:3 ENGINE NO.: Perkins A4.236,A4.248, AT4.236
	Piston	3637360M91, 3637360Z91, U5LP0022	394,397,398,3065,3070,560, 1007,20,60HX,1004T,390T, 393LX,396TC,698T,	BORE:96.52MM HEIGHT: 108.28MM PIN DIA: 38.03MM NO.OF RING:3 ENGINE NO.: Perkins T4.236
	Piston	364180M91, 3638989M91, 3641806M91	297,297 Advanced, 298 Advanced,3085,3095,3115, 396,399,4260,4270,465,5320, 5365,6160,6170,630,640,750, 8925,8926,8937,8939	BORE: 100.00MM HEIGHT: 107.49MM COMPRESSION HEIGHT:70MM PIN DIA: 34.9MM PIN LENGTH: 78.00MM NO.OF RING:3 ENGINE NO.: Perkins 1004.4,1004G, 1006.6
	Piston	4222949M91, U5LP0058	2230,3235AP(X),3235FP(X), 3235GE(X),3235SP(X),394AP(X), 394FP(X),394GE(X),394SP(X), 4235 (USA),4235HV (USA), 4335,4335HV,750,750B,8925, 8926,8937,8939	BORE: 103MM HEIGHT: 108.38MM COMPRESSION HEIGHT: 70.32MM PIN DIA: 39.68MM ENGINE NO.: Perkins 1004.40T, 1004.42,A4.236




Photo	Item Name	OEM/ REF	Applications	Description
	Piston	1884101M91, 1884102M91, 829731M91, 829787M91, 829788M91	35,702,835,FE35	BORE:84MM HEIGHT: 98.2MM COMPRESSION HEIGHT: 55.15MM PIN DIA: 28.5MM PIN LENGTH: 71MM NO.OF RING:5 ENGINE NO.: Massey 23C Diesel
	Piston	4224056M1, 4224056V1, 738106M91, 738106V91, 738106Z91, 86716	1080,1085,592,595,595MKII	BORE: 114.31MM HEIGHT: 124.612MM COMPRESSION HEIGHT: 70.676MM PIN DIA: 36.513MM PIN LENGTH: 98.425MM NO.OF RING:4 ENGINE NO.: Perkins A4.318
	Piston	3638609M1	4249	BORE:108.00M HEIGHT: 106.65MM COMPRESSION HEIGHT:70.5M PIN DIA:40MM PIN LENGTH: 88.9MM NO.OF RING:3 ENGINE NO.: 320D,320DE, 320DS, 320DSRE,320S, 420D,420DR, 420DS,420DSR, 420DSRE, 420DW, 420DWI, 420DWRE, 420DWRIE, 44DT,44ET, 44EWI,620D, 620DRE,620DS, 620DSIE, 620DSR, 620DSRAE, 620DSRE, 620DSRIE, 620DW, 620DWR, 620DWRE,

Photo	Item Name	OEM/ REF	Applications	Description
	Piston	3637368M91, 4224181M91	253,352,353,360,363,363S, 390GT,40EL,363LX,355	BORE:90.92MM HEIGHT: 108.85MM COMPRESSION HEIGHT: 61.72MM PIN DIA: 31.75MM NO.OF RING:3 ENGINE NO.: Perkins AT3.152.4, AT3.152, AT4.236
	Piston	3135M105	3435 V/S/F,410,5425,5435	BORE:104.85MM HEIGHT: 108.1MM COMPRESSION HEIGHT: 70.05MM PIN DIA: 39.70MM NO.OF RING:3 ENGINE NO.: Perkins 1103C-33, 1104C-44, 1104D-44T, 1104D-44TA
	Piston	3135M161	8925,8926,89410,89410L, 8947	BORE:104.9MM HEIGHT:108MM COMPRESSION HEIGHT: 70.116MM PIN DIA: 39.7MM PIN LENGTH: 78MM NO.OF RING:3 ENGINE NO.: Perkins 1104D-44T, 1104D-44TA
	Piston	3135M141	5465,5475,6465,6475,6480, 7465,7475,7480	BORE:104.9MM HEIGHT:108MM NO.OF RING:3 ENGINE NO.: Perkins 1106A








Photo	Item Name	OEM/ REF	Applications	Description
	Piston ring	41158058, 745819M91, 745819Z91, 841521M91, 84956	135,155,158,165,203,205, 2135,260,35,35X,65,765, A3.152,A4.203,AD4.203	BORE:91.49MM SIZE:2.38+2.38 +3.17+6.35+ 6.35MM ENGINE NO.: Perkins A3.152, A4.203,AD4.203
	Piston ring	41158065, 745826M91, 7458356M91, 86781	135,140,148,150,152,154,154C, 155,158,165,203,20C,20D,20E, 2135,2205,230,231,233,234, 235,240,244,244CF,245,250, 253,254,254C,255,260,30E,30H, 340,342,350,353,353LX,354, 356,356CF,360,550,560,65,765	BORE:91.49MM SIZE:2.38+2.38 +2.38+4.75MM ENGINE NO.: Perkins AD3.152, AD4.203,D3.152
	Piston ring	41158044, 745763M91, 745763Z91, 86753,92465	165,174,174C,3303,3305, 50,50B	BORE:98.48MM SIZE:2.38+2.38 +2.38+6.35MM ENGINE NO.: Perkins A4.212,A4.236
	Piston ring	41158045, 745764M91, 745764Z91, 86775	3303,3305,50,50B,186	BORE:98.48MM SIZE:2.38+2.38 +6.35MM ENGINE NO.: Perkins A4.212
	Piston ring	4222950M91	3315,3325,3330,3340,3350,3355, 4225,4235,4335,8925,8926,8937, 8939	BORE: 103 MM SIZE: 2.50+2.50 +3.50 MM ENGINE NO.: PERKINS 1004.40T, 1004.42, A4.236
	Piston ring	41158022, 747428M91	194,194 S,178,185,188,294 S-4S, 285,290,293,294,294 -4,294 -4S, 294 S,383,383 S,387,393,393 LX, 393 S,394 AP,394 AQ,394 FP, 394 FQ,394 GE,394 H,394 S, 394 SQ,397,382,382 N,390, 390 E,3060,690,590,6110,430, 440 Combine,294 C,394 C,396 C, 396 CF,20,50EX,50H,50HX, 50HXS,50HXT,60H,60HS,60HT, 194 -4F,194 F,394 F	BORE: 101.05MM SIZE:2.5+2.5 +5.00MM ENGINE NO.: Perkins A4.236, A4.248,AT4.236
	Piston ring	41158132, 746163M91, 746163Z91	—	BORE: 114.31 MM SIZE: 2.38 + 2.38 + 6.35 MM ENGINE NO.: Perkins A4.318.2



Photo	Item Name	OEM/ REF	Applications	Description
	Piston ring	41158058, 745819M91, 745819Z91, 841521M91, 84956	178,185,188,194,294 S-4S,285, 290,293,294,294 -4,294 -4S, 294 S,383,383 S,387,393,397, 382,382 N,390,3060,590,690, 487 Combine,506 Combine, 440 Combine,194 C,60H, 194 -4F,394 F	BORE: 101.05MM SIZE:2.38+2.38 +2.38+6.35MM ENGINE NO.: Perkins A4.248
	Piston ring	3637032M91, 4181A021	3120,3125,3140,3635,3645, 3655,6180,6190,8110,8120, 8130	BORE:100MM SIZE:3.0T+2.5+ 4.0MM ENGINE NO.: Perkins 1004.4T,1006.4, 1006.6,1006.6T
	Piston ring	836640078	3615,3625,3635,3645,3655,3670, 3690,4435,4445,4455,5465,5470, 5475,5480,6460,6465,6470,6475, 6480,6485,6490,6495,6497,6499, 7250,7252,7254,7256,7260,7465, 7475,7480,7485,7490,7495,7497, 7499,8140,8150,8160,8240,8250, 8260,8450,8460	BORE: 107.90MM SIZE:2.85+2.45 +4.00MM ENGINE NO.: Sisu 320D, 320DS, 320DE, 320DSRE, 420D, 420DS, 420DSRE, 420DW, 420DSI, 420DWRE, 420DWRIE, 620D, 620DS, 620DWR,
	Piston ring	41158032, 745752M91, 86763	1014,1100,1105,1200,500,510, 520,525	BORE: 98.48 MM SIZE: 3.17+2.38+ 2.38+6.35+ 6.35 MM ENGINE NO.: Perkins A6.354,A6.354.1
	Piston ring	3638721M91, 3638721Z91, 4181A022, 747602M91	1004T,1007,20,3065,3070, 390T,393LX,394,396TC,397, 398,560,60HX,698T	BORE: 98.48 MM SIZE: 3.17+2.38 +4.76 MM ENGINE NO.: Perkins A4.236,A4.248, T4.236
	Piston ring	3638235M91, 3638235Z91, 4181A017	253,264,352,355,360,40E	BORE: 91.48 MM SIZE: 3.00+2.38+ 3.50 MM ENGINE NO.: Perkins AT3.152,T3.152, T3.152.4
	Piston ring	3637033M91, 3641407M91, 4181A019, 4181A027, 4181A041, 4222706M91	3075,3085,3095,3115,396,399, 4260,4270,6160,6170,6260,8925, 8926,8937,8939	BORE: 100 MM SIZE: 2.50+2.50+ 4.00 MM ENGINE NO.: Perkins 1004.4,1004.4T, 1006.6






Photo	Item Name	OEM/ REF	Applications	Description
	Piston ring	41158005, 745277M91, 745277Z91	1004T,1134,20,2680,2685,2705, 2720,2725,29,29XP,31,31XP,3630, 3650,560,565,660,698T,750,760, 820,825,830,835,840,865	BORE:98.48MM SIZE:3.17+2.38 +4.76MM ENGINE NO.: Perkins T4.236, T6.354.4, TC6.354.4
	Piston ring	3641316M91, 4181A026	3075,3120,3125,3140,3635,3645, 3655,4245,4255,4265,6130,6140, 6150,6180,6190,6235,6245,6255, 6265,6270,6280,6290,760,8110, 8120,8130,8140,8150,8220,865, 8925,960,965	BORE:100MM SIZE:3.50+2.50 +4.00MM ENGINE NO.: Perkins 1004.4T, 1006.6T,4.41
	Piston ring	4181A033, 4222136M91	4225,4235,4245,4255,4260,4265, 4270,6270,6280,6290	BORE:100MM SIZE:3.50+2.50 +3.50MM ENGINE NO.: Perkins 1004.4, 1004.40, 1004.40T, 1006.6, 1006.60, 1006.60T, 1006.6T
	Piston ring	3640232M1, 41158004, 41158041, 745760M91, 745760Z91, 745778M91, 745786M91, 83388, 83388C	10,1014,1100,1104,1130,168,174, 174C,175,178,184,24,240,261, 2620,2625,265,273,274,274C, 274SK,275,283,284,3050,307,30D, 330,362,365,372,373,373LX,374, 375,375E,376C,376CF,376XCF,377, 383,383LX,384,387,50,50B,50C, 50D,50E,50EX,50H,50HX,565,575, 60H,675	BORE: 98.48 MM SIZE: 2.38+ 2.38+2.38+ 6.35+6.35 MM ENGINE NO.: Perkins A4.236, 6.354, 6.3541, 6.3544
	Piston ring	4225072M91, 425072M91	3425F,3425S,3425V,3445F, 3445S,3445V,3455F,3455S, 3455V,420,430,5445,5455, 5460,6445,6455,6460,6470	BORE:105MM SIZE:3.35+2.50 +3.50MM NO.OF RING:3RV ENGINE NO.: Perkins 1104C-44T, 1104C-44TA, 1104C-E44T, 1104C-E44TA

Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Liner	3135X032, 3637032M1, 3637332M1, 3637332Z1	1004T,1007,20,3065,3070,390T, 393LX,394,396TC,397,398,560, 60HX,698T	BORE:98.48MM OUTER D: 104.20MM HEIGHT: 226.50MM ENGINE NO.: Perkins A4.236,AT4.236
	Cylinder Liner	3135X063, 4222129M1	4225,4235,4240,4245,4255, 4260,4265,4270,MTX175	BORE:100MM OUTER D:MM HEIGHT: 227.4 MM TYPE:SF- ENGINE NO.: Perkins 1004.40T, 1004.42,A4.236-
	Cylinder Liner	3135X062, 4222128M1	4225,4235,4240,4245,4255, 4260,4265,4270,MTX175	BORE:100MM OUTER D:MM HEIGHT: 227.45MM TYPE:FF- ENGINE NO.: PERKINS 1004.40T, 1004.42, A4.236-
	Cylinder Liner	31358349, 31358393, 744131M1	174,174 S,184,184 S,165,168, 175,175 S,1100,1105,1130, 1135,240,261,265,273,274, 274 S,274 SK,275,283,284, 284 S,2620,2640,2645,2675, 2680,2685,2705,2720,2725, 2625,365,3050,3080,3090, 3610,3630,3650,560,565,575, 6601004 T,675,698 T,699,1200, 1250,1014,1104,1114,1134, 820,825,835,865,10 Combine, 186 Combine,187 Combine, 24 Combine,27 Combine, 29 Combine,29XP Combine, 307 Combine,31 Combine, 31XP Combine,330 Combine, 500 Combine,507 Combine, 510 Combine,520 Combine, 525 Combine,530 Combine, 530S Combine,810 Combine, 830 Combine,840 Combine, 99 Combine,750 Combine, 760 Combine,1024,174 C,20, 20B,20E,20F,30D,3303,3305, 50,50B,50B MKII,50C,50D,50E, 50EX,50H,50HX,60H,174 F,184 F	BORE: 98.48MM OUTER D:MM HEIGHT: 227.28MM TYPE:SF- ENGINE NO.: Perkins A6.354, A6.354.4, AT6.354.4, T6.354, A4.212,A-

Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Liner	31358341, 31358394, 31358441, 736507M3, 744948M1, 744948Z1	174,174 -4S,174 S,184,184 -4, 184 -4S,184 S,165,168,175,175 S, 178,1100,1105,1130,1135, 284 S-4S,240,261,265,273,274, 274 -4,274 -4SK,274 S,274 SK, 275,283,284,284 S,240,261,265, 273,274,274 -4,274 -4SK,274 S, 274 SK,275,283,284,284 S,2620, 2640,2645,2675,2680,2685, 2705,2720,2725,2625,373,373 S, 374,374 S,377,383,384 S,387, 362,362 N,365,372,372 N,375, 390 T,398,399,3050,3065,3070, 3080,3090,3610,3630,3650,560, 565,575,660,660 MD,1004 T,675, 698 T,699,1200,1250,1007,1014, 1104,1114,1134,820,820 MD, 825,825 MD,835,835 MD,865, 10 Combine,186 Combine, 187 Combine,24 Combine, 27 Combine,29 Combine, 29XP Combine,307 Combine, 31 Combine,31XP Combine, 330 Combine,500 Combine, 500MD Combine,507 Combine, 510 Combine,510MD Combine, 520 Combine,520MD Combine, 525 Combine,525MD Combine, 530 Combine,530MD Combine, 530S Combine,810 Combine, 830 Combine,840 Combine, 840MD Combine,99 Combine, 750 Combine,750MD Combine, 760 Combine,760MD Combine, 1024,174 C,20,30D,3303,3305, 50,50B,50B MKII,50C,50D,50E, 50EX,50H,50HX,60H,174 F,	BORE: 98.48MM OUTER D:MM HEIGHT: 227.28MM TYPE:FF- ENGINE NO.: Perkins A4.212, A4.236, AT4.236, A6.354, A6.354.4, AT6.-
	Cylinder Liner	31358533, 745990M1, 745990Z1	1080,1085,298,592,595,1004	BORE: 114.3MM OUTER D:MM HEIGHT:230MM TYPE:SF- ENGINE NO.: PERKINS A4.318, A4.318.2
	Cylinder Liner	3135X031, 3637031M1, 3637331M1, 3637331Z1, 3638796M91	1004T,1007,20,3065,3070,390T, 393LX,394,396TC,397,398,560, 60HX,698T	BORE:98.48MM OUTER D:MM HEIGHT: 226.44MM TYPE:SF- ENGINE NO.: Perkins A4.236,AT4.236-

Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Liner	31358352, 742466M1, 742466Z1	178,185,188,194,194 C,194 S, 194F,285,290,293,294,294 S, 3060,382,382 N,383,383 S,387, 390,393,394F,397,440 Combine, 50H,50HX,590,60H,690, 750 Combine	BORE: 101.05MM OUTER D: 104.20MM HEIGHT: 227.28 MM TYPE:FF ENGINE NO.: Perkins 4.248,4.2482
	Cylinder Liner	3135X042, 158X042, 748216M1	3075,3085,3095,3115,3120, 3125,3140,3635,3645,3655, 396,399,4225,4235,4245, 4255,4260,4265,4270,6110, 6130,6140,6150,6160,6170, 6180,6190,6235,6245,6255, 6260,6265,6270,6280,6290, 750,760,8110,8120,8130, 8140,8150,8220,865,8925, 8926,8937,8939,960,965	BORE:100MM OUTER D:MM HEIGHT: 226.44MM TYPE:FF- ENGINE NO.: PERKINS 1004.4T, 1006.4, 1006.6, 1006.6T-
	Cylinder Liner	3135X041, 3158X041, 748215M1	3075,3085,3095,3115,3120, 3125,3635,3640,3645,3655,396, 399,4245/4255,4245/4255/4265, 4260/4270,465,475,5365,5650, 6130,6140,6150,6160,6170, 6180,6190,650,660,680,8110, 8120,8130	BORE:100MM OUTER D:MM HEIGHT: 226.44MM TYPE:SF- ENGINE NO.: perkins 1004.4t, 1006.4, 1006.6, 1006.6T-
	Cylinder Liner	31358534, 745991M1, 745991Z1	1080,1085,298,592,595,1004	BORE: 114.3MM OUTER D:MM HEIGHT: 230MM TYPE:FF- ENGINE NO.: PERKINS A4.318, A4.318.2-


Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Liner	3638970M1, 836647420, V836666990, V836673191	3615,3625,3635,3645,3670, 3690,4435,4445,4455,5470, 5480,6460,6470,6485,6490, 6495,6497,6499,7250 Combine, 7252 Combine,7254 Combine, 7256 Combine,7260,7485,7490, 7495,8140,8150,8160,8240, 8250,8260,8450,8460	BORE:108MM OUTER D: 123MM HEIGHT:218MM TYPE:FF ENGINE NO.: SISU 620DS, 620DSRAE, 620DWBAE, 634DS, 634DSBAE, 634DSBIE, 634DWBAE







Photo	Item Name	OEM/ REF	Applications	Description
	Engine Valve	31431281, 732811M1	133,134C,135,148,150,152,154, 155,158,165,230,233,234,235, 240,245,250,253,254,255,260, 340,342,350,354,40,50,550,560, 65,765	IN/EX:IN ENGINE NO.: Perkins AD3.152, AD4.203
	Engine Valve	31431591, 737640M1	133,134C,135,148,150,152,154, 155,158,165,230,233,234,235, 240,245,250,253,254,255,260, 340,342,350,354,40,50,550,560, 65,765	IN/EX:EX ENGINE NO.: Perkins AD3.152, AD4.203
	Engine Valve	31431681, 739060M1	133,134,135,145,148,150,152, 154,154C,155,158,165,20B,20D, 20E,20F,230,233,234,235,240, 245,250,253,254,254C,255,30E, 30H,333,334,340,342,350,353, 353LX,354,40,40E,550,560,65, 765	IN/EX:IN ENGINE NO.: Perkins AD3.152, AD4.203
	Engine Valve	31431761, 3637529M1, 3639880M1, 739972M1, 746008M1, 747581M1	133,134,135,145,148,150,152, 154,154C,155,158,165,20B,20D, 20E,20F,230,233,234,235,240, 245,250,253,254,254C,255,30E, 30H,333,334,340,342,350,353, 353LX,354,40,40E,550,560,65, 765	IN/EX:EX ENGINE NO.: Perkins AD3.152, AD4.203
	Engine Valve	4222149M91	3220AP(X),3220FP(X),3220GE(X), 3220SP(X),3330,3330F/FE, 3330GE,3330S,3330V,3350, 3350F/FE,3350GE,3350S,3355, 3355F/FE,3355GE,3355S, 374AP(X),374FP(X),374GE(X), 374SP(X),4225,4225HV,4235, 4235HV,4245,4245HV,4260,4265, 4270,4325,4325HV,4345,4345HV, 4360,4365,4370,5465,6170,6180, 6235,6235HV,6245,6245HV,6260, 6265,6270,6280,6290,6465,6475, 6480,7465,7475,7480,8120,8220	IN/EX:IN ENGINE NO.: Perkins 1004-40, 1004-40T, 1004-40TW, 1006-60, 1006-60T, 1006-60TA, 1006-60TW, 1106C-E60TA
	Engine Valve	4222147M91	3220AP(X),3220FP(X),3220GE(X), 3220SP(X),3330,3330F/FE, 3330GE,3330S,3330V,3350, 3350F/FE,3350GE,3350S,3355, 3355F/FE,3355GE,3355S, 374AP(X),374FP(X),374GE(X), 374SP(X),4225,4225HV,4235, 4235HV,4245,4245HV,4260,4265, 4270,4325,4325HV,4345,4345HV, 4360,4365,4370,5465,6170,6180, 6235,6235HV,6245,6245HV,6260, 6265,6270,6280,6290,6465,6475, 6480,7465,7475,7480,8120,8220	IN/EX:EX ENGINE NO.: Perkins 1004-40, 1004-40T, 1004-40TW, 1006-60, 1006-60T, 1006-60TA, 1006-60TW, 1106C-E60TA





Photo	Item Name	OEM/ REF	Applications	Description
	Engine Valve	31431103, 31431315, 31431641, 735820M1, 739027M1	1004T,1007,1014,10Plot,1104, 1200,16,165,165MKIII,168,168F, 168MKIII,168S,16Plot,174,174C, 174F,174S,174V,175,175S,178, 184,184F,184S,185,186,187,188, 194,194C,194F,194S,20,206,24, 240,255(USA),261,265,265S,273, 274,274C,274CF,274S,274SK,275, 275E,283,284,284S,285,285S, 290,290E,293,294,294C,294S, 3050,3055,3060,3065,307,3070, 30D,3220AP(X),3220FP(X), 3220GE(X),3220SP(X),3225AP(X), 3225FP(X),3225GE(X),3225SP(X), 3235AP(X),3235FP(X),3235GE(X), 3235SP(X),330,3303,3305,362, 362N,365,367CF,372N,373, 373LX,373S,374AP,374AP(X), 374AQ,374F,374FP,374FP(X), 374FQ,374GE,374GE(X),374H, 374S,374SP,374SP(X),374SQ, 374V,374VQ,375,375E,376C, 376CF,376XCF,377,382N,383, 383LX,383S,384AP,384AP(X), 384AQ,384F,384FP,384FP(X), 384FQ,384GE,384GE(X),384S, 384SP,384SP(X),384SQ,384V, 384VQ,387,390,390E,390T,393, 393LX,393S,394AP,394AP(X), 394AQ,394C,394F,394FP, 394FP(X),394FQ,394GE, 394GE(X),394H,394S,394SP, 394SQ,396C,396CF,396CT,397, 397T,398,430,440,487,50,500, 506,50B,50BMKII,50C,50D,50E, 50EX,50H,50H-S,50H-T,50HX,	IN/EX:IN ENGINE NO.: Perkins 4.236, 4.248, 4.2482, 6.354, 6.3541, 6.3542, T4.236, T6.354, T6.3541
	Engine Valve	731152M1	133,135,2135,260,35,35X,65,765	IN/EX:EX ENGINE NO.: Perkins A3.144, A3.152, A4.192
	Engine Valve	70910036, 70910099	435,440,445,5340	IN/EX:EX ENGINE NO.: Perkins 1104.4C,A4.41
	Engine Valve	70910035, M70910035	435,440,445,5340	IN/EX:IN ENGINE NO.: Perkins 1104.4C,A4.41









Photo	Item Name	OEM/ REF	Applications	Description
	Engine Valve	3142L072, 3640597M1	3075,3120,3125,3140,3635, 3645,3655,4245,4255,4265, 6130,6140,6150,6180,6190, 6235,6245,6255,6265,6270, 6280,6290,8110,8120,8130, 8140,8150,8220	IN/EX:IN ENGINE NO.: Perkins 1006.6,1006.6T, A6.354.4, AT6.354.4, T6.354.4,T6.60
	Engine Valve	3142A051, 748309M1	3075,3120,3125,3140,3635, 3645,3655,4245,4255,4265, 6130,6140,6150,6180,6190, 6235,6245,6255,6265,6270, 6280,6290,8110,8120,8130, 8140,8150,8220	IN/EX:EX ENGINE NO.: Perkins 1006.6,1006.6T, A6.354.4, AT6.354.4, T6.354.4,T6.60
	Engine Valve	4222952M1	2230,3235AP(X),3235FP(X), 3235GE(X),3235SP(X),3340, 3340GE,3340S,3340V,394AP(X), 394FP(X),394GE(X),394SP(X), 4235 (USA),4235HV (USA),4335, 4335HV,750,750B,8925,8926, 8937,8939	IN/EX:IN ENGINE NO.: Perkins 1004-42
	Engine Valve	4222957M1	2230,3235AP(X),3235FP(X), 3235GE(X),3235SP(X),3340, 3340GE,3340S,3340V,394AP(X), 394FP(X),394GE(X),394SP(X), 4235 (USA),4235HV (USA),4335, 4335HV,750,750B,8925,8926, 8937,8939	IN/EX:EX ENGINE NO.: Perkins 1004-42
	Engine Valve	4224847M1	3425,3435,3445,3455,410,420, 430,5425,5435,5445,5455,5460, 5465,6445,6455,6460,6465,6470, 6475,6480,7465,7475,7480	IN/EX:IN ENGINE NO.: Perkins 1104C-44, 1104C-44T, 1104C-44TA, 1104C-E44, 1104C-E44T, 1104C-E44TA
	Engine Valve	4224846M1	3425,3435,3445,3455,410,420, 430,5425,5435,5445,5455,5460, 5465,6445,6455,6460,6465,6470, 6475,6480,7465,7475,7480	IN/EX:EX ENGINE NO.: Perkins 1104C-44, 1104C-44T, 1104C-44TA, 1104C-E44, 1104C-E44T, 1104C-E44TA





Photo	Item Name	OEM/ REF	Applications	Description
	Engine Valve	3132A052, 3142A052, 31431104, 31431109, 31431851, 31431881, 733818M1, 741466M1, 741659M1, 747552M1, 747552V1	1014,1100,1105,1114,1130,1134, 1135,1200,1250,165,168,174, 174 -4S,174 V,175,178,184,184 -4, 184 -4S,184 S,185,188,194 -4F, 24 Combine,240,2620,2640,2645, 265,2675,2680,2685,27 Combine, 2720,2725,273,274,274 -4, 274 -4SK,274 S,274 SK,275,283, 284,284 -4S,284 S,284 S-4S,285, 29 Combine,290,294 -4S,294 S, 29XP Combine,3050,3060,3080, 3090,30D,31XP Combine,3610, 362,362 N,3630,365,3650,372, 372 N,373,373 S,374,374 S,375, 377,383,384 S,387,390,393,397, 399,440 Combine,50, 500 Combine,500MD Combine, 50B,50D,50E,50EX,50H,50HX, 510MD Combine, 520MD Combine, 525MD Combine, 530MD Combine,560,565,575, 590,60H,660 MD,675,690,699, 750MD Combine, 760MD Combine,820 MD,825, 825 MD,830 Combine,835, 835 MD,840MD Combine	IN/EX:EX ENGINE NO.: Perkins A4.212, A4.236, A4.248, A6.354, A6.354.4, AT6.354.4, T6.354.4
	Engine Valve	4222896M1	4255,4255HV,4355,4355HV, 5465,6255,6255HV,6465, 6475,6480,7465,7475,7480, 760,760B,8210,860,860B, 860S,860SE,8925T,8926T, 8937T,8939T,960,960B,965	IN/EX:EX ENGINE NO.: Perkins 1004-40T, 1004-40TW, 1006-60, 1006-60T, 1006-60TW, 1106C-E60TA
	Engine Valve	4222580M1	2210,2220,263(UK),3315, 3315F,3315FE,3315GE,3315S, 3315V,3325,3325F,3325FE, 3325GE,3325S,3325V,4215, 4220,4315,4320	IN/EX:EX ENGINE NO.: Perkins 3.1524,903- 27, 903-27T,D3.152
	Engine Valve	4222579M1	2210,2220,263(UK),3315, 3315F,3315FE,3315GE,3315S, 3315V,3325,3325F,3325FE, 3325GE,3325S,3325V,4215, 4220,4315,4320	IN/EX:IN ENGINE NO.: Perkins D3.152,3.1524, 903- 27,903-27T



Photo	Item Name	OEM/ REF	Applications	Description
	Engine Valve	4222894M1	4255,4255HV,4355,4355HV, 6255,6255HV,760,760B,8210, 860,860B,860S,860SE,8925T, 8926T,8937T,8939T,960,960B, 965	IN/EX:IN ENGINE NO.: Perkins 1004-40T, 1004-40TW, 1006-60, 1006-60T, 1006-60TW
	Engine Valve	731151M1	133,135,2135,260,35,35X,65,765	IN/EX:IN ENGINE NO.: Perkins A3.144, A3.152, A4.192

Photo	Item Name	OEM/ REF	Applications	Description
	Valve Guide	33261731, 4223073M1, 736297M1	4225,675,1004T,1007,1014,1024, 1100,1104,1105,1114,1130,1134, 1135,1200,1250,165,168,168F, 168S,174,174C,174F,174S,174V, 175,175S,178,184,184F,184S, 185,188,194,194C,194F,194S,20, 255 (USA),2620,2625,2640,2645, 265,265 Advanced,2675,2680, 2685,2705,2720,2725,273,274, 274C,274CF,274S,274SK,275, 275E,283,284,284S,285,290, 290E,293,294,294C,294S,297, 297 Advanced,298 Advanced, 299,299 Advanced,3050,3055, 3060,3065,3065S,3070,3075, 3080,3085,3090,3095,30D,3115, 3120,3120T,3125,3140, 3220AP(X),3220FP(X),3220GE(X), 3220SP(X),3225AP(X),3225FP(X), 3225GE(X),3225SP(X),3235AP(X), 3235FP(X),3235GE(X),3235SP(X), 3303,3305,3610,362,362N,3630, 3635,3645,365,3650 S/F/V/GE, 3655,3660 S/F/V/GE,367CF,372N, 373,373LX,373S,374AP,374AP(X), 374AQ,374F,374FP,374FP(X), 374FQ,374GE,374GE(X),374H, 374S,374SP,374SP(X),374SQ, 374V,374VQ,375,375E,376C, 376CF,376XCF,377,382N,383, 383LX,383S,384AP,384AP(X), 384AQ,384F,384FP,384FP(X), 384FQ,384GE,384GE(X),384S, 384SP,384SP(X),384SQ,384V, 384VQ,387,390,390E,390T,393, 393LX,393S,393TLX,394AP, 394AP(X),394AQ,394C,394F, 394FP,394FP(X),394FQ,394GE, 394GE(X),394H,394S,394SP, 394SQ,394TAQ,396,396C,396CF, 396CT,397,397T,398,399,4225HV, 4235,4235HV,4240,4245,4245HV, 425,4255,4255HV,4260,4270, 465,475,50,50B,50B MKII,50C, 50D,50E,50EX,50H,50H-S,50H-T, 50HX,50HX-S,50HX-T,5275,5285, 5290,5300,5310,5320,5365,565, 575,590,60,60H,60H-S,60HX, 60HX-T,6110,6120,6130,6140, 6150,6160,6170,6180,6190,630, 640,640 Turbo,650, 650 Advanced,660, 660 Advanced,680, 680 Advanced,690,698T,699, 8110,8120,8130	IN/EX:IN ENGINE NO.: Perkins 1004.40, 1000.40T, 1006.60, 1006.60T, AT4.236, A6.354.4, A6.354, AT6.354.4, A4.248,4.41, AT6.354.1, A6.354.1 OUTER D: 15.92MM INNER D: 9.54MM HEIGHT: 58.21MM


Photo	Item Name	OEM/ REF	Applications	Description
	Valve Guide	31431751, 33261751, 33261752, 33261754, 33261757, 3343J001, 3343J002, 3343J021, 3638922M1, 4223074M1, 748420M1	4225,675,1004T,1007,1014,1024, 1100,1104,1105,1114,1130,1134, 1135,1200,1250,165,168,168F, 168S,174,174C,174F,174S,174V, 175,175S,178,184,184F,184S, 185,188,194,194C,194F,194S,20, 255 (USA),2620,2625,2640,2645, 265,265 Advanced,2675,2680, 2685,2705,2720,2725,273,274, 274C,274CF,274S,274SK,275, 275E,283,284,284S,285,290, 290E,293,294,294C,294S,297, 297 Advanced,298 Advanced,299, 299 Advanced,3050,3055,3060, 3065,3065S,3070,3075,3080, 3085,3090,3095,30D,3115,3120, 3120T,3125,3140,3220AP(X), 3220FP(X),3220GE(X),3220SP(X), 3225AP(X),3225FP(X),3225GE(X), 3225SP(X),3235AP(X),3235FP(X), 3235GE(X),3235SP(X),3303,3305, 3610,362,362N,3630,3635,3645, 365,3650 S/F/V/GE,3655, 3660 S/F/V/GE,367CF,372N,373, 373LX,373S,374AP,374AP(X), 374AQ,374F,374FP,374FP(X), 374FQ,374GE,374GE(X),374H, 374S,374SP,374SP(X),374SQ, 374V,374VQ,375,375E,376C, 376CF,376XCF,377,382N,383, 383LX,383S,384AP,384AP(X), 384AQ,384F,384FP,384FP(X), 384FQ,384GE,384GE(X),384S, 384SP,384SP(X),384SQ,384V, 384VQ,387,390,390E,390T,393, 393LX,393S,393TLX,394AP, 394AP(X),394AQ,394C,394F, 394FP,394FP(X),394FQ,394GE, 394GE(X),394H,394S,394SP, 394SQ,394TAQ,396,396C,396CF, 396CT,397,397T,398,399,4225HV, 4235,4235HV,4240,4245,4245HV, 425,4255,4255HV,4260,4270,465, 475,50,50B,50B MKII,50C,50D, 50E,50EX,50H,50H-S,50H-T,50HX, 50HX-S,50HX-T,5275,5285,5290, 5300,5310,5320,5365,565,575, 590,60,60H,60H-S,60HX,60HX-T, 6110,6120,6130,6140,6150, 6160,6170,6180,6190,630,640, 640 Turbo,650,650 Advanced, 660,660 Advanced,680, 680 Advanced,690,698T,699, 8110,8120,8130	IN/EX:EX OUTER D: 15.90MM INNER D: 9.52MM HEIGHT:61MM ENGINE NO.: Perkins 1004.40, 1000.40T, 1006.60, 1006.60T, AT4.236, A6.354.4, A6.354, AT6.354.4, A4.248,4.41 ,AT6.354.1, A6.354.1

Photo	Item Name	OEM/ REF	Applications	Description
	Valve Stem Seal	2418M517	275,290,375E,390E,430,5425,5435,5445,5455,8925,8926,89410,8947	—
	Valve Stem Seal	2418M519, 4225347M1	275,290,375E,390E,430,5425,5435,5445,5455,8925,8926,89410,8947	—
	Valve Stem Seal	3637041M1, 733820M1, 1447019M1	<p>10 Plot,1004T,1007,1014,1024,1114,1134,1250,16,16 Plot,165,168,168F,168S,174,174C,174F,174S,174V,175,175S,178,184,184F,184S,185,186,187,188,194,194C,194F,194S,20,206,20XP,24,240,24T,255 (USA),2620,2625,2640,2645,265,2675,2680,2685,27,2705,2720,2725,273,274,274C,274CF,274S,274SK,275,275E,283,284,284S,285,29,290,290E,293,294,294C,294S,297,297 Advanced, 298 Advanced,299,299 Advanced,29XP,3050,3060,3065,3065S,307,3070,3075,3080,3085,3090,3095,30D,31,3115,3120,3120T,3125,3140,31XP,3220AP(X),3220FP(X),3220GE(X),3220SP(X),3225AP(X),3225FP(X),3225GE(X),3225SP(X),3235AP(X),3235FP(X),3235GE(X),3235SP(X),330,3303,3305,3610,362,362N,3630,3635,3645,365,3650 S/F/V/GE,3655,3660 S/F/V/GE,367CF,372N,373,373LX,373S,374AP,374AP(X),374AQ,374F,374FP,374FP(X),374FQ,374GE,374GE(X),374H,374S,374SP,374SP(X),374SQ,374V,374VQ,375,375E,376C,376CF,376XCF,377,382N,383,383LX,383S,384AP,384AP(X),384AQ,384F,384FP,384FP(X)</p>	<p>ENGINE NO.: Perkins 1004.4, 1004.42, 1004.4T, 1006.6, 1006.60T, 1006.6T, A4.212, A4.236, A4.248, A4.41, A6.354.1, A6.354.4, A6.372, AD3.152, AT4.236, AT6.354.4 OUTER D: 16.5MM INNER D: 9.5MM HEIGHT: 14.6MM</p>


Photo	Item Name	OEM/ REF	Applications	Description
	Valve Key	33173115	134 C,135,140,154,154 C,235, 240,245,250,255,260,560	—


Photo	Item Name	OEM/ REF	Applications	Description
	Valve Spring	0780272, 733823M1, 735521M1	174,184,194,165,168,175,178, 185,188,1080,1100,1105,1130, 1135,240,265,273,274,275,283, 284,285,290,294,298,2620,2640 2645,2675,2680,2685,2720, 2725,373,374,377,383,384,387, 393,397,362,365,372,375,390, 398,399,3050,3060,3065,3070, 3080,3090,3610,3630,3650, 560,565,575,590,595,660,675, 690,698,699,1200,1250,1007, 1014,1114,1134,820,825,835, 30D,50,50B,50D,50E,50EX,50H, 50HX,24,27,274SK,29,29XP, 31XP,375E,390E,390T,500,510, 520,525,530,620,625,698T,740, 750,760,830,840	,






Photo	Item Name	OEM/ REF	Applications	Description
	Rocker Arm Assembly			ENGINE NO.:
	Rocker Arm	83135, 41151307, 4115R805 3637391M91, 3640969M91, 3641234M91, 86688, 88677 3637531M91, 3638374M91, 4115R803, 4222210M91	135,148,230,240,250,253, 254,254S,255,35,350,353, 355,360,363,550 265S,275,275E,285S,290,290E, 3050,3060,3065,3075,372N, 375E,382N,390E,390T,398, 4225,4235,4240,4245,4255, 6120,6130,6140,6150,8925, 8926,8937,8939 134C,135,140,148,154,154C, 230,234C,234S,235,240,240S, 245,250,253 (UK),254C,254S, 255,263 (UK),340,342,350,352, 355,415,550	Perkins A3.152, AD3.152,
	Rocker Arm			AT3.152.4
				ENGINE NO.:
				Perkins
				1004.4,A4.41,
				AD4.212,
				AD4.236,
				AD4.248
				ENGINE NO.:
				Perkins
				A3.144,A3.152,
				A4.192,A4.203,
				AD3.152,
				AD4.203,
				AG3.152,
				AT3.152.4

Photo	Item Name	OEM/ REF	Applications	Description
	Rocker Arm	3637071M91, 3641306M91, 4223075M91, 4226836M91, 70998095, 733809M91	174,184,194,165,168,175,178, 185,188,292,299,240,261,265, 273,274,275,283,284,285,290, 293,294,298,2645,2680,2685, 2720,2725,2625,373,374,377, 383,384,387,394,397,362,365, 372,375,382,390,396,398,399, 3050,3060,3065,3070,3080, 3085,3090,3095,3120,3125, 3610,3630,3650,440	—
	Rocker Arm	3637072M91, 3641247M1, 4223076M91, 70998096, 733810M1	174,184,194,165,168,175,178, 185,188,292,299,240,261,265, 273,274,275,283,284,285,290, 293,294,298,2645,2680,2685, 2720,2725,2625,373,374,377, 383,384,387,394,397,362,365, 372,375,382,390,396,398,399, 3050,3060,3065,3070,3080, 3085,3090,3095,3120,3125, 3610,3630,3650,440,565,575, 675,690,699,1134,825,835, 1024,31,50B,1004T,265S,27, 274SK,285S,29,29XP,31XP,375E, 390E,390T,393LX,396TC,698T, 810,830,840	—
	Rocker Arm	0520430, 3638184M1, 3737A091, 50032	133,134C,134V,135,135MKIII, 135V,140,145,145MKIII,145S, 145V,148,148MKIII,152F, 152MKIII,152S,152V,154,154C, 154F,154S,154V,155,158,158F, 158MKIII,158S,158V,164TF, 164TS,164TV,165,2205,230, 231,233,234C,234CF,234S,235, 240,240S,244CF,245,250, 253 (Italy),253 (UK),254,254C, 254CF,254S,255,260,263 (UK), 263T (Italy),264T,264TCF,264TS, 3210FP(X),3210GE(X),3210SP(X), 333,334V,340,342,35,350,352, 353,353LX,353S,354AP,354AQ, 354F,354FP,354FP(X),354FQ, 354GE,354GE(X),354S,354SP, 354SP(X),354SQ,354V,354VQ, 355,356CF,35X,360,363,363LX, 363S,364AP,364AQ,364CF,364F, 364FP,364FQ,364GE,364S, 364SP,364SQ,364V,364VQ, 366CF,415,550,560,65,765,865	ENGINE NO.: Perkins A3.144,A3.152, A4.192,A4.203, AD3.152, AD4.203, AG3.152, AT3.152.4

Photo	Item Name	OEM/ REF	Applications	Description
	Rocker Arm	0520429, 3638185M1, 3737A031, 3737A101, 50033	133,134C,134V,135,135V,140, 145,145S,145V,148,150,152, 152F,152S,152V,154,154C,154F, 154S,154V,155,158,158F,158S, 158V,164TF,164TS,164TV,165, 20,203,205,20B,20C,20D,20E, 20F,2135,2203,2205,230,233, 234C,234CF,234S,235,240, 244CF,245,250,250X, 250X Advanced,253 (Italy), 253 (UK),254,254C,254CF,254S, 255,260,263T (Italy),264T,30, 302,304,30B,30E,30H,3165, 3210FP(X),3210GE(X), 3210SP(X),3303,3305,333,340, 342,35,350,352,353,353LX, 353S,354AP,354AQ,354F,354FP, 354FP(X),354FQ,354GE, 354GE(X),354S,354SP,354SP(X), 354SQ,354V,354VQ,355,356, 356CF,360,363,363LX,363S, 364AP,364AQ,364CF,364F, 364FP,364FQ,364GE,364S, 364SP,364SQ,364V,364VQ, 366CF,40,40B,40E,415,50,550, 560,65,765,865	ENGINE NO.: Perkins A3.144,A3.152, A4.192,A4.203, AD3.152, AD4.203, AG3.152, AT3.152.4


Photo	Item Name	OEM/ REF	Applications	Description
	Rocker Arm Shaft	ZZ90032, 31411125, 3637395M91	10 Plot,1004T,1007,16,16 Plot, 165,168,168F,168S,174,174C, 174F,174S,174V,175,175S,178, 184,184F,184S,185,186,187,188, 194,194C,194F,194S,20,206, 20XP,24,240,24T,255 (USA),265, 273,274,274C,274CF,274S, 274SK,275,275E,283,284,284S, 285,290,290E,293,294,294C, 294S,3050,3055,3060,3065, 3065S,307,3070,3075,30D, 3220FP(X),3220GE(X), 3220SP(X),3225AP(X), 3225FP(X),3225GE(X), 3225SP(X),3235AP(X), 3235FP(X),3235GE(X), 3235SP(X),330,3303,3305,362, 362N,365,367CF,372N,373, 373LX,373S,374AP,374AP(X), 374AQ,374F,374FP,374FP(X), 374FQ,374GE,374GE(X),374H, 374S,374SP,374SP(X),374SQ, 374V,374VQ,375,375E,376C, 376CF,376XCF,377,382N,383, 383LX,383S,384AP,384AP(X), 384AQ,384F,384FP,384FP(X), 384FQ,384GE,384GE(X),384S, 384SP,384SP(X),384SQ,384V, 384VQ,387,390,390E,390T, 393,393LX,393S,393TLX,394AP, 394AP(X),394AQ,394C,394F, 394FP,394FP(X),394FQ,394GE, 394GE(X),394H,394S,394SP, 394SP(X),394SQ,394TAQ,396C, 396CF,396CT,397,397T,398, 4225,4225H	—


Photo	Item Name	OEM/ REF	Applications	Description
	Rocker Arm Support	3637063M1, 3638403M1, 37521331, 37521332, 3818X901, 746461M1	174F,174S,174V,184F,184S,194F, 270,273,274,275,283,284,285, 290,294,50E,50F,575,590,670, 690	—

Photo	Item Name	OEM/ REF	Applications	Description
	Valve Tappet	0860012, 731150M1	154,164,133,135,140,145,148, 150,152,155,158,165,230,231, 233,234,235,240,245,250,253, 254,255,260,263,264,333,353, 354,363,364,340,342,350,352, 355,360,550,560,35,35X,65, 765,20B,20D,20E,20F,2135, 2205,30E,40,40E,50,244CF	—
	Valve Tappet	31434163, 4222069M1, 4226515M1, 740671M1	174,174 -4S,174 S,184,184 -4, 184 -4S,184 S,194,194 S,165,168, 175,178,185,188,1100,1105, 1130,1135,284 S-4S,240,261, 265,265 S,273,274,274 -4, 274 -4SK,274 S,274 SK,275,283, 284,284 -4S,284 S,285,290,293, 294,294 -4S,294 S,2620,2640, 2645,2675,2680,2685,2720, 2725,373,373 S,374,374 S,377, 383,383 S,384 S,387,393,393 S, 394 H,394 S,397,362,362 N,365, 372,372 N,375,375 E,382 N,390, 390 E,390 T,399,3050,3060, 3065,3070,3075,3080,3085, 3090,3095,3115,3120,3120 T, 3125,3140,3315,3325,3330, 3340,3350,3355,3610,3630, 3635,3645,3650,3655,425,435, 440,445,460,465,475,4225, 4235,4240,4245,4255,4260, 4265,4270,4325,4335,4345, 4355,4365,560,565,575,590, 5335,5340,5355,5360,5425, 5435,5435,5460,650,660, 660 MD,680,675,690,698 T,699, 6120,6130,6140,6150,6160, 6170,6180,6190,6235,6245, 6255,6260,6265,6270,6280, 6290,8110,8120,8130,8140, 8150,8220,1200,1250,1007, 1014,1114,1134,820 MD,825, 825 MD,835,835 MD,430, 307 Combine,330 Combin	—





Photo	Item Name	OEM/ REF	Applications	Description
	Crankshaft	3637458M91, 742344M91, 94441, 94454, 94455	155,158,165,50,65,765	LENGTH: 610MM CYL:4CYL FLANGE: 7HOLES ENGINE NO.: Perkins A4.203
	Crankshaft	3637752M91, 3638473M91, 737309M91, 742742M91, 84440, 85811, 92485, U5BG0016, U5BG0017, U5BG0028, ZZ90020, ZZ90121	155,158,165,260,50,65,765	LENGTH: 601MM CYL:4CYL FLANGE: 11HOLES ENGINE NO.: Perkins A4.192, AD4.203
	Crankshaft	3637399M91, 3637410M91, 3637499M9, 3641858M91, 742827M91, 94458, U5BG0027, ZZ90019, ZZ90078, ZZ90122, ZZ90150	133,134,135,140,148,150,152, 154,20,202,203,204,205,20B, 20D,20E,20F,230,233,234,235, 240,245,250,253,254,255,30, 30E,30H,340,342,350,354,40, 550,8650,8660,8670,8680,8690	LENGTH: 489MM CYL:3CYL FLANGE: 7HOLES ENGINE NO.: Perkins A3.144 (CB) , A3.152 (CD), AD3.152 (CE)
	Crankshaft	3637401M91, 3637401R91, 4227066M91, 736829M91, U5BG0024, ZZ90081	174,174 -4S,184,184 -4,184 -4S, 184 S,194,168,175,178,185,188, 292,284 S-4S,294 S-4S,240,265, 273,274,274 -4,274 -4SK,274 S, 274 SK,275,283,284,284 -4S,285, 290,293,294,294 -4,294 -4S, 294 S,373,373 LX,373 S,374, 374 A,374 S,377,383,383 LX, 383 S,384 A,384 S,387,393, 393 LX,393 TLX,394 A,394 S, 394 TA,397,397 T,,362,362 N, 365,372,372 N,375,382,382 N, 390,390 T,398,3050,3060,3065, 3070,3075,425,435,440,445, 460,4225,4235,4240,565,575, 590,5335,5340,5355,5360,675, 690,698 T,1007,440 Combine, 376 C,376 CF,396 CF,50,50B,50D, 50E,50EX,50H,50HX,60,60H, 194 -4F,374 F,384 F,394 F,8937, 374 V,384 V	CYL:4CYL FLANGE: 10HOLES ENGINE NO.: Perkins 1004-4, 1004- 4T,135Ti, 1004-40S, 1004G, 1004-40, 1004-40T, 1004-40TW, 1004-42,4.236, T4.236,4.238





Photo	Item Name	OEM/ REF	Applications	
	Crankshaft	31312436, 31312532, 31312539, 3637454M91, 3638309M91, 4222037M91, 736532M91, 84402, U5BG0012, U5BG0031, ZZ90023, ZZ90084, ZZ90116	133,135,148,150,152,154,20B, 20D,20E,20F,2135,230,233,234, 235,240,245,250,253,254,255, 30E,30H,340,342,35,350,354, 35X,40,550	LENGTH: 489MM CYL:3CYL FLANGE: 7HOLES ENGINE NO.: Perkins A3.144, A3.152, AD3.152
	Crankshaft	3131H022, ZZ90105	2705,3525,3545,3630,3650	LENGTH: 870MM CYL:3CYL FLANGE: 12HOLES ENGINE NO.: Perkins 1006.60, 1006.60T, 1006.6T, A6.354.4, AT6.354.4
	Crankshaft	4225085M91	3435 V/S/F,3445 V/S/F, 3455 V/S/F,5425,5435,5445, 5455,5460,6445,6455,492	CYL:4CYL FLANGE: 11HOLES ENGINE NO.: Perkins 1004.40
	Crankshaft	4225156M91	6460.6470	CYL:4CYL FLANGE: 11HOLES ENGINE NO.: Perkins 1104D-E44TA (NJ)



Photo	Item Name	OEM/ REF	Applications	Description
	Camshaft	3637081M1, 3641738M1	3085,3095,3115,3120,3125,3140, 3635,3645,3655,396,399,4260, 4270,465,475,5365,6160,6170, 6180,6190,6260,6270,6280,6290, 650,660,680,8110,8120,8130, 8140,8150,8220	CYL:6CYL ENGINE NO.: Perkins 1006.6, 1006.6T
	Camshaft	31415321, 736818M1	174,174 -4S,174 S,184,184 -4, 184 -4S,184 S,194,194 S,165, 168,175,178,185,188,284 S-4S, 261,265,273,274,274 -4, 274 -4SK,274 S,274 SK,275,283, 284,284 -4S,284 S,285,290,293, 294,294 -4S,294 S,373,373 S,374, 374 S,377,383,384 S,387,362, 362 N,365,372,372 N,375,3050, 3060,565,575,590,675,690, 174 C,194 C,30D,50,50B,50D, 50E,50EX,50H,50HS,50HX, 50HXS,174 F,194 -4F,174 V	CYL:4CYL ENGINE NO.: Perkins A4.212, A4.236, A4.248
	Camshaft	745199M1	155,158,158F,158S,158V,165, 260,560,65,765,865	CYL:4CYL ENGINE NO.: Perkins 4.192, 4.203,D4.203 LENGTH:518MM
	Camshaft	31415363, 3641840M91	174,175,178,184,194,265,273, 275,283,284,290,293,294,3075, 4225,4235,4245,4255,4265, 5340,6120,6130,6140,6150, 6235,6245,6255,6265	CYL:4CYL ENGINE NO.: Perkins 1004.4, 1004.40, 1004.42, 1004.4T, A4.212, A4.248,A4.41, AT4.236 LENGTH:517MM


Photo	Item Name	OEM/ REF	Applications	Description
	Camshaft	1476280X1, 31415371, 31415374, 3637537M1, 3641841M91	165,168,168F,168S,174,174C, 174F,174S,174V,175,175S,178, 184,184F,184S,185,188,194, 194C,194F,194S,255 (USA),265, 265 Advanced,273,274,274C, 274CF,274S,274SK,275, 275 Advanced,283,283 Advanced, 284,284S,285,290,290 Advanced, 290E,293,294,294C,294S,3050, 3055,3060,3220AP(X),3220FP(X), 3220GE(X),3220SP(X),3225AP(X), 3225FP(X),3225GE(X),3225SP(X), 3235AP(X),3235FP(X),3235GE(X), 3235SP(X),362,362N,365,372N, 375,375E,376C,376CF,376XCF, 377,382N,383,383LX,383S,387, 390,390E,393,394AP,394AP(X), 394AQ,394C,394F,394FP, 394FP(X),394FQ,394GE, 394GE(X),394H,394S,394SP, 394SP(X),394SQ,394TAQ,396C, 396CF,396CT,397,425,435,440, 445,5275,5285,5290,5335, 5340,565,575,590,610,675,690	CYL:4CYL LENGTH: 527MM ENGINE NO.: Perkins A4.212, A4.236, A4.248, AT4.236




Photo	Item Name	OEM/ REF	Applications	Description
	Connecting Rod	3637034M91, 84920, M7BJ0015, ZZ90009	<p>174,174 -4S,184,184 -4,184 -4S, 184 S,165,168,175,178,185,188, 1100,1105,292,284 S-4S,265, 273,274,274 -4,274 -4SK,274 S, 274 SK,275,283,284,285,290, 294 -4S,2620,2640,2645,2675, 373,373 S,374,374 S,377,383, 384 S,387,393,397,362,362 N, 365,372,372 N,375,390,399, 3050,3060,3075,3080,3085, 3090,3095,3115,3610,415,425, 435,440,445,460,4260,4270, 565,575,590,675,690,699,6160, 6170,6260,1200,1250,1014, 1114,500MD Combine, 510MD Combine, 520MD Combine, 525MD Combine, 530MD Combine,30D,50,50B, 50B MKII,50D,50E,50EX, 194 -4F,174 V</p>	ENGINE NO.: Perkins A4.212, A4.236, A4.248, A6.354, A6.354.1, A6.354.2, A6.354.4, A6.372, A6.372.4, C6.354.2, 1006.6
	Connecting Rod	3637392M91, 736386M91, 84774,91051, M7BJ0014, ZZ90010	<p>154,135,148,150,152,155,158, 165,230,233,234,235,240,245, 250,253,254,255,260,353,354, 363,340,342,350,355,360,550, 35,35X,65,765,20B,20D,20E, 20F,2135,30E,30H,40,40E,50</p>	ENGINE NO.: Perkins A3.152, AD3.152, AT3.152,T3.152, A4.203,AD4.203
	Connecting Rod	3637028M91, 4225381M91	<p>3120,3125,3140,3635,3645,3655, 6130,6140,6150,6180,6190,6235, 6245,6255,6265,6270,6280,6290, 8110,8120,8130,8140,82208150</p>	ENGINE NO.: Perkins 1004.4,1004.4T, 1006.60T, 1006.6T, AT4.236, AT6.354.4






Photo	Item Name	OEM/ REF	Applications	Description
	Main Bearing	31121221, 31122311, 31122321, 31123271, 58703, 68083, 68084, 732630M91, 746156M91	133,135,148,150,152,154,20B, 20D,20E,20F,2135,230,233,234, 235,240,245,250,253,254,255, 30E,30H,340,342,35,350,354, 355,35X,360,40,550	ENGINE NO.: PERKINS A3.144,A3.152, AD3.152, AT3.152,T3.152
	Con Rod Bearing	31131171, 3604433M1, 59629, 737070M91, 85036	154,133,135,148,150,152,230, 233,234,235,240,245,250,253, 254,255,354,340,342,350,355, 360,550,35,35X,20B,20D,20E, 20F,2135,30E,30H,40	ENGINE NO. : PERKINS A3.144, A3.152, AD3.152, AT3.152, T3.152
	Main Bearing	59617, 68082, 736336M91, 745405M91, 745405Z91, 83437	155,158,165,260,50,560,65,765	ENGINE NO. : PERKINS A4.192, A4.203, AD4.203
	Con Rod Bearing	737066M91, 737066Z91, 85035	155,158,165,260,50,65,765	ENGINE NO. : PERKINS A4.192, A4.203, AD4.203
	Main Bearing	68079, 744921M91, 744921Z91	1014,1114,1134,1250,24,2620, 2640,2645,2675,2680,2685,27, 2705,2720,2725,29,29XP,3080, 3085,3090,3095,31,3115,3120, 3125,3140,31XP,3525,3545,3610, 3630,3635,3645,3650,3655,399, 4260,4270,500,530,560,565, 6160,6170,6180,6190,6260,6270, 6280,6290,660,699,750,760, 8110,8120,8130,8140,8150,820, 8220,825,830,835,840,MTX175	ENGINE NO.: Perkins 1006-6, 1006-60, 1006-60T, 1006-60TW, 1006-6T, 1006-6TW, 6.3544, T6.3544, A6.354.4, 1006.6





Photo	Item Name	OEM/ REF	Applications	Description
	Con Rod Bearing	3637024M91, 733766M91, 736934M91, 742513M91	1014,1100,1105,1114,1134, 1200,1250,2620,2640,2645, 2675,2680,2685,2720,2725, 3080,3085,3090,3095,3115, 3120,3125,3140,3610,3630, 3635,3645,3650,3655,4260, 4270,560,565,6160,6170,6180, 6190,6260,6270,6280,6290, 660,699,8110,8120,8130,8140, 8150,820,8220,825,835	ENGINE NO.: Perkins 1006-6, 1006-60, 1006-60T, 1006-60TW, 1006-6T, 1006-6TW, 6.3544, T6.3544, A6.354.4, 1006.6
	Main Bearing	40339, 423669, 735168M91, 81558	165,168,174,175,178,184,185, 188,194,240,265,273,274, 274SK,275,283,284,285,290, 292 Brazilian,293,294,3050, 3060,3065,3070,3075,362,365, 372,373,374,375,375E Brazilian, 377,382,383,384,387,390, 390E Brazilian,390T,393,394, 397,398,425 Brazilian, 435 Brazilian,440 Brazilian, 445 Brazilian,460 Brazilian,560, 565,575,590,6130,6140,6150, 6235,6245,6255,6265,675,690, 698T	ENGINE NO.: PERKINS 1004.4, 1004.40, 1004.40T, 1004.42, 1004.4T, A4.212, A4.236, A4.248, A4.41, AT4.236
	Con Rod Bearing	3637791M91, 4225063M91, 4226914M91, 4236114, U5ME0006	165,168,174,175,178,184,185, 188,194,240,265,273,274, 274SK,275,283,284,285,290, 292 Brazilian,293,294,3050, 3060,3065,3070,3075,362,365, 372,373,374,375,375E Brazilian, 377,382,383,384,387,390, 390E Brazilian,390T,393,394, 397,398,425 Brazilian, 435 Brazilian,440 Brazilian, 445 Brazilian,460 Brazilian,560, 565,575,590,6130,6140,6150, 6235,6245,6255,6265,675,690, 698T	ENGINE NO.: PERKINS 1004.4, 1004.40, 1004.40T, 1004.42, 1004.4T, A4.212, A4.236, A4.248, A4.41, AT4.236
	Main Bearing	4225059M91	3435 V,3435F,3435S,3445 V, 3445F,3445S,3455 V,3455F, 3455S,5425,5435,5445,5455, 5460,6445,6455,6460,6470	ENGINE NO.: Perkins 1104C-44, 1104C-44T, 1104C-44TA, 1104C-E44, 1104C-E44T, 1104C-E44TA, 1104D-44, 1104D-44T, 1104D-44TA, 1104D-E44T, 1104D-E44TA

Photo	Item Name	OEM/ REF	Applications	Description
	Main Bearing	4225306M91, 4226931M91	3425V/S/F,410,420,430	ENGINE NO.: Perkins 1103C-33, 1103C-33T
	Con Rod Bearing	—	3615,3625,3630,3635, 3640 Tier 3,3645,3650,3680, 4435,4445,4455,4707,4708, 4709,5470,5480,5608 Dyna 4, 5609 Dyna 4,5610 Dyna 4, 5611 Dyna 4,5612 Dyna 4, 5613 Dyna 4,6485,6485 Tier 3, 6490,6490 Tier 3,6495, 6495 Tier 3,6497,6499	ENGINE NO.: Sisu Power: 33AWIC, 33CTA,33DT, 33DTA, 44AWI,44DT, 44DTA,49CTA, 612DS,66CTA, 66ETA,74ETA, AP33
	Main Bearing	—	3615,3625,3630,3635, 3640 Tier 3,3645,3650,3680, 4435,4445,4455,4707,4708, 4709,5470,5480,5608 Dyna 4, 5609 Dyna 4,5610 Dyna 4, 5611 Dyna 4,5612 Dyna 4, 5613 Dyna 4,6485,6485 Tier 3, 6490,6490 Tier 3,6495, 6495 Tier 3,6497,6499	ENGINE NO.: Sisu Power: 33AWIC, 33CTA,33DT, 33DTA,44AWI, 44DT,44DTA, 49CTA,612DS, 66CTA,66ETA, 74ETA,AP33



Photo	Item Name	OEM/ REF	Applications	Description
	Thrust Washer	31137311, 31137321, 31137551, 31137561, 424808, 747128M1, 747129M1	174,174 -4S,184,184 -4,184 -4S, 184 S,194,165,168,175,178,185, 188,1100,1105,1130,1135,292, 299,284 S-4S,294 S-4S,240,265, 273,274,274 -4,274 -4SK,274 S, 274 SK,275,283,284,285,290, 293,294,294 -4,294 -4S,294 S, 298,2620,2640,2645,2675,2680, 2685,2720,2725,373,373 S,374, 374 S,377,383,383 S,384 S,387, 393,397,362,362 N,365,372, 372 N,375,382,382 N,390,390 T, 398,399,3050,3060,3065,3070, 3075,3080,3085,3090,3095, 3115,3120,3120 T,3125,3140, 3610,3630,3635,3645,3650, 3655,425,435,440,445,460,465, 475,4260,4270,560,565,575, 590,660 MD,675,690,698 T,699, 6130,6140,6150,6160,6170, 6180,6190,6235,6245,6255, 6260,6265,6270,6280,6290, 8110,8120,8130,8140,8150, 8220,1200,1250,1007,1014, 1114,1134,820 MD,825,825 MD, 835,835 MD,500MD Combine, 510MD Combine, 520MD Combine, 525MD Combine, 530MD Combine,830 Combine, 840MD Combine, 750MD Combine, 760MD Combine,50B,194 -4F, 394 F,174 V	ENGINE NO.: Perkins 1004.4, 1004.40, 1004.40T, 1004.42, 1004.4T, A4.236, AC4.236, AT4.236
	Thrust Washer	31137191, 31137201, 31137211, 31137221, 3604437M1, 734616M1, 735112M1, 735113M1	1080,133,134 C,134 V,135,135 V, 135MKIII,140,145 V,145MKIII, 145V,148,148MKIII,150,152, 152F,152MKIII,152V,154,154 C, 154 F,154 S,154 V,154-4S,155, 158,158 F,158 S,158 V,158MKIII, 164 T F,164 T S,164 T V,165,204, 20B,20D,20E,20F,2135,2205, 2210,2220,230,233,234,234C, 234CF,234S,235,240,244 CF,245, 250,253,254,254C,254CF,254S, 255,260,263T,264T,264TCF, 264TS,30E,30H,3210SP,340,342, 35,350,353,353LX,353S,354, 354AQ,354F,354FQ,354S,354SP, 354SQ,354V,354VQ,355,356CF, 35X,360,363,363LX,363S,364AQ, 364CF,364F,364FQ,364S,364SP, 364SQ,364V,364VQ,366CF,40, 40E,50,550,560,65,765	ENGINE NO.: Perkins A3.144, A3.152, A4.192, A4.203, AD3.152, AD4.203, D3.152, T3.152.4


Photo	Item Name	OEM/ REF	Applications	Description
	Thrust Washer	3637636M1	3615,3625,3630,3635,	ENGINE NO.:
			3640 Tier 3,3645,3650,3680,	Sisu Power:
			4435,4445,4455,4707,4708,	33AWIC,
			4709,5470,5480,5608 Dyna 4,	33CTA,33DT,
			5609 Dyna 4,5610 Dyna 4, 5611 Dyna 4,5612 Dyna 4,	33DTA,44AWI, 44DT,44DTA,
			5613 Dyna 4,6485,6485 Tier 3,	49CTA,612DS,
			6490,6490 Tier 3,6495,	66CTA,66ETA,
			6495 Tier 3,6497,6499	74ETA,AP33






Photo	Item Name	OEM/ REF	Applications	Description
	Flywheel Ring Gear	1619032M1, 31162126, 741138M1	2620,2625,2640,2645,2675,2680, 2685,2705,2720,2725,3085,3095, 3115,3120,3120T,3125,3140, 3635,3645,3655,3660,3670,3680, 3690,4260,4270,4360,4370,6170, 6180,6190,6270,6280,6290,8110, 8120,8130,8140,8150,8160,8170, 8180,8210,8220	TEETH:132T OUTER D: 423.6MM INNER D: 393.2MM THK:17.5MM ENGINE NO.: Perkins A6.354.4, AT6.354.4, 1006.6,1006.6T, 1006.60T, 1006.60,612DS, 620DS,634DS, 645DSBIE
	Flywheel Ring Gear	31161148, 3819720M1, 747694M1	4260,4265,4270,4360	TEETH:118T OUTER D: 379.2MM INNER D: 350.9MM THK:17.5MM ENGINE NO.: Perkins 1006.6, 1006.60T, A6.354.4
	Flywheel Ring Gear	0410236, 3408357M1, 3819719M1, 731008M1	154 -4,174,174 -4S,184,184 -4, 184 -4S,184 S,194,135,148,150, 152,152 MKIII,152 S,155,158, 165,168,175,178,185,188,292, 284 S-4S,294 S-4S,230,233,234 S, 235,240,245,250,253,254,254 -4, 254 S,255,260,265,273,274, 274 -4,274 -4SK,274 S,274 Stock, 275,283,284,285,290,293,294, 294 -4,294 -4S,294 S,353,354, 363,373,373 S,374,374 S,377, 383,383 S,384 S,387,393,397, 340,342,350,355,360,362,362 N, 365,372,372 N,375,382,382 N, 390,390 T,398,3050,3060,3065, 3070,425,435,440,445,460,492, 550,560,565,575,590,675,690, 698 T,1007,35,65,765,20B,20D, 20E,20F,30E,30H,40,40E,50B, 194 -4F,394 F,174 V	TEETH:115T OUTER D: 369.7MM INNER D: 341.4MM THK:17.5MM ENGINE NO.: Perkins A3.144, A3.152, AD3.152, AT3.152, T3.152, A4.192, A4.203, AD4.203, A4.212, A4.236, AT4.236, G4.236, T4.236, A4.248


Photo	Item Name	OEM/ REF	Applications	Description
	Flywheel Ring Gear	31162121, 738588M1	1200,1250,24,29,29XP,31,31XP, 8925,8925T,8926,8926T,8937, 8937T,8939,8939T	TEETH:126T OUTER D: 404.6MM INNER D: 376.3MM THK:17.5MM ENGINE NO.: Perkins 1004.4, 1004.40T, 1004.42, 1004.4T, A6.354.1, A6.354.4, AT6.354.4




Photo	Item Name	OEM/ REF	Applications	Description
	Engine Gasket Kit			ENGINE NO.: Perkins 1104.44
	Engine Gasket Kit	U5LT0350+U5LB0379 4225304M91, 4226197M91 3170514M1, 4222562M91, 4222562Z91, 68267,69038, 731761M91, 735707M91, 747166M91, 83398, 833980M1, U5LT0012	3425 V/S/F,3435 V/S/F, 3445 V/S/F,3455 V/S/F,410,420, 430,481,492 ,5425,5435,5445, 5455,5460,5460SA,6445,6455, 6460 ,6470 ,8925 ,8926 ,89410, 8947 3425,3435,3445,3455,410, 420,430 133,135,35,35X,2135,135 V	—
	Engine Gasket Kit			—





Photo	Item Name	OEM/ REF	Applications	Description
	Engine Top Repair Kit	4225163M91, 4225545M91	3435F,3435S,3435V,3455F, 3455S,3455V,5425,5435,5445, 5460,6445,6455	—
	Engine Top Repair Kit	4222480M91, 4223922M91, 4223923M91, 735231M91, 747167M91, 748008M91, U5LT0038	134 C,134 V,135,140,148,150, 152,152 MKIII,152 S,154,154 C, 154 F,154 V,154S,164 TF,164 TV, 164TS,230,231,233,234 C, 234 CF,234 S,235,240,244 CF, 245,250,253,254,254 CF,254C, 254S,255,263T,264 TCF,264 TS, 264T,333,334 V,340,342,350, 352,353,353 LX,353 S,354, 354 AP,354 AQ,354 F,354 FP, 354 FQ,354 GE,354 S,354 SP, 354 SQ,354 V,354 VQ,355,360, 363,363 LX,363 S,364 AP, 364 AQ,364 CF,364 F,364 FP, 364 FQ,364 GE,364 S,364 SP, 364 SQ,364 V,364 VQ,366 CF, 40,550	CYL:3CYL ENGINE NO.: AD3.152
	Engine Top Repair Kit	3637363M91, 3637444M91, 4223005M91, 4224189M91, 4224189Z91, 747169M91, 747169M92, U5LT0065	1174S,165,168,174,174C,174V, 175,175 S,178,184,184S,185, 188,194,194C,194S,240,261, 265,273,274S,274SK,275,283, 284,284S,285,285 S,290,293, 294,294S,3050,3060,362,362N, 365,372,372N,373,373S,374, 374S,375,377,382,382N,383, 383S,384S,387,390,393,394F, 397,50,50B,50E,50EX,50H, 50HX,565,575,590,60H,675,690	ENGINE NO.: Perkins A4.212, A4.236, A4.248, A4.248.2 CYL:4CYL
	Engine Top Repair Kit	3638577M9, 3638577M91, 3641340M91, 4222920M91, 4222920Z91, 422920M91, 733589M91, 735349M91, 82907,U5LT0069	155,158,165,50,560,65,765	CYL:4CYL ENGINE NO.: AD4.203






Photo	Item Name	OEM/ REF	Applications	Description
	Engine Top Repair Kit	3638769M91, 3638771M91, 3641230M91, 3641313M91, 4222557M91, 4222929M91, 4223557M91, 68218,68219, 747195M91, 747197M91, 747198M91, 747199M91, U5LB0020, U5LB0022, U5LB0023, U5LB0043	1100,1105,1130,1135,2620,2640, 2645,2675,2680,2685,2720,2725, 399,3080,3090,3610,3630,3650, 560,565,660 MD,699,1200,1250, 1014,1114,1134,820 MD,825, 825 MD,835,835 MD,24 Combine, 27 Combine,29 Combine, 500MD Combine, 510MD Combine, 520MD Combine, 525MD Combine, 530 Combine,530MD Combine, 830 Combine,840MD Combine, 750MD Combine, 760MD Combine	—
	Engine Top Repair Kit	4222496M91, 68246, 747172M91, U5LT0002, U5LT0018	1014,1100,1114,1134,1250,24, 2620,2640,2645,2675,2680, 2685,27,2720,2725,29,29XP, 3080,3090,31,3610,3630,3650, 399,500,530,560,565,660,699, 750,760,820,825,830,835,840	—
	Engine Top Repair Kit	3637097M91, 3638659M91, 3638697M91, 4224665M91, U5LT0179, U5LT1179	396,399,3085,3095,3115,3120, 3120 T,3125,3140,3635,3645, 3655,4260,4270,6160,6170, 6180,6190,6260,6270,6280, 6290,8110,8120,8130,8140, 8150,8220	CYL:6CYL ENGINE NO.: Perkins 1006.6
	Engine Top Repair Kit	4224346M91, 4224635M91	3220AP(X),3220FP(X),3220GE(X), 3220SP(X),3330,3330F/FE, 3330GE,3330S,3330V,374AP(X), 374FP(X),374GE(X),374SP(X), 4225,4225HV,4235,4235HV, 4245,4245HV,4255,4255HV, 4265,4325,4325HV,4345, 4345HV,4355,4355HV,4365, 6235,6235HV,6245,6245HV, 6255,6255HV,6265,760	CYL:4CYL ENGINE NO.: Perkins 1004.40, 1004.40T :105.2MM
	Engine Top Repair Kit	4223130M91, 4223573M91, 4224621M91, 4224623M91	275E,290E,3075,375E,390E, 4225 ,4225HV ,4235,4235HV, 4240,4245,4245HV,4255, 4255HV,5275,5285,5290,5300, 5310,6110,6120,6130,6140, 6150,750,760,860,860S,860SE, 865,8925,8925T,8926,8926T, 8937,8937T,8939,8939T,960,965	CYL:4CYL ENGINE NO.: Perkins 1004.40T, 1004.40





Photo	Item Name	OEM/ REF	Applications	Description
	Engine Bottom Repair Kit	U5LB0381	8925,8926,89410,8947	ENGINE NO.: Perkins 1104C-44T, 1104C-44TA, 1104C-E44T
	Engine Bottom Repair Kit	U5LB0384	3445 V/S/F,3455 V/S/F	ENGINE NO.: Perkins 1104A-44, 1104C-44, 1104C-44T, 1104C-44TA, 1104C-E44, 1104C-E44TA, 1104D-44T, 1104D-44TA
	Engine Bottom Repair Kit	U5LB0383	3435 V/S/F,1004,1104,2665, 2670,2680,275 (Turkey), 290 (Turkey),435,435XTRA,440, 440XTRA,445XTRA,450,455XTRA, 461XTRA,471XTRA,481,492,5425, 5435,5445,5455,5460,6445, 6455,6460,6470	ENGINE NO.: Perkins 1104C-44, 1104C-44T, 1104C-44TA, 1104C-E44TA
	Engine Bottom Repair Kit	3638515M91, 3640719M91, 4224292Z91, 68006,68010, 68011,68017, 68032, 735229M91, 736416M91, 736516M92, 737183M91, 737434M91, 739012M91, 739864M91, 740586M91, 740588M91, 741897M91, 741898M91, 742727M91, 742729M91, 742730M91, 744756M91, 746639M91, 746640M91, 747191M91, 747193M91, 85007,85781, 92430,92432, U5LB0004, U5LB0005, U5LB0016	1007,165,168,174,174 C,174 F, 174 S,174 V,175,175 S,178,184, 184 F,184 S,185,188,194,194 C, 194 F,194 S,240,261,265,265 S, 273,274,274 C,274 CF,274 S, 274 SK,275,283,284,284 S,285, 285 S,290,293,294,294 C,294 S, 3050,3060,3065,3070,362, 362 N,365,367 CF,372,372 N,373, 373 LX,373 S,374,374 AP,374 AQ, 374 F,374 FP,374 FQ,374 GE, 374 H,374 S,374 SP,374 SQ,374 V, 374 VQ,375,375 E,376 C,376 CF, 376 XCF,377,382,382 N,383, 383 LX,383 S,384 AP,384 AQ, 384 F,384 FP,384 FQ,384 GE, 384 S,384 SP,384 SQ,387,390, 390 E,390 T,393,394 F,397,398, 50,50B,560,565,575,590,675, 690,698 T	—





Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Head Gasket	3638691M1, 3641399M1, 3641399M91, 36812127, 36812133, 36812139, 3681E006, 3681E027, 4223913M1, 735018M2, 747063M1, 13681000000	134,134C,135,140,148,150,152, 154,154C,164,230,231,233,234, 234C,235,240,244CF,245,250, 253,254,254C,255,263,264, 264C,333,334,340,342,350,352, 353,353LX,354,355,360,363, 363LX,364,364CF,366CF,40,550	BORE:92.2MM LENGTH:409MM WIDTH:206MM ENGINE NO.: AD3.152
	Cylinder Head Gasket	837070290	3615,3625,3630,3635, 3640 Tier 3,3645,3650,3660, 4435,4707,4709,5465,5475, 5608 Dyna 4,5609 Dyna 4, 5610 Dyna 4,6465 Tier 3, 6475 Tier 3,6480 Tier 3,6485, 6485 Tier 3,6490,6490 Tier 3, 6495,6495 Tier 3,6497, 6497 Tier 3,6499,6499 Tier 3	BORE:120.8MM LENGTH:411MM WIDTH:228MM ENGINE NO.: 1006- 6T, 33AWIC,33CTA, 33DT,33DTA, 66CTA,66ETA, 74CTA,74ETA, AP33
	Cylinder Head Gasket	4222588M1	2220,243,253,263,3315,3325, 3330,3340,3350,3355,4215, 4220,4315,4320	BORE:96.2MM LENGTH:363MM WIDTH:218MM ENGINE NO.: Perkins 3.1524, 903- 27,903-27T, D3.152
	Cylinder Head Gasket	3405357M4, 3405357M5, 3638341M1, 3638845M1, 3638845Z1, 36812315, 36812326, 36812331, 36812333, 36812334, 36812336, 36812338, 36812341, 36812342, 36812349, 36812351, 3681E021, 746342M1, LC229293	174,174 -4S,174 S,184,184 -4, 184 -4S,184 S, 194,194 S,165, 168,175,175 S,178,185,188, 284 S-4S,294 S-4S,240,261,265, 273,274,274-4,274 -4SK,274 S, 274 SK,275,283,284,284-4S, 284 S, 285,285 S,290,293,294, 294-4,294-4S,294 S,373, 373 S, 374,374 S,377,383,383 S,384 S, 387,393, 397,362,362 N,365, 372,372 N,375,382,382 N,390, 390 T,398,3050,3060,3065, 3070,560,565, 575,590,675, 690,698 T,1007,174 C,194 C,50, 50B,174 F,184 F,194 -4F,194 F, 394 F,174 V	BORE:105MM LENGTH: 502MM WIDTH: 215MM ENGINE NO.: Perkins A4.212, A4.236, A4.248, A4.248.2





Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Head Gasket	4225850M1	275,290,3425,3435,3445,3455, 5410,5420,5425,5430,5435, 5440,5445,5450,5455,5460, 5460SA	BORE:107.8MM LENGTH:527MM WIDTH:205MM ENGINE NO.: 1104A-44 RR, 1104A-44T RS, 1104A-44TA RT, 1104C-44 RE, 1104C-44T RG, 1104C-44TA RJ, 1104C-E44 RF, 1104C-E44T RH, 1104C-E44TA RK, 1104D-44 NK, 1104D-44T NI
	Cylinder Head Gasket	1868921M1, 1870594M91, 1870594M92, 1870594M94	133,135,148,165,175,185,230, 240,250,255,260,265,275,285, 290,298,355,360,362,365,375, 390,390T,398,399,560,565,575, 590,675-?690,698,698T,699	BORE: 105 MM LENGTH: 503 MM WIDTH: 214 MM
	Cylinder Head Gasket	3637059M1, 3637059M1, 3640916M1, 3640916M1, 3681H203, 3681H208, 4222354M1, 3681H205, 3681H208, 4222354M1	399,3085,3095,3115,3120, 3120 T,3125,3140,3635,3645, 3655,4260,4270,6160,6170, 6180,6190,6260,6270,6280, 6290,8110,8120,8130,8140, 8150,8220	BORE:104.5MM LENGTH:740MM WIDTH:215MM
	Cylinder Head Gasket	3638305M1, 3638305Z1, 36812607, 36812613, 3681H202, 744539M1, 745491M1, 746556M91	1100,2620,2640,2645,2675,2680 2685,2720,2725,399,3080,3090, 3610,3630,3650,560,565,660, 660 MD,699,1250,1014,1114, 1134,820,820 MD,825,825 MD, 835,835 MD,24 Combine, 27 Combine,29 Combine, 29XP Combine,31 Combine, 500MD Combine,530 Combine, 530MD Combine,830 Combine, 840 Combine,840MD Combine, 750 Combine,750MD Combine, 760MD Combine	ENGINE NO.: Perkins A6.354.4, AT6.354.4, T6.354.4




Photo	Item Name	OEM/ REF	Applications	Description
	Gasket	1687785M4, 1861986M1, 1861986M2, 3599804M1, 3599804M2, 8884457M1	133,135,140,148,152,155,158, 165,168,175,178,185,188,230, 240,253,265,275,290,298,550, 565,575,590,595,675,690,1200, 35,35X,65,50,50A,50A,50B, 50B MKII	SIZE: 350*217MM THK:1.0MM


Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Head Cover	37188549, 734912M91	165,168,174,174.4S,175,178, 184.4S,185,188,194.4F,265, 274,274S,274SK,275,284.4S, 284S,285,290,294,294S	ENGINE NO.: PERKINS 4.236,4.248, T4.236


Photo	Item Name	OEM/ REF	Applications	Description
	Cylinder Head Cover Gasket	3640094M1, 3641891M1, 3681A021, 4223926M1	3075,4225,4235,4265,6110, 6120,6130,6140,6150,6235, 6245,6255,6265	—

Photo	Item Name	OEM/ REF	Applications	Description
	Timing Belt Cover	37161642, 37161871, 735651M1, 4223134M1	10041,168,174,175,178,184,187, 261,265,273,274C,274SK,275, 283,284,290,294,294C,3050, 3060,3065,3070,3075,362,365, 372,373,374,375,375E (BRAZILIAN),376XCF,382,383, 384,390,390E (BRAZILIAN),390T, 393,394,394C,398,590,675,690	ENGINE NO.: Perkins A4.212,A4.236
	Timing Belt Cover	4222126M1, 4223113M1, 4224681M1, 734888M1	174 S,184 S,168,175,175 S,178, 261,265,273,274 SK,275,275 E, 283,284,290,294,294 S,373 S, 374 H,374 S,383 S,384 S,393 S, 394 H,394 S,362,362 N,365, 372 N,375,375 E,382 N,390, 390 E,390 T,398,3050,3060, 3065,3070,3075,590,1004 T, 675,690,698 T,187 Combine, 99 Combine,187 Combine, 99 Combine,274 C,274 CF,294 C, 367 CF,376 XCF,394 C,174 F, 184 F,374 F,384 F,394 F,174 V, 374 V	ENGINE NO.: Perkins A4.212,A4.236
	Timing Belt Cover	37537481	155,158,158F,158S,158V,165, 260,560,65,765	ENGINE NO.: Perkins AD4.203
	Timing Belt Cover	37161581, 37161651, 37161652	155,158,158F,158S,158V,165, 260,560,65,765	ENGINE NO.: Perkins AD4.203
	Timing Belt Cover	3637397M91, A5FH0245, ZZ90039	134,135,148,150,154,154-4,164, 203,205,20B,20C,20D,20E,20F, 2135,2200,2205,230,233,234C, 235,240,245,250,2500,253,254, 254-4,254C,255,263,264,30B, 30D,30E,30H,340,342,35,350, 352,353,353LX,354,355,356CF, 360,363,363LX,364,366CF,40, 40E,415,550	ENGINE NO.: Perkins A3.152, AD3.152


Photo	Item Name	OEM/ REF	Applications	Description
	Timing Belt Cover	37161481, 739477M1	134,135,148,150,154,154-4,164, 203,205,20B,20C,20D,20E,20F, 2135,2200,2205,230,233,234C, 235,240,245,250,2500,253,254, 254-4,254C,255,263,264,30B, 30D,30E,30H,340,342,35,350, 352,353,353LX,354,355,356CF, 360,363,363LX,364,366CF,40, 40E,415,550	ENGINE NO.: Perkins A3.152, AD3.152


Photo	Item Name	OEM/ REF	Applications	Description
	Crankshaft Sprocket	31171681, 734749M1, 73479M1	174,174 -4S,174 S,184,184 -4S, 184 S,194,194 S,165,168,175, 175 S,178,185,188,292,2225, 2230,2235,240,261,265,265 S, 273,274,274 S,274 SK,275,283, 284,284 -4S,284 S,285,290,293, 294,294 -4S,294 S,373,374 AP, 374 AQ,374 FP,374 FQ,374 GE, 374 H,374 S,374 SP,374 SQ,377, 383,383 LX,383 S,384 AP, 384 AQ,384 FP,384 FQ,384 GE, 384 S,384 SP,387,393,393 LX, 393 S,393 TLX,394 AP,394 TAQ, 397,397 T,362,365,372 N,375, 382 N,390,390 E,398,3050, 3060,3065,3070,3075,3315, 3325,3330,3340,3350,3355, 425,435,440,445,460,4225, 4235,4240,565,575,590,5335, 5340,5355,5360,1004 T,675, 690,698 T,6120,6130,6140, 6150,1007,186 Combine, 187 Combine,307 Combine, 330 Combine,487 Combine, 506 Combine,174 C,194 C, 274 C,274 CF,294 C,376 C, 376 CF,376 XCF,396 C,396 CF, 20,30D,50,50B,50B MKII,50D, 50E,50EX,50H,50HX,50HXS, 60H,60HS,174 F,184 F,194 -4F, 194 F,374 F,384 F,174 V,374 V, 374 VQ,384 V,384 VQ	TEETH:28T ENGINE NO.: A4.212, A4.236, AT4.236, T4.236, A4.248, AD4.248

Photo	Item Name	OEM/ REF	Applications	Description
	Gear	3637075M91, 41115023, 734738M91	174,174 -4S,174 S,184,184 -4S, 184 S,194,194 S,165,168,175, 175 S,178,185,188,240,265, 274,274 S,274 SK,275,283,284, 284 -4S,284 S,285,290,294, 294 -4S,294 S,373,373 LX,373 S, 374 AP,374 AQ,374 FP,374 FQ, 374 GE,374 S,374 SP,374 SQ, 377,383,383 LX,383 S,384 AP, 384 AQ,384 FP,384 FQ,384 GE, 384 S,384 SP,384 SQ,387,393, 393 S,394 AP,394 AQ,394 FP, 394 FQ,394 H,394 S,394 SP, 394 SQ,397,382,382 N,3050, 3060,3070,565,575,590,675, 690,698 T,430,186 Combine, 187 Combine,307 Combine, 330 Combine,487 Combine, 506 Combine,99 Combine, 440 Combine,174 C,194 C, 274 C,274 CF,294 C,367 CF, 376 C,376 CF,376 XCF,396 C, 396 CF,20,30D,50,50B,50B MKII, 50D,50E,50EX,60H,174 F,184 F, 194 -4F,194 F,384 F,394 F,174 V, 374 V,374 VQ,384 V,384 VQ	TEETH:63 T
	Gear	3117C071, 748257M1	168,265,274,284,290,294,367, 373,374,376,377,382,383,384, 393,394,396,397,675,690,698	TEETH: 37 T
	Gear	31171682, 3637519M1	1014,1024,1114,1250,24,2620, 2625,2640,2645,2675,29,29XP, 3080,3090,31,31XP,3610,399, 530,530S,535,560,565,660,665, 699,750,760,800,805,810,815, 820,825,830,835,840,845,850, 855,860	TEETH: 28 T
	Gear	3637422M91, 41115085	174,165,430,186 Combine, 307 Combine,330 Combine, 487 Combine,506 Combine, 174 C,20,440 Combine	TEETH: 20T

Photo	Item Name	OEM/ REF	Applications	Description
	Balancer Shaft	31171272, 31171275, 31171276, 41733086, 743137M1, 746436M91	6830,7830,8830,6840,6550,7550, 8550,6500,7500,8500,8000 R, 8000 DT,C6830,C6500,C7800, C7830,6530 F,6530 L,7530 F, 7530 L,8530 F,8530 L,6530 V, 7530 V,8530 V	TEETH:14T
	Balancer Shaft	32731127, 743115M1	174 -4S,184 -4S,184 S,168,175, 178,185,188,265,274,274 S, 274 SK,275,284 -4S,285,290, 294 -4S,294 S,565,575,590,675, 690,30D,50,50B,50B MKII,50D, 50E,50EX,50H,50HX,60H, 194 -4F	—
	Balancer Shaft	3637593M1	1004T,1007,165,168,168F,168S, 174,174C,174F,174S,174V,175, 175S,178,184,184F,184S,185, 188,194,194C,194F,194S,2230, 265,273,274,274C,274CF,274S, 274SK,275,275E,283,284,284S, 285,290,290E,292,293,294, 294C,294S,3050,3055,3060, 3065,3065S,3070,3075,3220AP, 3220FP,33340,3340F,3340FE, 3340GE,3340S,3340V,3350, 3350F,3350FE,3350GE,3350S, 3355,3355F,3355FE,3355GE, 3355S,362,362N,365,387,390, 390E,390T,393,397,397T,398, 4225,4225HV,4235,4235HV, 4240,4245,460,565,575,590, 610,620,675,690,698T	TEETH:21T





Photo	Item Name	OEM/ REF	Applications	Description
	Balancer Gear	31164582, 31164581, 746694M1, 37417471	165,168,168F,168S,174,174C, 174F,174S,174V,175,175S,178, 184,184F,184S,185,188,194, 194C,194F,194S,265,285,290, 293,294,294C,294S,425,565, 575,590,675,690	TEETH:30 T
	Balancer Gear	3116K004, 3637329M1	265,275,285,290,295,565	TEETH:38T

Photo	Item Name	OEM/ REF	Applications	Description
	Oil Pump	3637359M91, 3638632M91, 3640222M1, 38311124, 41314021, 41314026, 41314043, 41314046, 41314073, 41314078, 41314079, 41314165, 41314178, 41314187, 736513M91	154,133,135,148,150,152,230, 233,234,235,240,245,250,253, 254,255,353,354,363,340,342, 350,355,360,550,35,35X,20, 20B,20D,20E,20F,2135,30,30E, 30H,40,40E	TEETH:19T ENGINE NO.: Perkins A3.144, A3.152, AD3.152, AT3.152, T3.152
	Oil Pump	3637470M91, 3637470Z91, 3638631M91, 41314038, 41314054, 41314061. 41314182. 735118M91	174,174 -4S,184,184 -4,184 -4S, 184 S,165,168,175,178,284 S-4S, 265,273,274,274 -4,274 -4SK, 274 S,274 SK,275,283,284,373, 373 S,374,374 S,377,383,384 S, 387,362,362 N,365,372,372 N, 375,3050,565,575,675,50,50B, 174 V	TEETH:19T ENGINE NO.: Perkins A4.212, A4.236, G4.236, A4.248
	Oil Pump	3640908M91, 4132F051	8925,8926,8937,8939	TEETH:19T ENGINE NO.: Perkins 1004.4, 1004.40, 1004.42
	Oil Pump	4132F067, 4225034M1	5465,6465,6475,6480,7465, 7475,7480	TEETH:19T
	Oil Pump	3641171M91, 4132F057	3075,3120,3125,3140,3635, 3645,3655,465,475,4260,4270, 4360,4370,650,660,680,6130, 6140,6150,6170,6180,6190, 6235,6245,6255,6260,6265, 6270,6280,6290,8110,8120, 8130,8140,8150,8210,8220	TEETH:19T ENGINE NO.: Perkins 1006.6, 1006.60, 1006.60T, 1006.6T
	Oil Pump	1447483M91, 3637471M91, 3638633M91, 41314033, 41314042, 41314087, 41314088, 41314164, 41314189	155,158,165,260,560,65,765,50	TEETH:19T ENGINE NO.: Perkins A4.192, A4.203, AD4.203

Photo	Item Name	OEM/ REF	Applications	Description
	Oil Pump	4132F015, 747292M91, 747292Z91	2620,2640,2645,2675,2680,2685, 2720,2725,399,3080,3090,3610, 3630,3650,660,699,1250,1014, 1114,1134,820,825,835,24,27, 29,500,530,750,760,830,840	—
	Oil Pump	4132F016, 747293M91	399,3080,3090,3610,3630,3650, 660,699,1250,1114,1134,820, 825,835,2620,2640,2645,2675, 2680,2685,2720,2725,31,27,29, 29XP,31XP,500,530,750,760,830, 40	—
	Oil Pump	41314067, 736012M91	1100,1105,1130,1135,1200,1014, 500,510,520,525,620,625,740, 750,760	—
	Oil Pump	4225294M1	400,410,420	TEETH:26/17T ENGINE NO.: Perkins 1103A-33T DK, 1103B-33 DF, 1103B-33T DG, 1103C-33 DC, 1103C-33T DD, 1103C-33TA DE, 1103D-33 XK, 1103D-33TA XM, 1104A-44 RR, 1104A-44T RS, 1104A-44TA RT, 1104C-44 RE, 1104C-44T RG, 1104C-44TA RJ, 1104C-E44 RF, 1104C-E44T RH, 1104C-E44TA RK, 1104D-44 NK, 1104D-44T NL, 1104D-44TA NM, 1104D-E44T NH, 1104D-E44TA NJ
	Oil Pump	41733066, 41733082, 70991809, 743432M91, 746432M91	174 -4S,184 -4S,184 S,168,175, 178,185,188,265,274,274 S, 274 SK,275,283,284 -4S,285, 290,294 -4S,294 S,435,440,445, 565,575,590,675,690,30D,50, 50B,50B MKII,50D,50E,50EX, 50H,50HX,60H,194 -4F	TEETH:14/37T ENGINE NO.: Perkins A4.236, AT4.236, T4.236, A4.248





Photo	Item Name	OEM/ REF	Applications	Description
	Oil Filter	3281019M1, 3435171M1, 72118856	1020,1030,1030L	OVERALL HEIGHT: 125MM OUTER D:78MM THREAD SIZE: 3/4 " - 16
	Oil Filter	1447048M1, 1447048M92, 3540049M91, 836064M91, 881304M91	174 S,184 S,165,168,168 MKII, 168 MKIII,175,178,180,185,188, 1080,1085,2210,2220,255,261, 265,270,274,275,282,283,284, 284 S,285,290,294,298,2620, 2640,2645,2675,2680,2685, 2725,2745,2770,2775,2805, 2625,373,374 S,377,383,384, 384 S,387,394 S,397,362,365, 375,390,390 T,398,3050,3060, 3065,3070,3125,3140,3225, 3235,3315,3330,3340,3630, 3635,3645,3650,3655,3660,440, 481,4215,4220,4225,4235,4243, 4245,4253,4255,4315,4320, 4325,4335,4345,4355,4365,565, 575,590,592,595,5465,680,670, 675,690,698,698 T,6110,6120, 6465,6475,6480,7465,7475, 7480,8210,8220,1200,865, 174 C,194 C,202,203,204,205, 30,31,3525,3545,60,70,960, 194 F,394 F,775,374 V,142, 174-4 S,184-4 F,184-4 S,194-4 S, 220 XL,225,235 F,245 F,255 F, 271 XE,274-4,2800,283 Brazil, 283 UK,284-4 S,294 AS,294 ASK, 294-4,300,304 Workbull,3120 F, 3125 F,3210,3245,3255,3306, 36 SP,3630 F,3640 Advanced, 3650 F,40 B,421 5A,422 0A,4233, 4333,471,50 B,50 C,50 E,50 F, 50 H,50 HX,530,535,540,5650, 595 MK II,655,655 SP,665, 690 2.85,750,760,811,850,855, 860,885,968	OVERALL HEIGHT: 140MM OUTER D: 94MM THREAD SIZE :3/4-16UNF
	Oil Filter	4226293M1	5465,5475,6465,6475,6480, 7465,7475,7480	TOTAL HEIGHT: 204MM OUTER D:94 THREAD SIZE: M 24 X1.5
	Oil Filter	1447082M1, 1447082M91, 3621287M1, LF700,W7233, LFP554408,P172541, P554408,P779159	184,133,135,140,145,148,150, 152,155,158,165,168,185,188, 230,231,235,240,245,250,253, 254,255,260,264,265,274,275, 354,364,374,340,20,30,3303, 3305,40,40E,50A,50A,50B,154-4, 154C,184-4,244CF,300,375E,350, 355,360,560,565,25,200	OVERALL HEIGHT: 150MM OUTER D: 78.5MM THREAD SIZE: 3/4 x 16UNF-2B

Photo	Item Name	OEM/ REF	Applications	Description
	Oil Filter	1446675M91, 1447031M1	1100,1105,1130,1135,1150,1155, 2620,2640,2645,2675,2680,2685, 2705,2720,2725,2745,2770,2775, 2805,2625,399,3080,3085,3090, 3095,3115,3120,3125,3350,3355, 3610,3635,3645,3655,4243,4245, 4253,4255,4260,4270,4325,4335, 4345,4355,4360,4370,550,565, 575,590,5425,5435,5435,5445, 5455,5460,675,690,699,6130, 6140,6150,6160,6170,6180,6190, 6235,6245,6255,6270,6280,6290, 6445,6455,6460,6470,8110,8120, 8130,8220,1200,1014,1114,1134, 44,865,3505,1005,1520,1720, 2800,4263,44 B,450,450 S,500, 500 B,510,66 C,665,750,760,80, 850,855,8590,860,9720, Teleram 3,Telestar 3 Turbo, TR250,TR250 Powershift Plus, TS260 Turbo,TS270 Turbo, TS280 Turbo	HEIGHT:179MM OUTER D:95MM THREAD: 3/4"-16 UNF
	Oil Filter	1036064M91, 1900365M91	1004,1004T,1007,1080,1085, 1134,165,168,168F,168MKIII, 168S,174,174F,174S,174V,175, 175S,178,184,184F,184S,185, 188,194,194C,194F,194S,20, 2210,2220,2230,24,240,250, 261,265 (F,265 Advanced,265S, 2680,2685,27,2720,2725,273, 274,274C,274CF,274S,274SK, 275,275 ,275 Advanced,275E, 283,283 Advanced,284,284S, 285,285S,29,290,290 , 290 Advanced,290E,292, 292 Advanced,293,294,294C, 294S,298,299,29XP,3050,3060, 3065,307,3070,3075,31,3125, 3140,31XP,3220AP(X), 3220FP(X),3220GE(X), 3220SP(X),3225AP(X), 3225FP(X),3225GE(X), 3225SP(X),330,3315,3315F/FE, 3315GE,3315S,3315V,3325, 3325F/FE,3325GE,3325S,3325V, 3330,3330F/FE,3330GE,3330S, 3330V,3340,3340F/FE,3340GE, 3340S,3340V,3350,3350F/FE, 3350GE,3350S,3355,3355F/FE, 3355GE,3355S,3425 V/S/F, 3435 V/S/F,3445 V/S/F, 3455 V/S/F,362,362N,3630, 3635,3645,364CF,365, 3650 S/F/V/GE,3655, 3660 S/F/V/GE,367CF,372N, 373,373LX,373S,374AP,374F, 374FP,374GE,374S,374SP,374V, 374VQ,375,375E,376C,376CF	HEIGHT: 143MM OUTER D: 93MM THREAD: 3/4-16 UNF

Photo	Item Name	OEM/ REF	Applications	Description
	Oil Filter	1621183M91, 194932128, 2871722M2, 2998553M1	7242	OVERALL HEIGHT: 210MM OUTER D: 94MM THREAD SIZE: 1-12 UNF-23
	Oil Filter	1055914M2, 771308M1, 771308M2	MF4800,MF4880,MF5200, MF4840,MF4900	HEIGHT: 252MM OUTER D: 119MM THREAD: 1 3/8-16 UN
	Oil Filter	25015M91, 3800305M91	340,342,350,352,355,360, 362,362N,365,372N,375, 382N,390,390T,396,398,399, 4215,4220,4225,4225HV, 4235,4235HV,4240,4245, 4245HV,4255,4255HV,4260, 4265,4270,4315,4320,4325, 4325HV,4335,4335HV,4345, 4345HV,4355,4355HV,4360, 4365,4370	HEIGHT: 120MM OUTER D: 55MM
	Oil Filter	4816635	3425 V/S/F,410,420,430	HEIGHT: 115MM OUTER D: 75MM

Photo	Item Name	OEM/ REF	Applications	Description
	Oil Cooler	2486A217, 4224786M1	3445,3455,491,492,5445,5460, 6445,6455,6460,6470,275,290	LAYER:9 ENGINE NO.: Perkins 1104C-44, 1104C-44T, 1104C-44TA, 1104C-E44T, 1104C-E44TA, 1104D-44, 1104D-44T, 1104D-44TA
	Oil Cooler	3638530M91, 1447755M91	3120T,3125,3140,3645,3655, 3660,6190,6260,6270,6280, 6290,8110,8130,8210,8220, 8450,6180	LAYER:7 ENGINE NO.: Perkins 1006-60, 1006-6T, 6.601,T6.601
	Oil Cooler	4223950M91	3095,3120T,3645,399,4260, 4263,4270,4360,4370,5465, 6170,6180,6270,6280,6290, 7465,7475,7840,8110,8210, 8220	LAYER:8 ENGINE NO.: Perkins 1006-6, 1006-60, 1006-60T, 1006-60TA, 1006-60TW, 1006-6T, 1006-6TW, 1106C-E60TA
	Oil Cooler	2486A205, 2486A218	265,275,298,382,575,585,590, 680,685,698	ENGINE NO.: Perkins Perkins 1004- 4, 1004-40S, 1004-40T, 1004-42, 1004-4T, 1006-6TW, 4.165,4.236, 4.248,4.41, 403D-15, 403D-15T, 404C-22, 404C-22T, 404D-22, 404D-22T, 404D-22TA, 704-30T, 903-27T, D3.152, T4.236



Photo	Item Name	OEM/ REF	Applications	Description
	Oil Cooler	2486A219, 3638486, 3638486M91	375,390,398	ENGINE NO.: Perkins 1004,1004-4, 1004-40TW, 1004-42, 1004-4T, 1006-6,4.236, 4.248,4.41, T4.236
	Oil Cooler	2486A212, 2486A220	4235,4243,4245,4265,4365, 491,6235,6245	ENGINE NO.: Perkins 1004-40T, T4.401





Photo	Item Name	OEM/ REF	Applications	Description
	Turbocharger	1447769M91, 3637326M91, 466778-0001, 466778-0003, 466778-0004, 466778-4, 466778-5004S	1004T,1007,3065,3070,390T, 398,698T	TURBO MODEL: TAO315 ENGINE NO.: Perkins 4.236, AT4.236, T4.236
	Turbocharger	2373786, 2674A226, 2674A227	5445,5455,6445,6455	TURBO MODEL: GT2556S ENGINE NO.: Perkins Vista 4 EPA Tier 2



Photo	Item Name	OEM/ REF	Applications	Description
	Air Hose	1682649M1	265,275,285,290,298, 375E BRAZILIAN,390E BRAZILIAN	—
	Air Hose	883686M1	265,275,285,290,298, 375E BRAZILIAN,390E BRAZILIAN	—

Photo	Item Name	OEM/ REF	Applications	Description
	Air Filter	1048354M1	1200,1450,1650	OUTER D:178MM INNER D:141MM HEIGHT:45MM
	Air Filter	4286474M1, 4286480M1	6485 Tier 3,6490 Tier 3, 6495 Tier 3,6497 Tier 3, 6499 Tier 3,7490 Tier 3, 7495 Tier 3,7497 Tier 3, 7499 Tier 3,7619 Dyna 6, 7619 Dyna VT,7620 Dyna 6, 7620 Dyna VT,7622 Dyna 6, 7622 Dyna VT,7624 Dyna 6, 7624 Dyna VT,7626 Dyna 6, 7719 Dyna 6,7719 Dyna VT, 7720 Dyna 6,7720 Dyna VT, 7722 Dyna 6,7722 Dyna VT, 7724 Dyna 6,7724 Dyna VT, 7726 Dyna 6,7726 Dyna VT, 8727 Dyna VT,8730 Dyna VT, 8732 Dyna VT,8735 Dyna VT, 8737 Dyna VT	HEIGHT: 40MM LENGTH: 316MM WIDTH: 189MM

Photo	Item Name	OEM/ REF	Applications	Description
	Air Cleaner Element	1930587+1930588	2205,2210,2220,2230,3210FP(X), 3210GE(X),3210SP(X),3220AP(X), 3220FP(X),3220GE(X),3220SP(X), 3225AP(X),3225FP(X),3225GE(X), 3225SP(X),353,353LX,353S, 354AP,354FP,354GE,354SP, 356CF,363,363LX,364AP,364FP, 364GE,364SP,366CF,367CF,373, 373LX,374AP,374FP,374GE, 374SP,376C,376CF,377,383, 383LX,384AP,384FP,384GE, 384SP,387,393,393LX,394AP, 394C,394FP,394GE,394SP, 396C,397	—
	Air Cleaner Element	1025569, 1025569M1, 1025569-M1, 1025569M91, 1025569-M91, 102556M91, 102556-M91, 1026569M91, 1026569-M91, 1420377M91, 1420377-M91, 1884769, 1884769M1, 1884769-M1, 188476M1, 188476-M1, 18884769M1, 18884769-M1, 240737, 240737M91, 240737-M91, 2651148, 2871928, 2871928-M1, 3637417M1, 506645, 506645M91, 506645-M91, 5066645M91, 5066645-M91, 722360M91, 722360-M91	255T,410,44,510	OUTER D:155M INNER D:19MM HEIGHT:314MM
	Air Cleaner Element	103262M91, 1032762M91, 1886637M91, 1887575M91, 513603M91, 513604M91, 513604M92, 513605M91, 523416M91, 523416M92, 523417M91, 523417M92	100,135,193,20,2135,2155, 2200,25D,3165	OUTER D:130MM INNER D:20MM HEIGHT:236MM

Photo	Item Name	OEM/ REF	Applications	Description
	Air Cleaner Element	1088148M91	40 (Industrial Tractors)	OUTER D:91MM INNER D:52MM HEIGHT:279MM
	Air Cleaner Element	3540047M1	353,353LX,354AP,354AQ,354FP,354FQ,354GE,354SP,354SQ,356CF,363LX,364AQ,364FP,364FQ,364GE,364SP,364SQ,366CF,367CF,373LX,374AP,374AQ,374FP,374FQ,374GE,374SP,374SQ,376C,376CF,376XCF,377,383,383LX,384AP,384AQ,384FP,384FQ,384GE,384SP,384SQ,387,393,393LX,394AQ,394FP,394FQ,394SP,394SQ,396C,396CF,397	OUTER D:80MM INNER D:60MM HEIGHT:310MM
	Air Cleaner Element	1096469M91, 3125931M1	60	OUTER D:106MM INNER D:74MM HEIGHT:256MM
	Air Cleaner Element	4270036M1	5470,5470SA,5475SA,5480 , 6460 ,6470 ,LT75A,LT90A	OUTER D:108MM INNER D:70MM HEIGHT:381MM
	Air Cleaner Element	040764M91, 3621275M1	540,550,750,850,885	OUTER D:162MM INNER D:83MM HEIGHT:390MM
	Air Cleaner Element	1804507M91, 3281825M1	1010,1010 Hydro,1020,205	OUTER D:108MM INNER D:47MM HEIGHT:184MM
	Air Cleaner Element	3901478M1	4260,4270,4360,4370,6270, 6280,6290,8210,8220, 8220XTRA	OUTER D:110MM INNER D:92MM HEIGHT:385MM

Photo	Item Name	OEM/ REF	Applications	Description
	Air Cleaner Element	3540046M1	2205,2210,2220,2230, 3210FP(X),3210GE(X),3210SP(X), 3220AP(X),3220FP(X),3220GE(X), 3220SP(X),3225AP(X),3225FP(X), 3225GE(X),3225SP(X),353,353LX, 353S,354AP,354FP,354GE,354SP, 356CF,363,363LX,364AP,364FP, 364GE,364SP,366CF,367CF,373, 373LX,374AP,374FP,374GE, 374SP,376C,376CF,377,383, 383LX,384AP,384FP,384GE, 384SP,387,393,393LX,394AP, 394C,394FP,394GE,394SP,396C, 397	OUTER D:137MM INNER D:81MM HEIGHT:329MM
	Air Cleaner Element	26510362	—	OUTER D:104MM INNER D:62MM HEIGHT:298MM
	Air Cleaner Element	3540052M1, 4270034M1, 6190628M1	6460,960,3245,3255,760,860, C100,C70,C80,C90,CX100, CX105,CX75,CX80,CX85,CX90, CX95,F100,F105,F60,F70,F80, F90,F95,MC100,MC105,MC115, MC80,MC90,MC95,C105 Max, C95 Max,CX110,G115 Max,T100, T105,T90,T95	OUTER D:94MM INNER D:74MM HEIGHT:337MM
	Air Cleaner Element	6223618M1	2650,2660,2670,2680	OUTER D:173MM INNER D:102MM HEIGHT:353MM
	Air Cleaner Element	3901475M1	4243,4245,4253,4255,4260, 4270,4325,4335,4345,4360, 4370,5425,5435,5435,5445, 5455,5460,6235,6245,6255, 6270,6280,6290,6445,6455, 4263,4333	OUTER D:159MM INNER D:- HEIGHT:376MM
	Air Cleaner Element	3595500M1	365,375,390,390 T,396,398,399	OUTER D:196MM INNER D:88MM HEIGHT:281MM
	Air Cleaner Element	4271468M1	6465,6475,6480	OUTER D:108MM INNER D:88MM HEIGHT:406MM

Photo	Item Name	OEM/ REF	Applications	Description
	Air Cleaner Element	3901465M1, 55120R1	4215,4220,4225,4235,4240,4245, 4255,4265,4315,4320,4325,4335, 4345,4355,5335,5340,5425,5435, 5445,5455,6235,6245,6255,6445, 6455,8925,8926,8937,8939	OUTER D:77MM INNER D:62MM HEIGHT:345MM
	Air Cleaner Element	3901464M1, 55119R1	265,275,435,481,4215,4220, 4225,4235,4243,4245,4253, 4255,4325,4335,4345,4355, 5425,5435,5435,5445,5455, 5460,675,6235,6245,6445, 6455,271 XE,421 5A,422 0A, 4233,471,5285,690 2.85	OUTER D:148MM INNER D:87MM HEIGHT:364MM
	Air Cleaner Element	3515587M1, 3595501M1	365,375,390,396,398,399,390T	OUTER D:180MM INNER D:88MM HEIGHT:282MM
	Air Cleaner Element	3515587M1, 3595501M1, 3595501V1	365,375,390,398,399	—
	Air Cleaner Element	3540051M1, 4270033M1, 6190627M1	5460,6460,6470,960,3245, 3255,760,860	OUTER D:163MM INNER D:92MM HEIGHT:352MM
	Air Cleaner Element	3310355M91	1007,1014,1024,3050,3060, 3065,397T,6120,6130,6140	OUTER D:213MM INNER D:88MM HEIGHT:380MM
	Air Cleaner Element	6191362H1, 6191362M1, AF25538, AF25550, AH19081, AH19082	—	HEIGHT:189MM OUTER D:90MM
	Air Filter	6223619M1	2650,2660,2670,2680	—



Photo	Item Name	OEM/ REF	Applications	Description
	Air Cleaner	880031M91, 898390M91, 964217M1, 964217M3	165,168,175,178,185,188,65, 765,50	—



Photo	Item Name	OEM/ REF	Applications	Description
	Manifold-Int	LM02.0922	37787654	165,168,174,175,185,188,265, 275,285,390

—


Photo	Item Name	OEM/ REF	Applications	Description
	Manifold Gasket- Exh	3640556M1, 3682134, 36862159, 736754M1	174,174 -4S,174 S,184,184 -4, 184 S,194,194 S,165,165 MKIII, 168,168 MKIII,168 S,175,178, 185,188,284 S-4S,294 S-4S,240, 261,265,273,274,274 -4,274 -4SK, 274 S,274 SK,275,283,284,290, 293,294,294 -4,294 -4S,294 S,373, 373 LX,373 S,374,374 AP,374 AQ, 374 FP,374 FQ,374 GE,374 H,374 S, 374 SP,374 SQ,377,383,383 LX, 383 S,384 AP,384 AQ,384 FP, 384 FQ,384 GE,384 S,384 SP, 384 SQ,387,393,393 LX,393 S, 394 AP,394 AQ,394 FP,394 FQ, 394 GE,394 H,394 S,394 SP,394 SQ, 362,362 N,365,372,372 N,375,382, 382 N,3050,425,435,440,445,565, 575,675,174 C,294 C,367 CF,376 C, 376 CF,376 XCF,396 C,396 CF,174 F, 194 -4F,194 F,168 F,374 F,384 F, 394 F,174 V,374 V,374 VQ,384 V, 384 VQ	SIZE:49.5X35.5 X72.5MM

Photo	Item Name	OEM/ REF	Applications	Description
	Oil Cap	3641889M1, 4142X098	240,243,275,290,396,399,3085, 3095,3120,3125,3635,3645, 3655,4215,4220,4225,4235, 4240,4245,4255,4260,4265, 4270,4315,4320,4325,4335, 4345,4355,5425,5435,5435, 5445,5455,5460,5465,6160, 6170,6180,6235,6245,6255, 6260,6265,6270,6280,6290, 6445,6455,6460,6465,6470, 6475,6480,7465,7475,7480, 8110,8120,8130,8210,8220	—
	Oil Cap	2487854, 734962M91	154,154 S,174,174-4S,184,184 -4, 184 -4S,184 S,194,194 S,122,130, 133,135,135 Petrol,140,145,148, 152,155,158,165,168,175,178, 185,188,2210,2225,2230,2235, 284 S-4S,230,231,233,234 S,235, 240,245,250,253,254,254 C, 254 S,255,260,265,265 S,273, 274,274 -4,274 -4SK,274 S, 274 SK,275,283,284,284 -4S,285, 285 S,290,293,294,294 -4S,294 S, 333,353,353 S,354 GE,363,363 LX, 363 S,364 GE,373,373 S,377,383, 387,393,393 TLX,397,397 T,340, 342,350,352,354 AP,354 AQ, 354 SP,354 SQ,355,360,362, 362 N,364 AP,364 AQ,364 FP, 364 FQ,364 SP,364 SQ,365,372, 372 N,375,375 E,382 N,390,390 E, 390 T,398,3050,3060,3065,3075, 415,550,560,565,575,590,1004, 675,690,698,698 T,6130,6140, 6150,1200,1250,1007,25,35,35X, 65,765,825,865,410, 400 Combine,487 Combine, 506 Combine,750 Combine,154 C, 194 C,234 C,234 CF,244 CF,254 C, 254 CF,264 TCF,366 CF,396 CT, 2205,30D,50,50B MKII,50D,50E, 50EX,50H,50HX,50HXS,60,60H, 60HS,154 F,184 F,354 F,354 FP, 354 FQ,364 F,5150,134 V,154 V, 174 V,334 V,354 V,354 VQ,364 V, 364 VQ	—


Photo	Item Name	OEM/ REF	Applications	Description
	Dipstick	31787437, 735129M91	174,184,194,165,168,175,178, 185,188,265,274,275,284,285, 294,565,575,30D,50E,274SK, 375E	LENGTH:202MM



Photo	Item Name	OEM/ REF	Applications	Description
	Core Plug	0650577+ 0650618+ 0650710+ 32416105+ 0650563	285	14PCS (4PCS BIG、 4PCS MIDDLE、 6PCS SMALL)
	Core Plug	0650577+ 0650618+ 0650710+ 32416105+ 0650563	285	10PCS (4PCS MIDDLE、 6PCS SMALL)

Photo	Item Name	OEM/ REF	Applications	Description
	Bush	180345M1, 180345M2	133,135,135 Petrol,140,145,148, 152,158,230,235,240,245,250, 255,260,35,35X,TE20,TEA20, TED20,TEF20,TO20	OUTER D: 35 MM INNER D: 31.7 MM HEIGHT: 38 MM
	Bush	31134132, 31134163, 31134164, 3638093M1, 3638579M1, 4222017M1, 734883M1	174,174 -4S,184,184 -4,184 -4S, 184 S,194,165,168,175,178,185, 188,284 S-4S,240,265,273,274, 274 -4,274 -4SK,274 S,274 Stock, 275,283,284,284 S,290,293,294, 373,373 S,374,374 S,377,383, 384 S,387,362,362 N,365,372, 372 N,375,390 T,398,3050,3065, 3070,3075,440,560,565,575, 675,698 T,6130,6140,6150,6235, 6245,6255,6265,1007,50B, 194 -4F,174 V	OUTER D: 55.8MM INNER D: 51MM HEIGHT: 31.5MM
	Bush	31134123, 733767M1	174,174 -4S,184,184 -4,184 -4S, 184 S,165,168,175,178,185,188, 1080,1100,1105,284 S-4S,240, 265,273,274,274 -4,274 -4SK, 274 S,274 SK,275,283,284,285, 290,294 -4S,2620,2640,2645, 2675,373,373 S,374,374 S,377, 383,384 S,387,393,397,362, 362 N,365,372,372 N,375,390, 399,3050,3060,3075,3080, 3085,3090,3095,3115,3610, 4675,690,260,4270,565,575, 590,595,595 MKII,699,6160, 6170,6260,1200,1250,1014, 1114,500MD Combine, 510MD Combine, 520MD Combine, 525MD Combine, 530MD Combine, 440 Combine,30D,50,50B, 50B MKII,50D,50E,50EX, 194 -4F,174 V	OUTER D: 39MM INNER D: 34.5MM HEIGHT: 33.6MM
	Bush	0050119, 31134151, 731087M1, 740407M1	154 -4,133,135,135 Petrol,148, 150,152,152 MKIII,152 S,155, 158,165,230,233,234 S,235,240, 245,250,253,254,254 -4,254 S, 255,260,353,354,363,340,342, 350,355,360,550,560,35,35X, 65,765,TE20,20B,20D,20E,20F, 2135,30E,30H,40,40E,50,135 V	OUTER D: 35MM INNER D: 31.3MM HEIGHT: 26.8MM
	Bush	4222284M1	4260.4360	OUTER D: 42.2MM INNER D: 39.65MM HEIGHT: 33.75MM



Photo	Item Name	OEM/ REF	Applications	Description
	Bush	733887M1 , 31134129	1014,1024,1100,1104,1105, 1114,1130,1134,1200,1250,24, 2620,2625,2640,2645,2675, 2680,2685,27,2705,2720,2725, 29,29XP,3080,3090,31,31XP, 3610,3630,3650 S/F/V/GE,399, 500,507,510,515,520,525,530, 530S,535,560,565,620,625,660, 665,699,740,750,760,800,805, 810,815,820,825,830,835,840, 845,850,855,860	OUTER D: 54.5MM INNER D: 49.5MM HEIGHT: 50.7MM
	Bush	4224829M1	3425 V/S/F,3435 V/S/F,3445 V/S/F, 3455 V/S/F,410,420,430,5425, 5435,5445,5455,5460,6445,6455, 6460,6470	OUTER D: 55.50MM INNER D: 50.80MM HEIGHT: 28.50MM



Photo	Item Name	OEM/ REF	Applications	Description
	Oil Seal	1076898M1, 1447049M91, 1447691M1, 1447691M91, 2415390, 2418F475, 70730050	1004,10041,1007,1014,1080, 1085,1100,1105,1114,1130, 1134,1135,1155,1200,1250,133, 134,134C,135,135 Petrol,140, 148,150,152,154,154C,155,158, 164,165,168,174,174C,175,178, 184,185,188,194,194C,20,20B, 20D,20E,20F,2135,230,231,233, 234,234C,235,24,240,244CF, 245,250,253,254,254C,255,260, 261,2620,263,264,2640,2645, 264C,265,265S,2675,2680,2685, 27,2705,2720,2725,273,274, 2745,274C,274SK,275,2775, 2805,283,284,285,285S,29,290, 292 Brazilian,293,294,294C,298, 299 Brazilian,29XP,3050,3060, 3065,3070,3075,3080,3085, 3090,3095,30E,30H,31,3115, 3120,3125,3140,31XP,333,340, 342,35,350,352,353,353LX,354, 35X,360,3610,362,363,3630, 3635,3645,365,3650,3655, 366CF,372,373,373LX,374,375, 375E Brazilian,376C,376CF, 376XCF,377,382,383,384,387, 390,390E Brazilian,390T,393, 393LX,394,394C,396,396C, 396CF,396TC,397,398,399,40, 40E,415 Brazilian,4225,4235, 4245,4255,4260,4270, 435 Brazilian,440 Brazilian, 445 Brazilian,460 Brazilian, 465 Brazilian,475 Brazilian,50, 500,50B,50C,50D,50E,50EX,50H, 50HX,510,520,525,530,530S, 550,560,565,575,590,592,595, 60H,60HX,6110,6120,6130, 6140,6150,6160,6170,6180, 6190,6235,6245,6255,6260, 6265,6270,6280,6290,65,660, 675,690,698,698T,699,750,760, 765,810,8110,8120,8130,8140, 8150 820 8210 8220 825 830	OUTER D: 62.5MM INNER D: 52.5MM HEIGHT: 4.22MM
	Oil Seal	1447689M1, 2414111, 2415343, 2415574, PF53636	1447689M1,2414111,2415343, 2415574,PF53636	MAT:- OUTER D: 76MM INNER D: 57MM HEIGHT: 9.5MM





Photo	Item Name	OEM/ REF	Applications	Description
	Oil Seal	1446853M1, 1447690M1, 2418F436	1007,1014,1100,1105,1114, 1130,1134,1135,1200,1250,165, 168,174,174C,175,178,184,185, 188,194,194C,24,261,2620, 2640,2645,265,265S,2675,2680, 2685,2720,2725,273,274,274C, 274SK,275,283,284,285,285S, 29,290,293,294,294C,29XP, 3050,3060,3065,307,3070,3075, 3080,3085,3090,3095,31,3115, 3120,3125,3140,31XP,3610,362, 3630,3635,3645,365,3650,3655, 372,373,374,375,375E,377,382, 383,384,387,390,390E,390T, 393,394,397,398,399,4260, 4270,440,487,500,506,50B,510, 520,525,530,560,565,575,590, 6130,6140,6150,6160,6170, 6180,6190,620,6235,6245,625, 6255,6260,6265,6270,6280, 6290,660,675,690,698T,699, 750,8110,8120,8130,8140, 8150,820,8220,825,830,835, 840	OUTER D: 79.5MM INNER D: 56.5MM HEIGHT:11MM
	Oil Seal	3637618M1, 837091172	3615,3625,3635,3645,3670, 3680,3690,4292,4435,4445, 4455,5465,5470,5475,5480, 6465 Tier 3,6475 Tier 3, 6480 Tier 3,6485,6485 Tier 3, 6490,6490 Tier 3,6495, 6495 Tier 3,6497,6497 Tier 3, 6499,6499 Tier 3	OUTER D: 140MM INNER D: 110MM HEIGHT: 13MM

Photo	Item Name	OEM/ REF	Applications	Description
	Seal Retainer Housing	2418F701, 4224532M1	275,290,4265,4325,4335,4345, 4355,4365,4370,5465,6475, 6480,7465,7475,7480	—
	Seal Retainer Housing	4224762M1	283 Brazilian,410,420,430, 440Xtra Brazilian, 460Xtra Brazilian, 481 Brazilian,5460SA	—
	Seal Retainer Housing	37513851, 4142V061	165,185,188,265,275,285,290, 575,590	—
	Seal Retainer Housing	3637443M91, ZZ90044, 59537, 4224148M91, U5MK0404	165,168,174,174C,174F,174S, 174V,175,175S,178,184,184F, 184S,188,194,194C,194F,194S, 255,1100,1104,1114,1130, 1135,1200,185	—
	Seal Retainer Housing	41422027, 41422034, 4224172M1, 4224172V1, 736714M91, 740 235M91, 740235M91, 740235V91	133,134C,134V,135,140,145, 148,154,154F,233,253,254, 35,65,765,865	—


Photo	Item Name	OEM/ REF	Applications	Description
	Holder		174,184,194,165,168,175,178,	
			185,188,1105,1135,240,261,	
			265,273,274,275,283,284,285,	
			290,293,294,2620,2640,2645,	
			2675,2680,2685,2705,2720,	
			2725,2625,373,374,377,383,	
		36277821, 36277825, 36277831, 36277833, 3627P011, 3637336M1, 3638829M1, 3641090M1, 3641862M1, 4225228M1, 733720M1, 734841M1, 736126M91	384,387,362,365,372,375,382, 390,398,399,3050,3060,3065, 3070,3080,3085,3090,3095, 3115,3120,3125,3315,3325, 3330,3340,3350,3355,3610, 3630,3635,3645,3650,3655, 440,4260,4265,4270,4325, 4335,4345,4355,4360,4365, 4370,560,565,575,590,660, 675,699,6160,6170,6180, 6190,6260,6265,6270,6280, 6290,8110,8120,8130,8210, 8220,1200,1250,1007,1014, 1114,1134,820,825,835,865,	
			430,20,31,50B,174C,186,187,	
			24,27,274SK,29,29XP,307,	
			31XP,330,375E,390E,390T,	
			487,500,506,507,510,520,	
			525,530,530S,620,625,698T,	
			740,750,760,810,830,840,99	


Photo	Item Name	OEM/ REF	Applications	Description
	Cover	37556148	165,168,174,175,184,185,188,	
			194,265,270,273,274,275,283,	
			284,285,290,292,293,294,362, 67,373,374,376,377,382,383,	
			384,387,393,394,396,397,460,	
			481,492,565,575,670,690	


Photo	Item Name	OEM/ REF	Applications	Description
	Connector	37738261, 734943M1	165,168,174,175,184,185,188, 194,265,273,274,283,284,285, 290,293,294,425,435,440,445, 487,506,5335,5340,575,590, 675,690	—


Photo	Item Name	OEM/ REF	Applications	Description
	Bolt	32762116, 32762144, 32762145, 33221328, 3637029M1, 3637030M1, 4222485M1	1014,1100,1105,1114,1130,1134, 1135,1200,1250,165,168,174, 175,178,184,185,188,194,240, 2620,2640,2645,265,2675,2680, 2685,2720,2725,273,274,274SK, 275,283,284,285,290,292,294, 298,299,3050,3060,3075,3080, 3085,3090,3095,30D,3115,3120, 3125,3140,3610,362,3630,3635, 3645,365,3650,3655,372,373, 374,375,375E,377,383,384,387, 390,390E,390T,393,397,398,399, 4260,4270,435,440,445,460,465, 475,50,500,50B,50D,50E,50EX, 50H,50HX,560,565,575,590,60H, 6130,6140,6150,6160,6170,6180, 6190,6235,6245,6255,6260,6265, 6270,6280,6290,675,690,698T, 699,750,8110,8120,8130,8140, 8150,8220,825,835	—


Photo	Item Name	OEM/ REF	Applications	Description
	<p>Deep Groove Ball Bearing</p>	<p>488952M4, 828123M1, 828123M2, 832960M3</p>	<p>1004,1004T,1080,1085,1200, 1250,130,133,134C,134V,135, 135MKIII,135V,140,145, 145MKIII,145S,145V,148, 148MKIII,152,152F,152MKIII, 152S,152V,154,154F,154S, 154V,155,158,158F,158MKIII, 158S,158V,164TF,164TS, 164TV,165,165MKIII,168, 168F,168MKIII,168S,174C, 174S,174V,175,175S,178, 184F,184S,185,188,194C, 194F,194S,230,231,233, 234CF,234S,235,240,240S, 243,244CF,245,25,250, 253(Italy),253(UK),254C, 254CF,254S,255,260,261, 263(UK),263T(Italy),264T, 264TCF,264TS,265, 265Advanced,265S,273,274, 274C,274CF,274S,275, 275(Turkey),275Advanced, 275E,283,284S,285,285S, 290,290(Turkey),290E,293, 294,294C,294S,298,30,333, 334V,340,342,35,350,352, 353,353S,354AP,354AQ, 354F,354S,354V,355,35X, 360,362,362N,363,363S, 364F,364S,365,367CF,372N, 373LX,373S,374AP,374AQ, 374F,374FP,374GE,374S, 374SP,374V,375,375E,376C, 376CF,376XCF,377,382N,383, 383LX,383S,384AP,384AQ, 384F,384FP,384S,384SP,384V,</p>	<p>OUTER D: 40MM INNER D: 17MM HEIGHT: 12MM</p>

Photo	Item Name	OEM/ REF	Applications	Description
	Needle Roller Bearing	1447723M91, 2551A014	1004T,1007,168,168F,168S, 174,174C,174F,174S,174V,178, 184,184F,184S,185,188,194, 194C,194F,194S,265,273,274, 274C,274CF,274S,274SK,275, 275E,283,284,284S,285,290, 290E,292,292 Advanced,293, 294,294C,294S,3050,3055, 3060,3065,3065S,3070,3075, 30D,3220AP(X),3220FP(X), 3220GE(X),3220SP(X), 3225AP(X),3225FP(X), 3225GE(X),3225SP(X), 3235AP(X),3235FP(X), 3235GE(X),3235SP(X),3330, 3330F/FE,3330GE,3330S,3330V, 3340,3340F/FE,3340GE,3340S, 3340V,3350,3350F/FE,3350GE, 3350S,3355,3355F/FE,3355GE, 3355S,4225,4225HV,4235, 4235(USA),4235HV, 4235HV(USA),4240,4245, 4245HV,4255,4255HV,4265, 4325,4325HV,4335,4335HV, 4345,4345HV,4355,4355HV, 4365,460,50D,50E,50EX,50HX, 5275,5285,5290,5300,5310, 5355,5360,565,575,590,60, 60H,610Turbo,6110,6120, 6130,6140,6150,620,6235, 6235HV,6245,6245HV,6255, 6255HV,6265,675,690,698T	BEARING NO.: F- 96760 OUTER D: 30MM INNER D: 23.8MM HEIGHT: 15.8MM
	Needle Roller Bearing	1447727M91, 2551A009	1004T,1007,168,168F,168S,174, 174C,174F,174S,174V,178,184, 184F,184S,185,188,194,194C, 194F,194S,2230,265,273,274, 274C,274CF,274S,274SK,275, 275E,283,284,284S,285,290, 290E,292,292Advanced,293,294, 294C,294S,3050,3055,3060, 3065,3065S,3070,3075,30D, 3220AP(X),3220FP(X),3220GE(X), 3220SP(X),3225AP(X),3225FP(X), 3225GE(X),3225SP(X),3235AP(X), 3235FP(X),3235GE(X),3235SP(X), 3330,3330F/FE,3330GE,3330S, 3330V,3340,3340F/FE,3340GE, 3340S,3340V,3350,3350F/FE, 3350GE,3350S,3355,3355F/FE, 3355GE,3355S,362,362N,365, 367CF,372N,373,373LX,373S, 374AP,374AP(X),374AQ,374F, 374FP,374FP(X),374FQ,374GE, 374GE(X),374H,374S,374SP, 374SP(X),374SQ,374V,374VQ, 375,375E,376C,376CF,376XCF, 377,382N,383,383LX,383S, 384AP,384AP(X),384AQ,384F, 384FP,384FP(X),384FQ,384GE, 384GE(X),384S,384SP,384SP(X), 384SQ,384V,384VQ,387,390, 390E,390T,393,393LX,393S, 393TLX,394AP,394AP(X),394AQ, 394C,394F,394FP,394FP(X), 394FQ,394GE,394GE(X),394H, 394S,394SP,39	BEARING NO.: JV-188 OUTER D: 34.9MM INNER D: 28.2MM HEIGHT: 12.5MM





Photo	Item Name	OEM/ REF	Applications	Description
	Needle Roller Bearing	746696M1	<p>165 (France),168,168F,168S,174,174C,174F,174S,174V,175,175S,178,184,184F,184S,185,188,194,194C,194F,194S,24,24T,285,290,293,294,294C,294S,30D,50,50B,50B MKII,50C,50D,50E,50EX,50H,50H-S,50H-T,50HX,50HX-S,50HX-T,565,575,590,60,60H,60H-S,60HX,60HX-T,675,690</p>	<p>BEARING NO.: BH1616 OUTER D: 38MM INNER D: 25.4MM HEIGHT: 25.3MM</p>
	Needle Roller Bearing	746697M1	<p>165 (France ),168,168F,168S,174,174C,174F,174S,174V,175,175S,178,184,184F,184S,185,188,194,194C,194F,194S,24,24T,285,290,293,294,294C,294S,30D,50,50B,50B MKII,50C,50D,50E,50EX,50H,50H-S,50H-T,50HX,50HX-S,50HX-T,565,575,590,60,60H,60H-S,60HX,60HX-T,675,690</p>	<p>OUTER D: 44.36MM INNER D: 31.2MM HEIGHT: 25.4MM</p>

Photo	Item Name	OEM/ REF	Applications	Description
	Head Rotor	7123-340R	155,158,165,260,560,65,765	—
	Head Rotor	7123340S, 7123-340S	1007,1080,1085,168,175,261, 265,275,285,298,3065,3070,375, 375E,390T,398,50,50B,565,575, 675,698	—
	Head Rotor	9050300L, 9050-300L	5300.5310	—
	Head Rotor	7123340U, 7123-340U	194,178,185,188,285,293,294	—
	Head Rotor	7180750U, 7180-750U	640.650	—




Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Injector	1446895M91, 1447401M91	240.135	—
	Fuel Injector	1446697E91, 1446697M94, 1446697R91	255	—
	Fuel Injector	1447218E91, 1447218M91, 1447218R91, 2645664	283,283 U.K.,290,290 U.K., 3050,3060,383,390,394S,50H, 690,HX 60H	—

Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Injector Nozzle	1447252M1, 1851744M1, 2646607, 4226151M1, BDL110S6133	133,135,35,65,865,203,205, 2135,2203,2205	—
	Fuel Injector Nozzle	2645A617, 3637185M1, 6801106	396.399	—
	Fuel Injector Nozzle	1446703M1, 1446703Z1, 2646690, BDLL150S6556 DLLA150S152	194,178,185,188,284,285,293, 294,307 Combine,50,50EX,50HX, 50HXS,60,60H,60HS	—
	Fuel Injector Nozzle	1853019M91	135 ,135V ,165 (UK ),3165, 3303,3305,356,50,65,765	—
	Fuel Injector Nozzle	3637319M1, 6801027(DELPHI)	1004T,1007,265S,3065, 3070,390T,393TLX,394TA, 397T,398	—
	Fuel Injector Nozzle	150S6602	145,145S,145V,148,152,152F, 152S,152V,154,154C,154F, 154S,154V,20C,20D,20E,2205, 233,244CF,250,250X, 250X Advanced,253 (Italy), 254,254C,254CF,254S,255, 30B,30E ,3210FP(X), 3210GE(X),3210SP(X),342, 350,353,353LX,353S,354AP, 354AQ,354F,354FP,354FP(X), 354FQ,354GE,354GE(X),354S, 354SP,354SP(X),354SQ,354V, 354VQ,40,415,550	—


Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Injection Pump Roller	7123-10	—	—


Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Pump	1446951M91, 2641729, 3641400M91, 4222105M91, ULPK0002	2620,2640,2645,2680,2685,2720, 2725,399,3080,3085,3090,3095, 3115,3120,3120 T,3125,3140,3610, 3630,3635,3645,3650,3655,4260, 4270,560,565,660,699,6160,6170, 6180,6190,6260,6270,6280,6290, 8110,8120,8130,8140,8150,8220, 1250,1014,1114,1134,820,825,835, 27 Combine,29 Combine, 29XP Combine, 31 Combine,31XP Combine, 530 Combine,830 Combine, 840 Combine,750 Combine	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:4
	Fuel Pump	2641311, 2641A063, 3637307M1, 3637307M91, 4222111M91, 886062M1	135,148,230,240,250,20B,20D, 20E,20F,30E,30H,40,40E	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:2
	Fuel Pump	1446155M91, 2641328, 2641333, 2641336, 325566M1, 35218, 3637286M91, 4222107M91, 731305M1, 886100M91, 3639013M1, 1447693M91, ULPK0010, BCD 1863/1	1004,1080,1085,155,158,158F, 158S,158V,165,260,285(USA), 298,302,304,3165,3303,3305, 356,40B,50,560,592,595,65, 698,70,765	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:2
	Fuel Pump	2641372, 2641378, 2641A064, 3637309M1, 3637309M91, 4222093M91, 892632M91	1100,1200,1014,1114, 500 Combine, 510 Combine,520 Combine, 525 Combine,620 Combine, 625 Combine	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:2
	Fuel Pump	1447582M91, 2641712, 2641808, 3637292M91, 4222090M91	148,240,253,254,254 S,255, 353,363,350,355,360,550,203, 20B,20E,20F,30E,30H,40,40E	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:4
	Fuel Pump	295976A1, 3641308M91, 4222106M91, 427309A1, ULPK0005, ULPK0034	6860,7830,7860,8860,Atlas 100, Atlas 70,Atlas 80,Atlas 90, Globus 65,Globus 75,Globus 80, Rex 70 V,Rex 80 V,Trekker 70 F, Trekker 80 F,Trekker 90 F, Vision 100,Vision 80,Vision 90	IN THREAD: 1/2"-20 OUT THREAD: 1/2"- 20 HOLES:4








Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Pump	20245, 2641711, 2641A053, 3637300M91, 3640785M1, 36414041M1	174,184,194,165,168,175,178, 185,188,265,274,275,284,285, 290,294,373,383,387,393,397, 340,362,365,375,390,398,3050, 3060,3065,3070,440,565,575, 590,675,690,30D,50,50B,50D, 50E,50EX,50H,50HX,60H,274SK, 375E,390E,390T,698T	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:4
	Fuel Pump	1447381M91, 3637287M91, 4222104M91	165,168,175,178,185,188,50,50B	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:2
	Fuel Pump	4222449M91, 4224706M91, 4225162M1	5465,6465,6480,7465,7475,7480	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:4
	Fuel Pump	V836659580, V836666344, V836667405	3615,3625,3635,3645,4435, 4445,4455,460,5470,5470SA, 5475SA,8140,8240,LR75A,LT90A	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF
	Fuel Pump	1446146M91, 1641103M91, 3637414M91, 4222174M91, 890986M91, 893159M91	122,130,25,630,825	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:2
	Fuel Pump	2641406, 2641408,35273, 352732X1, 3637288M91, 4222094M1, 4222094M91, 885363M91	133,135,140,145,152,35,35X, 152 F,152 V	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:2
	Fuel Pump	3637415M91, 4225229M91, 892629M1	1100.1130	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:2


Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Pump	2641345, 2641346, 2641A065, 32589, 3637338M91, 4222452M91	165,65,765,50	IN THREAD: 1/2"-20 UNF OUT THREAD: 1/2"-20 UNF HOLES:4





Photo	Item Name	OEM/ REF	Applications	Description
	Feed Pump	3637646M91, V835340017	3670,3680,3690,8140,8150,8160,	IN THREAD: M14x1.5 MM OUT THREAD: M14x1.5 MM
	Feed Pump	2959965M91	—	IN THREAD: M14x1.5 MM OUT THREAD: M14x1.5 MM





Photo	Item Name	OEM/ REF	Applications	Description
	Electric Injection Pump Assembly	4132A015M1, 4132A016M1	—	SOCKET:2PIN
	Electric Injection Pump Assembly	3679527M1, 4226144M1, 4226484M1, 4226937M91	5425,5435,5435,275,290	—
	Electric Injection Pump Assembly	ULPK0041	471,481,492,5445,6445	SOCKET: 2 PIN
	Electric Injection Pump Assembly	4132A016, 4225293M91, 4226625M91, ULPK0039	3425 V/S/F,410, 410 (Made in Turkey ), 420,420 (Made in Turkey ),430	—


Photo	Item Name	OEM/ REF	Applications	Description
 A cylindrical electric injection pump with a blue band in the middle and a brass-colored electrical connector at the bottom.	Electric Injection Pump	4225449M1	3425,3435,3445,3455	—

Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Water Separator	4224701M1, V836862602, V836866577	5465,6465,6475,6480,7465, 7475,7480	TOTAL HEIGHT: 178.62MM OUTER D: 83.82MM
	Fuel Water Separator	4280914M1, V836867591	3615,3625,3635,3645,3655,5470, 5480,6460,6470,6485,6490,6495, 6497,6499,7260,7270,7274,7278, 7485,7490,7495,8450,8460,8470, 8480,8650,8660,8670,8680,8690	HEIGHT: 176 MM OUTER D:84 MM INNER D1:22 MM INNER D2:8 MM
	Fuel Water Separator	3780299M1	5465,6235,6245,6255,6260, 6265,6270,6280,6290,6465, 6475,6480,6497,6499,7465, 7475,7480,8210,8220,8240, 8250,8260,8270,8280,8245	TOTAL HEIGHT: 129MM OUTER D:84MM
	Fuel Water Separator	3638291M1	3120,3140,3610,3635,3645,3655, 3660,4215,4220,4245,4255,4260, 4325,4335,4345,4355,4365,6110, 6120,6130,6140,6150,6160,6170, 6180,6190,6235,6245,6255,6260, 6265,6270,6280,6290,8110,8120, 8130,8210,8220,,220 XL,421 5A, 422 0A	HEIGHT: 156MM OUTER D:85MM THREAD: M16X1.5MM
	Fuel Water Separator	FF5156	3080.3085	TOTAL HEIGHT: 156 MM OUTER D: 77 MM THREAD SIZE: M16 X 1.5
	Fuel Water Separator	4224701M1, V836862602, V836866577	5465,6465,6475,6480,6485, 6490,6495,6499,7256,7260, 7270,7465,7475,7480,7485, 7490,7495	HEIGHT:195MM OUTER D: 83.82MM






Photo	Item Name	OEM/ REF	Applications	Description
	Filter Head	1895160M1, 7111353BR, 7111-353BR	2620,2640,2645,2680,2685, 2725,2625,3080,3090,3610, 3630,3650,560,565,592,595, 660,530 Combine,840 Combine	—
	Filter Head	37764181, 741614M1	174,174 S,184,184 S,194,194 S, 165,168,175,175 S,178,185,188, 1080,261,265,265 S,273,274, 274 S,274 SK,275,283,284,284 S, 285,290,293,294,294 S,373, 373 LX,373 S,374 AP,374 AQ, 374 FP,374 FQ,374 GE,374 S, 374 SP,374 SQ,377,383,383 S, 384 AP,384 AQ,384 FP,384 FQ, 384 GE,384 S,384 SP,384 SQ, 387,393,393 LX,393 S,394 AP, 394 AQ,394 FP,394 FQ,394 GE, 394 H,394 S,394 SP,394 SQ,397, 375 E,390 E,565,575,590,595, 675,690,1200,1250, 487 Combine,506 Combine, 520 Combine,525 Combine, 620 Combine,625 Combine, 740E Combine,750 Combine, 174 C,194 C,274 C,294 C,367 CF, 376 C,376 CF,376 XCF,394 C, 396 C,396 CF,30D,50,50B,174 F, 184 F,194 -4F,194 F,374 F,384 F, 394 F,174 V,374 V,374 VQ,384 V, 384 VQ,	—
	Filter Head	—	3425 VSF,410,420,430	IN THREAD: 1/2- 20UN OUT THREAD: 1/2-20UN
	Filter Head	1890139M1	133,135,140,145,155,158, 165MKIII,178,230,231,240,240S, 243,253,263,265,275,275E,285, 290,290E,3050,3060,3065,3070, 350,355,360,390E (P06156 > ), 4225,4235,4240,4245,4255, 4265,4325,4335,4345,4355, 4365,560,575,590,675,690	—
	Filter Head	3823M003W, 9106-1401220822, T64101003, T64103002	—	—


Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Filter	1013891M1, 1021350M91, 1021351M1, 1024386M1, 1049939M1, 1049939M91, 1076810M1, 1077260M91, 151890M1, 1596257M91, 1640997M91, 1802271M1, 1841890M1, 1851890M1, 1896096M1, 1896096M91, 1951890M1, 2621247M1, 2871492M1, 3405418M1, 3405418M2, 3438731M91, 3621247M1, 3621288M1, 72113, 835944M91, 835994M92, 836218M91, 836218M92, 851890M1	1007,1014,1045,1080,1100,1105, 1114,1134,1135,1200,1250,135, 148,155,158,165,168,174,174-4, 174-4S,174V,175,178,184S,,185, 188,194-4F,20B,20D,20E,20F,230, 235,24,240,245,250,253,254, 254S,255,260,2620,2625,2640, 2645,2680,2685,27,2720,2725, 274,274S,274SK,284-4S,285,29, 294-4S,294S-4S,298,29XP,3080, 3090,3095,30E,30H,31,3115, 3125,3140,31XP,340,342,35,350, 352,353,355,360,3610,362,362N, 363,372N,373,377,382,382N, 383,387,393,396,397,399,40, 40E,4225,4235,440,50,500,50B, 50BMKII,510,515,520,525,530, 535,550,560,565,595,595MKII, 5C,6170,6180,620,625,65,660, 665,698,699,6D,750,760,765, 805,8120,820,825,830,835,840, 845,860,960,965	HEIGHT: 70.4MM OUTER D: 87.8MM
	Fuel Filter	1896287M1, 1896287M91, 26560602, 26566602, 3405419M1, 3405419M2, 3405419M3, 3621009M1, V836339371	250 X,292,297,299,265,275,285, 290,298,2640,2645,2680,2685, 2720,2725,2625,350,355,360, 365,375,390,390 T,398,3050, 3060,3065,3070,3630,3645, 3650,3670,3680,3690,415,440, 445,460,465,475,4225,4245, 4255,4260,4265,4270,560,565, 575,590,675,690,698 T,8140, 8150,8160,8260,8280,30,30D, 30H,50,50D,50E,50EX,50H, 50HX,60H	OVERALL HEIGHT: 115MM OUTER D: 88MM THREAD SIZE: 17/19
	Fuel Filter	6225961M91	—	—
	Fuel Filter	4226708M1	5455	OVERALL HEIGHT:164MM OUTER D: 92.6MM THREAD SIZE: M 22 x 1.5

Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Filter	3282454M91, 72098616, TRA8023395	1030L,1035,210,210-4,220,220-4	TOTAL HEIGHT: 77MM OUTER D:80MM THREAD SIZE: M20 X 1.5MM
	Fuel Filter	4224811M1	5425,5435,5435,5445,5455, 5460,6445,6455,6460,6470, 8925,8926	OVERALL HEIGHT:159MM OUTER D:76 THREAD SIZE:-
	Fuel Filter	4226599M1	—	OVERALL HEIGHT:187MM OUTER D:84MM THREAD SIZE: M 12 x 1.5
	Fuel Filter	3907943M1, 71412027	7247,7248,8450,8460	LENGTH: 88 MM WIDTH: 88 MM HEIGHT: 54 MM
	Fuel Filter	3283343M1	1010,1020,1030,1205,1215, 1230,1519,1523,1528,1531, 1533,1540	HEIGHT:69MM OUTER D:35MM
	Fuel Filter	3702815M1	1125,1140,1145,1165,1240, 1250,1260,1429,1433,1433V, 1440,1440V,1445,1455,1552, 1560,1643,1648,1652,1655, 1660,547	HEIGHT:89MM OUTER D:52MM INNER D:20MM
	Fuel Filter	1850450M1, 894974M91	35,65,765,788,835,835 ,FE35 , TEF20	HEIGHT:87MM OUTER D:71MM INNER D:33.5MM
	Fuel Filter	1876507M91, 1876507M92, 3597838M91, 5861B060	1200,1250,200,230,240,253, 261,263,265,275,285,290,3050, 3060,3065,3070,340,342,350, 352,355,360,362,372,375,382, 390,415,500,560,565,575,590, 675,690	—






Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Pipe	35343025, 35354266, 3641094M91, 735099M91, 744512M91	184 -4,165,168,175,178,180, 255,265,270,274 -4,275,285, 290,294 -4,362,362 N,365,372, 375,382,382 N,390,3050,3060, 670,675,690,30D,50,50B, 50B MKII,50D,50E,50EX,50H, 50HX,60H	—
	Fuel Pipe	35343026, 35354267, 3641262M91, 735100M91, 744513M91	184 -4,165,168,175,178,180, 255,265,270,274 -4,275,285, 290,294 -4,362,362 N,365,372, 375,382,382 N,390,3050,3060, 670,675,690,30D,50,50B, 50B MKII,50D,50E,50EX,50H, 50HX,60H	—
	Fuel Pipe	35343027, 35354271, 35354293, 3641095M91, 735101M91, 735761M91, 744514M91	184,165,168,175,178,180,255, 265,270,274,275,285,290,294, 362,362N,365,372,375,382, 382N,390,3050,3060,670,675, 690,30D,50,50B,50B MKII,50D, 50E,50EX,50H,50HX,60H	—
	Fuel Pipe	35343028, 35355289, 35355409, 3641156M91, 735102M91, 735102M92, 738890M91, 744515M91	184 -4,165,168,175,178,180, 255,265,270,274 -4,275,285, 290,294 -4,362,362 N,365,372, 375,382,382 N,390,3050,3060, 670,675,690,30D,50,50B, 50B MKII,50D,50E,50EX,50H, 50HX,60H	—
	Fuel Pipe	—	150,165,168,175,178,180,184, 194,231,250,255,261,265,270, 274,275,282,283,285,290,294, 3050,3060,362,365,372,374, 375,382,383,384,390,394,670, 675,690	—



Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Tap	898580M91	165,168,175,178,185,188,265, 275,285,290,298,30D,50,50B, 50B MKII,50D,50E,50EX,50H, 50HX,60H	—
	Fuel Tap	898540M91	135,148,230,240,250,20B,20D, 20E,20F,30E,30H,40,40E	—
	Fuel Tap	1851653M91, 35297	133,135,140,145,152,155,158, 165,175,235,245,250,255,260, 2620,2640,2645,2680,2685, 2720,2625,35,35X,65,765,50, 135 V,145 V	—
	Fuel Tap	1694985M92	230,240,253 (Italy),253 (UK), 263 (UK),263T (Italy),265,275, 275E,290,290E,340,342,350, 352,355,360,362,362N,365, 372N,375,375E,382N,390,390E, 390T,398	—
	Fuel Tap	898540M91, 898540V91	240	INNER THREAD: 1/2" UNF OUTER THREAD: 3/8" BSPT




Photo	Item Name	OEM/ REF	Applications	Description
	Tank Floater	16785179.	134C,134V,154C,165,168,174C,	—
		1678517M2,	184,185,188,194C,233,234S,	
		183394M91, 3762581M1,	253 (Italy),253 (UK),254S,261, 263T (Italy),264T,264TS,265,273,	
		3762581V1,	274S,275,283,284,285,290,293,	
		3771005M1,	294,298,375E,390E,50D,50E,	
		908600M1	50EX,50H,50HX,60H,60HX	
	Tank Floater	3762527M91	365,375,390,390 T,398,399	—
	Tank Floater	3762527M91*	365,375,390,390 T,398,399	—

Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Tank Cap	001584U91, 1666439M91, 1698042M91, 1876534M91	230,240,250,253,260,270,283, 290,298,375 E,390 E,550,560,565, 575,590,592,595,595 MKII,675, 690,20D,30E,50E	—
	Fuel Tank Cap	1695732M1, 3697463M1	340,342,350,352,355,360,362, 362 N,365,372,372 N,375,382, 382 N,390,390 T,396,398,399	—
	Fuel Tank Cap	3641097M1	3315,3325,3330,3340,3350, 3355,396,399,4215,4220,4315, 4320	—
	Fuel Tank Cap		135,165,185,240,265,285	—


Photo	Item Name	OEM/ REF	Applications	Description
	Gear	31171523	165,168,175,178,185,188,265, 274,274S,274SK,285,290,3050, 565,575,675	TEETH: 56 T


Photo	Item Name	OEM/ REF	Applications	Description
	Bush	7139223, 7139-223	—	—



Photo	Item Name	OEM/ REF	Applications	Description
	Valve	41371077, 41371078, 736630M91	168,175,174.4S,178,184.4S,185, 188,194.4F,265,274,274SK,275	—
	Valve	351180, 7123579E, 7123-579E		—



Photo	Item Name	OEM/ REF	Applications	Description
	Metering Valve	7123490E, 7123-490E	—	—
	Metering Valve	7123-770	135.240	—

Photo	Item Name	OEM/ REF	Applications	Description
	Water Pump	3641310M91, 3641310R91, 3641861R91, 3641861R92, 41312557, 41312557T, 41313018, 41313045, 748737M91, 748737R91, 3641861M91	500 Combine,510 Combine, 515 Combine,520 Combine, 525 Combine,541 Combine	—
	Water Pump	1810369M91, 1881807M1, 3641869M91, 4222459M91, 4223566M91, U5MW0157, 747997M1	135,FE35,TE20,TEA20,TED20, TEF20 396,399,8120,8925,8926, 8937,8939	—
	Water Pump			THEETH: 18 T
	Water Pump	4223101M91, 4223901M91, 4224441M91, 4224475M91, 4225113M91, 4225392M91	4225,4235,4245,4255,4260,4265, 4315,4325,4335,4345,4355,4365, 6235,6245,6255,6260,6265,6270, 6280,6290,8210,8220,8925,8926, 8937,8939	THEETH: 16T
	Water Pump	02100226, 41313033, 41313047, 41313049, 41313051X, 4131E3033, 70992422, 747570M91	1250,24 Combine,27 Combine, 530 Combine,530S Combine, 810 Combine,750 Combine	—
	Water Pump	3637468M1, 3637468M91, 3638998M91, 3638999M91, 3641035M91, 3641263M91, 41313218, 41313227, 41313237, 4222002M91, U5MW0108	1004T,1007,3050,3060,3065, 3070,3075,365,375,390,390T, 393LX,394,396TC,397,398, 4225,4235,4245,4255,4265, 440,6120,6130,6140,6150,698T	—






Photo	Item Name	OEM/ REF	Applications	Description
	Water Pump	3641338M91, 3641823M91, 41312154, 41312487, 747542M91, U5MW0023	133,134C,134V,135,135V,140, 145,145 MKIII,145V,148, 152 MKIII,152F,154,154C,154F, 154S,164T,164T F,164V,230,231, 233,234C,234CF,234S,235,240, 240S,244CF,245,250,253,254, 254C,254S,255,263,263T,264T, 333,334V,340,342,35,350,352, 353S,354S,355,35X,360,415,550	—
	Water Pump	10500006, 10576007, 10920009, 10920058, 12431154, 131146009, 131153501, 133478201, 136866721, 137711711, 141312551, 141313201, 141313225, 141313231, 353433X1, 3641832M91, 40576002, 40826212, 40920053, 41312323, 41312366, 41312551, 41312733, 41312756, 41313225, 41313232, 4131A013, 4131A021, 4131A029, 4131A034, U5MW0104	165,168,174,175,178,184,185, 188,194,240,261,265,265S,273, 274,274C,274SK,275,283,284, 285,285S,290,293,294,294C, 30E,362,372,373,374,375,375E, 377,382,383,384,387,390,390E, 393,394,394C,397,440,50,50B, 50D,50E,50EX,50H,50HX,565, 575,590,60,60H,675,690	—
	Water Pump	3637372M91, 3641250M91, 3641250R91, 3641250R92, 3641312R91, 41312063, 41312167, 41312511, 41312574, 41312574T, 747597M91, U5MW0010, U5MW0055, U5MW0061	155,158,165,260,560,65, 65MKI,65 MKII,765,50	—

Photo	Item Name	OEM/ REF	Applications	Description
	Water Pump	4225069M91, U5MW0194	5425,5435,5435,5445,5455, 5460,6445,6455,6460,6470, 8925,8926	TEETH: 17 T
	Water Pump	4224708M91, U5MW0196	5425,5435,5445,5455,5460, 5460SA,5465,6445,6455,6460, 6465,6470,6475,6480,7465, 7475,7480	TEETH:19T
	Water Pump	4223866M91	3330S,3340S,3350S,3355S	—
	Water Pump	4222071M91	20(Combine Harvester),265S, 275 (Turkey),275E,285S, 290 (Turkey),290E,375E,390E, 575	—
	Water Pump	1005011M91, 1005011M92	303,33,333,44,444,55,555	—
	Water Pump	3637468M1, 3637468M91, 3638998M91, 3638999M91, 3641035M91, 3641263M91, 4222002M91	1007,3050,3060,3065,3070, 3075,365,375,390,390T, 393LX,394,396TC,397,398, 4225,4235,4245,4255,4265, 440,6120,6130,6140,6150,698T	—

Photo	Item Name	OEM/ REF	Applications	Description
	Radiator	1897358M4, 885411M93, 897357M92, 897358M1, 897358M3, 897358M4	165,168,178,185,188,50,50B	—
	Radiator	1660499M92, 1660499R92, 194275M93, 962071M93, 962072M3	133,135,148,40	HEIGHT:615MM WIDTH:405MM THK:68MM
	Radiator	1672861M91, 1672861M93, 1680547M91, 1680547M92	230,240,250,20B,20E,20F, 30E,30H,40E	—
	Radiator	894319M2, 894319M91, 894319M92	35,35X	HEIGHT:465MM WIDTH:381MM THK:61MM
	Radiator	186733M91, 894511M91	65.765	TOTAL HEIGHT: 436MM TOTAL WIDTH: 390MM TOTAL THK: 50MM
	Radiator	0015926U91, 1669648M94, 1669648M95, 1669650M94, 1874445M92, 3820620M91	235,245,250,255,260,265,265S, 275,290,298,375E,390E,550,560, 565,575,590,675,690	—
	Radiator	885579M93, 885580M3, 894808M2, 964098M1	168,168 MKIII,168 S,175,175 S, 178,185,188,168 F	TOTAL HEIGHT: 486MM TOTAL WIDTH: 380MM TOTAL THK: 54MM
	Radiator	894357M92	35,FE35	TOTAL HEIGHT: 443MM TOTAL WIDTH: 395MM TOTAL THK: 60MM


Photo	Item Name	OEM/ REF	Applications	Description
	Radiator	1695721M2	365,375,390,390T,398,399	TOTAL HEIGHT: 498MM TOTAL WIDTH: 495MM TOTAL THK: 68MM


Photo	Item Name	OEM/ REF	Applications	Description
	Radiator Cap	180224M1, 180224M91, 180224M92, 184528M1	1004,1004T,230,235,240, 240(Combine Harvester),245, 253 (Italy) (4WD ), 253 (UK) (4WD ),255,2620, 263 (UK) (4WD ),263T (Italy) (4WD ),2640,2680,2720,3050, 3060,3065,3065S,3070,3075, 3085,3095,3115,3120,3120T, 3125,340,342,350,352,355,360, 362,362N,3635,3645,365,3655, 3670,3680,3690,372N,375, 382N,390,390T,396,398, 399 (Footstep With cab ),4215, 4220,4225 (Footstep - With cab ), 4225HV,4235 (Footstep - With cab ),4235 (USA) (Footstep - With cab ),4235HV, 4240 (Footstep - With cab ), 4245 (Footstep - With cab ), 4245HV,4255 (Footstep - With cab ),4255HV,4260,4265, 4270,4315 (with cab ),4320 (with cab ),4325 (Footstep - With cab ),4335 (Footstep - With cab ),4335HV,4345 (Footstep - With cab ),4345HV, 4355 (Footstep - With cab ), 4355HV,4360,4365,4370,440, 6110 (Steep nose ),6120 (Steep nose ),6130 (Steep nose ), 6140 (Steep nose ),6150,6160, 6170,6180,6190,6235,6235HV, 6245,6245HV,6255,6255HV, 6260,6265,6270,6280,	—



Photo	Item Name	OEM/ REF	Applications	Description
	Radiator Cap	1874445M93, 1874445M94, 1874455M93	230,231,235,240,245,250,253, 255,260,261,263,265,275,285, 290,298,30D,375E,390E,50E, 50EX,550,560,565,575,590	—
	Radiator Cap	3475308M1, 3475308M91, 36202, 826772M1	135,165,35,765,TEA20,TED20, TEF20,40,50	—


Photo	Item Name	OEM/ REF	Applications	Description
	Fan Blade	001651U91, 1874995M91, 1874995M92, 3538983M91	174,184,194,292,297,299,250, 265,273,275,283,284,290,293, 294,298,375 E,390,390 E,415, 425,435,440,445,460,465,475, 481,492,590,675,690,410,420, 27 Combine	NUMBER OF BLADES:8 OUTER D: 382MM HOLE SIZE: 41.0MM


Photo	Item Name	OEM/ REF	Applications	Description
	Fan Belt	1693746M1, 2614B145, 2614B642, 2614B644, 3612115M1, 3637597M1, 3639683M1, 890982M1, X696624200000	154,154 -4,164,174,174 -4,184, 194,194 -4,133,135,140,145, 148,152,165,185,188,253,254 S, 263,273,274,283,284,293,333, 353,353 LX,354,363,363 LX, 363 S,364,364 S,373,374,377, 383,383 LX,383 S,384 AP,384 AQ, 384 FP,384 FQ,384 GE,384 S, 384 SP,384 SQ,387,393,393 LX, 393 S,394 AP,394 AQ,394 FP, 394 FQ,394 GE,394 H,394 S, 394 SP,394 SQ,397,340,342, 350,352,354 S,355,360,362, 362 N,372,372 N,382,382 N, 3125,3645,35,35X,65,765, 234 CF,244 CF,254 CF,264 TCF, 274 C,274 CF,294 C,356 CF, 366 CF,367 CF,376 C,376 CF, 376 XCF,394 C,396 C,396 CF,20, 203,205,2135,2203,2205,30, 302,304,30D,30H,3165,3303, 3305,40,40B,50,384 F,394 F, 134 V,334 V,354 V,364 V,384 V, 384 VQ	BELT NO.: AVX13X1200



Photo	Item Name	OEM/ REF	Applications	Description
	Thermostat Assy	4225430M1	410,420,430,5425,5435,5445, 5455,5460,6445,6455,6460,6470	TEMP:82°C
	Thermostat Assy	4225119M1, 4225153M1, 4225397M1, 707650A1	5425,5435,5445,5455,6445,6455	—
	Thermostat Assy	4225297M1, 4225444M1	3425,3435,3445,3455,8925, 89410,8947,9626	—
	Thermostat Assy	4133L067	5445 ,5455 ,5460 ,5465 ,5475 , 6445 ,6455 ,6465 ,6475 ,6480 , 7465 ,7475 ,7480	—


Photo	Item Name	OEM/ REF	Applications	Description
	<p>Thermostat</p>		<p>10 Plot,1004,1014,1080 ,  1085 (USA ),1100,1104,1105,  1130,1135,1200,122,130,133,  134C,134V,135,140,145,145S,  145V,148,150,152,152F,152S,  152V,154,154C,154F,154S,  154V,16,16 Plot,187,20 ,203,  205,20B,20C,20D,20E,20F,  2135,2203,2205,230,233,  234C,234CF,234S,235,240,  244CF,245,25,  250 (France / UK ),250X, 250X  Advanced,253 (Italy), 253  (UK),254,254C,254CF,  254S,255,263T (Italy),264T,  264TCF,264TS,265,  265 Advanced,275,  275 Advanced,283,  283 Advanced,290,  290 Advanced,298  (UK France ),30,30B,30E,30H,  3210FP(X),3210GE(X),  3210SP(X),330,333,334V,340,  342,35,350,352,353,353LX,  353S,354AP,354AQ,354F,  354FP,354FP(X),354FQ,  354GE,354GE(X),354S,354SP,  354SP(X),354SQ,354V,354VQ,  355,356CF,360 (CN31187 ),  362,362N,372N,382N,40,40E,  415,425,430,435,440,445,  50H-T,50HX-T,550,592,595,  675 (UK France ),690  (UK France ),698,788,8 Plot, 825,835,99</p>	<p>—</p>

Photo	Item Name	OEM/ REF	Applications	Description
	Thermostat	1447384M1, 2485605, 2485613, 70998003	243,253,263,265 S,275,285 S,290, 2620,2640,2645,2675,2680,2685, 2705,2720,2725,2775,2625,363, 363 LX,363 S,364,393 TLX, 394 TAQ,397 T,360,365,375,375 E, 390,390 E,390 T,396,398,399, 3050,3060,3065,3070,3075,3080, 3085,3090,3095,3115,3120,3125, 3610,3630,3635,3645,3650,3655, 440,4225,4235,4240,4245,4255, 4260,4265,4270,4360,4370,560, 565,660,1004,698 T,699,6120, 6130,6140,6150,6160,6170,6180, 6190,8110,8120,8130,1250,1007, 1014,1104,1114,1134,825,835, 865	TEMP:82-87°C
	Thermostat	1446127M1, 1446127M91, 1446165M1, 1446165M91, 1894961M1, 2485648, 2485659, 2485666, 32550, 325505M2, 40085, 826306M1, 828139M1, 886000M1	154,174,174 -4S,184,184 -4S, 184 S,194,133,135,145,148,152, 158,165,168,175,178,185,188, 1080,1100,1105,1130,1135, 294 S-4S,230,231,233,234,235, 240,240 S,245,250,253,254, 254 S,255,263,263 T,265,274, 274 S,274 SK,284,284 -4S,285, 290,298,333,353,354,373,377, 383,387,393,397,340,342,350, 352,355,360,362,362 N,382, 382 N,398,415,550,565,575,590, 592,595,1004,675,690,698,1200, 1014,35,35X,FE35,TE20,TEA20, TED20,TEF20,430	TEMP:82-87°C
	Thermostat	V836659685, V836666334	4435,4445,4455,5470	TEMP:83°C


Photo	Item Name	OEM/ REF	Applications	Description
	Holder	0360027	168,175,178,187,2665MX,275, 281,283,285,290,435,435X, 435XTRA,440,440X,440XTRA, 445,445XTRA,475,483,490,575, 590,610	—



Photo	Item Name	OEM/ REF	Applications	Description
	Connector	4133L049	3425,431,451,461	—
	Connector	4133L048		—

Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Cover Assembly	1867438M91, 1867438M92, 1867440M91, 3599463M91, 3599463M92	135,148,152,155,158,230,235, 240,245,250,255,340,342,350, 550,20,20B,20F,20H,30E,40,40E	OUTER D: 305MM INNER D: 254MM SPLINE:25S TEETH SPACE: 41.3MM
	Clutch Cover Assembly	1860005M1, 1868003M91, 1868005M91, 1868005M92, 3610268M91, 3610268M92	165,168,185,188,285,290,390, 575,590,690,30 Combine,50	OUTER D: 305MM INNER D: 254MM SPLINE:25S TEETH SPACE: 41.3MM
	Clutch Cover Assembly	3620403M91, 526664M91, 881932M93, 886394M93	175,178,185,50	OUTER D: 280MM INNER D: 228MM SPLINE: 10S TEETH SPACE: 44.5MM
	Clutch Cover Assembly	3620407M91, 887869M91, 887879M91, 887881M91	133,135,145,148,152,155,40	OUTER D: 305MM INNER D: 254MM SPLINE:10S TEETH SPACE: 44.5MM
	Clutch Cover Assembly	3613975M91, 3701015E92, 3701015M91, 3701015M92, 3701015R91, 3701015R92	4245,4255,4260,4265,4270,4355	OUTER D: 330MM INNER D:MM SPLINE:25S TEETH SPACE: MM
	Clutch Cover Assembly	1688208M91, 3599492M91	375,390,390 T,398,399, 1004 T,698 T,699	OUTER D: 330MM INNER D:MM SPLINE:25S TEETH SPACE: 41.2MM
	Clutch Cover Assembly	1851651M96, 3620401M91, 512355M91, 526666M91, 886384M93, 886386M92, 886386M93	133,135,145,35,35X,203,40	OUTER D: 280MM INNER D: 228.5MM SPLINE:10S TEETH SPACE: 45MM
	Clutch Cover Assembly	522320M91, 532319M91, 532319V91, 532320M91, 532320V91	135,150,165,20,20C,230,235, 245,255,30,30B,30D,40B	OUTER D: 279.4MM SPLINE:21S





Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Cover Assembly	3540479M91, 3600243M91	134C,134V,154,154C,154F,154S, 154V,164TF,164TS,164TV,174, 174C,174F,174S,174V,184,184F, 184S,194,194C,194F,194S,233, 234C,234CF,234S,244CF,253,254, 254C,254CF,254S,263,263T,264T, 264TCF,264TS,273,274,274C, 274CF,274S,274SK,283,284,284S, 293,294,294S,333,334V,353, 353LX,353S,354AP,354AQ,354F, 354FP,354FQ,354GE,354S,354SP, 354SQ,354V,354VQ,363,363S, 364AP,364AQ,364CF,364F,364FP, 364FQ,364GE,364S,364SP, 364SQ,364V,364VQ,367CF,373, 373LX,373S,374AP,374AQ,374F, 374FP,374FQ,374GE,374H,374S, 374SP,374SQ,374V,374VQ,376C, 376CF,376XCF,377,383,383LX, 383S,384AP,384AQ,384F,384FP, 384FQ,384GE,384S,384SP, 384SQ,384V,384VQ,393,393LX, 393S,393TLX,394AP,394AQ, 394C,394F,394FP,394FQ,394GE, 394H,394S,394SP,394SQ, 394TAQ,396,396C,396CF,396CT	OUTER D: 280MM SPLINE:14S
	Clutch Cover Assembly	532321M91	175,255,265	OUTER D: 279.4MM SPLINE:25S
	Clutch Cover Assembly	1867442M91, 1867445M91, 3596266M91, 3596266M92, 3599464M91, 3599464M92, 3599464V92, 3610271M91, 3610271M92	165,168,255,265,270,275, 355,360,362,365,375,565, 575,675	OUTER D: 304.8MM SPLINE:25S
	Clutch Cover Assembly	1867428M91, 3599 491M91, 3599491M91, 3599491M92	135,148,152,240,250,350,550	OUTER D: 304.8MM SPLINE:25S



Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Cover Assembly	193931M92, 3620402M91, 512356M91, 526665M91, 526665V91, 886388M93, 891983M95	165,30,3165,65,765	OUTER D:280MM SPLINE:10S
	Clutch Cover Assembly	039210T1	425,435,440,445,460,465,475, 492,5335,5340,5355,5360,5365	OUTER D: 330MM





Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Cover	347544M1, 3477544M1, 887907M1	255, 260,133,135,135V,140,145, 145S,145V,148,150,152,152F, 152S,152V,155,158,158F,158S, 158V,165,168,168F,168S,175,178, 185,188,230,231,235,240,240S, 245,250,253,261,263,263T,265, 265S,275,285,290,365,375,375E, 390,390E,550,560,565,575,590, 675,690	—
	Clutch Cover	3603608M1	425 BRAZILIAN,435 BRAZILIAN, 440 BRAZILIAN,445 BRAZILIAN, 460 BRAZILIAN,465 BRAZILIAN, 475 BRAZILIAN,492 BRAZILIAN, 5335 BRAZILIAN,5340 BRAZILIAN, 5355 BRAZILIAN,5360 BRAZILIAN, 5365 BRAZILIAN,650 BRAZILIAN	—

Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Disc	1671691M91, 3610281M91, 3610281M92	298,592,595,1004,1004 T,698, 698 T,595 MKII	OUTER D: 330MM SPLINE:10S TEETH SPACE: 23MM
	Clutch Disc	1867388M91, 3478569M91, 3478569M92	135,148,152,158 MKIII,165,168, 185,188,240,250,260,265,275, 285,290,298,342,350,352,355, 360,362,362 N,365,372 N,375, 382,390,390 T,398,399,4215, 4220,4225,4235,4240,4245, 4255,4260,4265,4270,4315, 4320,4325,4335,550,565,575, 590,592,595,1004,675,690,698, 698 T,699,20E,30D,40E,50,50E, 50EX	OUTER D: 240MM INNER D:MM SPLINE:10S TEETH SPACE: 44.5MM
	Clutch Disc	1486544M91, 1865836M91, 1867386M91, 3478359M91, 3620417M91	298,592,595,1004,1004 T,698, 698 T,595 MKII	OUTER D: 250MM INNER D: 165MM SPLINE: 25S TEETH SPACE: 41MM
	Clutch Disc	3010238X1, 3792448M2, 3799604M12,	5425,5435,5435,5445,5455, 5460,5465,5425,5435,5435, 5445,5455,5460,5465,6235, 6245,6255,6265,6445,6455, 6460,6470	OUTER D: 302MM INNER D:MM SPLINE:26S TEETH SPACE: 41.5MM
	Clutch Disc	1693884M91, 3610274M92	230,342,350,352,355,360, 362,365,375,390	OUTER D: 300MM INNER D:MM SPLINE:21S TEETH SPACE: 29.5MM
	Clutch Disc	1753753M92, 1753753M93, 181102M91, 181102M92, 1851650M91, 1851652M91, 1880501M91, 3620411AF, 3620411M91, 899823M91, 969433M2	133,135,145,165,175,178,185, 35,35X,65,765,203,40,50	OUTER D: 230MM INNER D:MM SPLINE:10S TEETH SPACE: 39MM

Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Disc	184542M91, 3620410AF, 3620410M92, 516068M1, 516068M91, 890302M91, 890302M92	133,135,145,165,175,178,185, 35,35X,65,765,203,30D,40,50	OUTER D: 280MM SPLINE:10S TEETH SPACE: 23MM
	Clutch Disc	3620409M91, 887900M91, 887901M91	133,135,145,148,155,165,168, 175,178,185,188,40,50	OUTER D: 250MM INNER D: 155MM SPLINE:10S TEETH SPACE: 44.5MM
	Clutch Disc	1486583M91, 1680871M91, 1866042M93, 3599462AF, 3599462M92, 887889M91, 887889M92, 887889M93, 887889M94, 907090M93	133,135,145,148,152,155,158, 158 MKIII,165,168,175,178,185, 188,230,235,240,245,250,255, 260,265,275,285,290,340,342, 550,565,575,590,675,690, 30 Combine,20,20B,20E,20F, 20H,30D,30E,30H,40,40B,40E,50	OUTER D: 300MM SPLINE:10S TEETH SPACE: 23MM
	Clutch Disc	1043282M93	133,135,140,145,165,168,175, 175 S,178,35,35X,65,65 S,765, 835,865,20,203,204,205,2200, 40F,50,105,177,202 MHF,50 MH	OUTER D: 225MM SPLINE:25S TEETH SPACE: 41MM
	Clutch Disc	1693883M91	342,350,352,355,360,362,365, 375,390	OUTER D: 300MM INNER D: 196MM SPLINE:21S TEETH SPACE: 29.8MM
	Clutch Disc	3105233M92, 3105233M91, 331 0134 160	1007,154,164,174,174C,184, 194,194C,233,234,234C,244CF, 253,254,254C,263,264,264C, 273,273C,274,274C,283,284, 293,294,294C,353,354,363, 364,364CF,373,373LX,374, 376C,376CF,376XCF,377,383, 383LX,384,387,393,393LX, 394,394C,396,396C,396CF,397	OUTER D: 310MM INNER D: 25MM SPLINE:10S


Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Disc	NH354361	240,240PTO,275,385	OUTER D: 250MM INNER D: 35.3MM SPLINE:10S
	Clutch Disc	3697163M91, 3701009M91	362,362 N,365,372 N,375,382, 390,,4220,4225,4235,4240, 4320,4325,4335	OUTER D: 300MM SPLINE:21S TEETH SPACE: 29.8MM
	Clutch Disc	3701011M91	375,390,390 T,396,398,399, 4245,4255,4260,4265,4270, 4345,4355,4360,4365,4370, 699	OUTER D: 325MM SPLINE:21S TEETH SPACE: 29.8MM
	Clutch Disc	1692759M91	390T,396,398,399,698,699	OUTER D: 330MM SPLINE:21S TEETH SPACE: 29MM
	Clutch Disc	3697208M91, 3701008M91	362,362 N,365,372 N,375,382, 390,4220,4225,4235,4240, 4320,4325,4335	OUTER D: 305MM SPLINE:21S TEETH SPACE: 29.8MM
	Clutch Disc	887890M93, 887 890M93, 887890M92	133,135,145,148,152,158,168, 168S,265,275	OUTER D: 300MM SPLINE:10S TEETH SPACE: 29MM

Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Release Bearing	886727M1, 886727M2, 886727M3, 886727M4	133,135,135 Petrol,140,145,148, 152,155,158,165,168,175,178, 185,188,250 X,292,297,299,230, 231,235,240,240 S,243,245,250, 253,255,260,261,263,265,265 S, 275,285,290,298,340,342,350, 352,355,360,362,362 N,365, 372 N,375,375 E,382 N,390,390 E, 390 T,396,398,399,415,425,435, 440,445,460,465,475,4215,4220, 4225,4235,4240,4245,4255,4260, 4265,4270,4315,4320,4325,4335, 4345,4355,4360,4365,4370,550, 560,565,575,590,592,595,5335, 5340,5355,5360,5365,1004, 1004 T,675,690,698,698 T,699, 35,35 Petrol,35X,65,765,FE35, 20D,20F,30B,30D,30E,30H,40B, 40E,50,50A,50B,50B MKII,50C, 50D,50E,50EX,50F	—
	Clutch Release Bearing	3700527M1, 6223296M1	298,342,350,352,355,360,362, 365,372,375,382,390,396,398, 399,415,4215,4220,4225,4235, 4245,425,4255,4260,4265,4270, 4315,4325,4335,4345,435,4355, 4360,4370,440,445,460,465,475, 481,492,5340,5355,5360,5365	INNER D: 63MM OUTER D: 100MM HEIGHT: 23MM
	Clutch Release Bearing	1868225M1, 195508M1, 833084M1, 833084M1, 892862M2, 892862M3	133,135,145,148,152,155,158, 158 MKIII,165,168,175,178,185, 188,1080,230,235,240,245,250, 253,260,265,275,285,290,298, 340,342,350,352,355,360,362, 365,375,390,390 T,398,399,550, 565,575,590,592,595,1004,675, 690,698,698 T,699,1200,35,35X, 65,765,30 Combine,20,20B,20C, 20D,20E,20F,20H,30B,30D,30E, 30H,40,40B,40E,50,50A,50A, 50B,50B MKII,50C,50D,50E, 50EX,50F	OUTER D: 103 MM INNER D: 63.5 MM HEIGHT: 21.7 MM BEARING NO.: CT1310ARSE, NICN1585
	Clutch Release Bearing	892862M1	1004,1004T,1080,1085,130,133, 135,135V,140,145,145S,145V, 148,152,152F,152S,152V,155, 158,165,168,175,175S,178,185, 188,230,235,240,245,25,250, 255,260,265,275,285,290,298, 30,340,342,35,350,352,355, 360,362,365,375,390,390T,396, 398,399,4215,4220,4225, 4225HV,4235,4235HV,4240, 4245,4245HV,4255,4255HV, 4260,4265,4270,550,560,565, 575,590,592,595,65,675,690, 698 (UK France ),698T,699,765, 825,835,865,FE35	INNER D: 63.4MM OUTER D: 100.2MM HEIGHT: 21.89MM

Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Friction Plate	1870860M1, 513242M1, 772893M91	133,135,135 E,140,145,148, 152,152 MKIII,152 S,155,158, 158 MKIII,165,165 MKIII,168, 168 MKIII,168 S,185,188,1080, 1085,292,297,299,230,235,240, 243,250,253,255,260,265,265 S, 275,285,285 S,290,295,298, 2620,2640,2680,2720,340,342, 350,352,355,360,362,362 N, 365,372 N,375,382 N,390,390 T, 398,398 T,399,415,425,435,440, 445,460,465,475,481,492,4215, 4220,4225,4235,4240,4245, 4255,4260,4265,4270,4315, 4320,4325,4335,4345,4355, 4360,4365,4370,550,560,565, 575,590,592,595,650,660,680, 1004,1004 T,675,690,698,698 T, 699,1200,1250,296,410,420, 30E,40E,50E,50EX,50H,50HX, 60H,152 F,158 F,168 F,152 V	OUTER D: 144MM INNER D: 94.3MM SPLINE:50S
	Clutch Friction Plate	3381495M1	2640,3505,3525,3545	OUTER D: 128.5MM INNER D: 87.7MM THK:2.5MM SPLINE:57S
	Brake Friction Disc	3619155M1	3050,3060,3065,3070,3075, 3085,3095,3120,3125,5425, 5435,5445,5455,5460,5460SA, 5465,6110,6120,6130,6140, 6150,6160,6170,6180,6190, 6235,6245,6255,6260,6265, 6270,6280,6290,6445,6455, 6460,6465,6470,6475,6480, 6485,6490,6495,6497,6499, 8110,8120,8130,8140,8150, 8160,8210,8220,8240,8250	OUTER D: 230MM INNER D: 150MM THK:2.5MM SPLINE:25S
	Clutch Friction Plate	3382241M1	3050,3060,3060 E,3065,3070, 3075,3080,3085,3090,3095, 3115,3120,3120 US,3125,3610, 3630,3635,3645,3650,3655, 3670,3680,3690,5425 wersja I, 5425 wersja II,5435 BASIC, 5435 wersja I,5445 wersja I, 5445 wersja II,5455 wersja I, 5455 wersja II, 5460 wersja I 5460 wersja II, 5465 wersja I,5465 wersja II, 6110,6120,6130,6140,6150, 6160,6170,6180,6235,6245, 6255,6260,6265,6270,6280, 6290	—



Photo	Item Name	OEM/ REF	Applications	Description
	Brake Friction Disc	185464M1	133,135,135 Petrol,140,145,148, 155,158,165,165 MKIII,168,175, 175 S,178,185,188,230,235,240, 245,250,260,265,275,285,290, 365,375,390,390 T,398,399,550, 560,565,575,590,595,675,690, 698,698 T,699,1200,35,35X,65, 765	OUTER D: 144MM INNER D: 94.5MM THK:1.7MM SPLINE:6S
	Brake Friction Disc	3619156M1	3050,3060,3065,3070,3075, 3085,3095,3120,3125,5425, 5435,5445,5455,5460,5460SA, 5465,6110,6120,6130,6140, 6150,6160,6170,6180,6190, 6235,6245,6255,6260,6265, 6270,6280,6290,6445,6455, 6460,6465,6470,6475,6480, 6485,6490,6495,6497,6499, 8110,8120,8130,8140,8150, 8160,8210,8220,8240,8250	OUTER D: 260MM INNER D: 162.5MM THK:4MM SPLINE:6S

Photo	Item Name	OEM/ REF	Applications	Description
	<u>Clutch Pressure Plate</u>	<u>3384488M1,</u> <u>3617464M00</u>	<u>100,115,120,130,135,145,150,</u> <u>3050,3060,3060 E,3065,3070,</u> <u>3075,3080,3085,3090,3095,3115,</u> <u>3120,3120 US,3125,3610,3630,</u> <u>3635,3645,3650,3655,3670,3680,</u> <u>3690,525 B,535 B,5425,5425I,</u> <u>5435,5435 BASIC,5445,5445I,</u> <u>545 B,5455,5455I,5460,5460I,</u> <u>5465,5465I,6110,6120,6130,6140,</u> <u>6150,6160,6170,6180,6190,6235,</u> <u>6245,6255,6260,6265,6270,6280,</u> <u>6290,6445,6455,6460,6465,6470,</u> <u>6475,6475I,6480,6480I,6485,</u> <u>6485I,6490,6490I,6495,6495I,</u> <u>6497,6497I,6499,6499I,8110,</u> <u>8120,8130,8140,8150,8160,</u> <u>8170,8180,8210,8220,8240,</u> <u>8245,8250,8260,8270,8280,</u> <u>8280 Xtra,8310,8410,8510,8610,</u> <u>8710,8775,8785,8810,9735,</u> <u>9745,9755,9765,9775,9785</u>	<u>OUTER D: 142MM</u> <u>INNER D: 66MM</u> <u>SPLINE:34S TEETH</u> <u>SPACE:</u> <u>-MM</u>



Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Lever Kit	891826M1, 1632923M91	133,135,140,148,152,165,168, 175,175 S,178,185,188,230,231, 240,240 S,250,253,261,263,265, 265 S,275,285 S,290,298,375 E, 390,390 E,398,399,415,425,435, 440,445,460,465,475,550,565, 575,590,592,595,595 MKII,650, 1004,1004 T,675,690,698,698 T, 699,35,35X,65,765	—
	Clutch Lever Kit	1810857M91*, 887898M1*	230,240,240 S,250,253,263,275, 290,362,365,375,375 E,390, 390 E,390 T,396,398,399	—
	Clutch Lever Kit	3900546M91	230,231,240,240 S,243,253,261, 263,265S,275,285S,290,340,342, 350,352,355,360,362,362N,365, 372 N,375,375 E,375E,382 N,390, 390 E,390 T,390E,396,398,399, 410,420,4215,4220,4225,4235, 4240,4245,4255,4260,4265,4270 430,4315,4320,4325,4335,4345, 4355,4360,4365,4370	—
	Clutch Lever Kit	1753960M1, 1754681M2, 1756481M1, 1759381M1, 899818M2	135,165,175,175 S,178,65,765	—


Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Release Lever	887898M1	133,135,135 MKIII,140,145, 145 MKIII,145 S,148,148 MKIII, 152,152 MKIII,152 MKIV,152 S, 155,158,158 MKIII,158 S,165, 165 MKIII,168,168 MKIII,168 S, 175,178,185,188,230,231,235, 240,240 S,243,250,253,255, 260,261,263,265,265 S,285 S, 152 F,158 F,168 F,135 V,145 V, 152 V,158 V	—


Photo	Item Name	OEM/ REF	Applications	Description
	Clutch Link	3900547M1, 887894M1	133,135,140,145,148,152,155, 158,165,168,175,178,185,188, 230,231,235,240,245,250,255, 260,261,265,275,285,290,365, 375E,390E	—

Photo	Item Name	OEM/ REF	Applications	Description
	PTO Shaft	1869279M1	1004,1004T,158F,158S,158V,168F,168S,230,231,233,234C,234CF,234S,235,240,243,244CF,245,250,253 (Italy),253 (UK),254,254C,254CF,254S,255,255 (USA),260,261,263 (UK),263T (Italy),264T,264TCF,264TS,265,273,274,274C,274CF,274S,274SK,275E,283,284,284S,285,285 (USA),290E,290S,293,294,294C,294S,298,333,334V,340,342,350,352,353,353LX,353S,354AP,354AQ,354F,354FP,354FP(X),354FQ,354GE,354GE(X),354S,354SP,354SP(X),354SQ,354V,354VQ,356CF,362N,363,363LX,363S,364AP,364AQ,364CF,364F,364FP,364FQ,364GE,364S,364SP,364SQ,364V,364VQ,366CF,367CF,372N,373,373LX,373S,374AP,374AP(X),374AQ,374F,374FP,374FP(X),374FQ,374GE,374GE(X),374H,374S,374SP,374SP(X),374SQ,374V,374VQ,375E,376C,376CF,376XCF,377,382N,383,383LX,383S,384AP,384AP(X),384AQ,384F,384FP,384FP(X),384FQ,384GE,384GE(X),384S,384SP,384SP(X),384SQ,384V,384VQ,387,390E,393,393LX,393S,393TLX,394AP,394AP(X),394AQ,394C,394F,394FP,394FP(X),394FQ,394GE,394GE(X),394H	LENGTH: 557.5MM SPLINE:21S
	PTO Shaft	1660916M1, 1660916M91, 9006743M92, 906472M2, 906472M3, 906743M92	133,135,135 E,135 Petrol,140,145 MKIII,148,152,155,158,158 MKIII,158 S,165,165 MKIII,168,168 MKIII,168 S,185,188,292,230,231,235,240,243,245,250,253,255,260,261,263,265,265 S,275,285,285 S,290,295,340,342,350,352,355,360,362,362 N,365,375,375 E,390,390 E,390 T,396,415,425,435,440,4225,4235,4240,4245,4255,4265,4315,4320,4325,4335,4345,4355,550,560,565,575,590,595,296,410,420,20C,20D,20F,50C,135 F,158 F,168 F,145 V	TEETH: 20*15*17T
	PTO Shaft	1868530M91, 1868531M1	133,135,135 E,135 MKIII,135 Petrol,140,145 MKIII,148,152,152 MKIII,155,158,158 MKIII,158 S,165,168,168 MKIII,168 S,185,188,235,245,250,255,260,265,275,285,550,560,565,575,590,675,20C,50C,135 F,152 F,158 F,168 F,135 V,145 V,158 V	TEETH:17 T SPLINE:25 S
	PTO Shaft	1677827M1, 1677827M3	350,352,355,360,362,365,375,390,390 T,396,398,399	LENGTH: 311MM TEETH: 14*17*33T

Photo	Item Name	OEM/ REF	Applications	Description
	PTO Shaft	1617695M1, 1870149M1, 1870149M2	133,135,135 Petrol,140,148,152, 155,165,168,188,235,240,265	SPLINE:18 S
	PTO Shaft	964 926M3, 964926M1, 964926M3	135,150,231,240,245	TEETH:18 T SPLINE:10 S
	PTO Shaft	1687642M1, 1866560M91, 1870151M1, 1870151M2, 1870152M1	133,135,140,148,152,165,168, 185,188,275,285,290,550,565, 575,590,50B	TEETH:22TX18T
	PTO Shaft	1868533M1	133,135,140,145,148,150,152, 155,158,165,168,175,185,188, 1085,230,231,235,240,245,250, 253,255,260,263,265,275,285, 290,340,342,350,355,360,362, 365,375,390,398,415,425,435, 440,550,560,565,575,590,595, 675,690,65,20,20C,20D,20F, 2135,30B,30D,30E,50,50B,50D, 50F,375E,390E,390T	SPLINE:21 S
	PTO Shaft	1662224M1, 1662224M2	275,290,355,362,365,375,390, 390 T,396,398,399,575,590,595, 675,690,698,698 T,699	SPLINE:31SX22S
	PTO Shaft	1671704M91, 1671705M1, 1671705M2	230,231,240,243,250,253,255, 261,263,265,275,290,340,342, 350,352,355,360,362,362 N, 365,375,390,390 E,390 T,415, 4225,4235,4240,4245,4255, 4265,4315,4320,4325,4335, 4345,4355,590,20D	TEETH:16 T SPLINE:25 S
	PTO Shaft	964925M3	135,135 Petrol,145,148, 148 MKIII,152,152 MKIII,152 S, 155,158,158 MKII,158 MKIII, 158 S,165,165 MKIII,168, 168 MKII,168 MKIII,168 S,185, 188,240,250,255,260,265,275, 285,290,560,565,575,675,20C, 20D,152 F,158 F,168 F,145 V	LENGTH: 350MM TEETH:24T SPLINE:10S



Photo	Item Name	OEM/ REF	Applications	Description
	PTO Shaft	3599579M1	355,360,362,365,375,390,390 T, 396,398,399,4215,4220,4225, 4235,4240,4245,4255,4260, 4265,4270,4315,4320,4325, 4335,4345,4355,4360,4365, 4370,5335,5340,5355,5360, 5365	TEETH:20T SPLINE:25S
	PTO Shaft	1868530M91, 1868531M1	133,135,135 E,135 MKIII, 135 Petrol,140,145 MKIII,148, 152,152 MKIII,155,158, 158 MKIII,158 S,165,168, 168 MKIII,168 S,185,188,235, 245,250,255,260,265,275,285, 550,560,565,575,590,675,20C, 50C,135 F,152 F,158 F,168 F, 135 V,145 V,158 V	TEETH:17T SPLINE:25S

Photo	Item Name	OEM/ REF	Applications	Description
	Gear	1692736M1	275,290,375,375E,390,390E, 398,399,4225,4235,4240,4245, 4255,4260,4265,4270,4325, 4335,4345,4355,4360,4365, 4370,699,T3075,T3085,T3085D, T3095,T3095D,T3105	TEETH: 20T
	Gear	1687429M91	158 F,158 MKIII,158 S,168 F, 168 MKIII,168 S,260,265,265S, 275,285S,290,298,350,352,355, 360,362,365,375,375E,390, 390E,390T,398,399,4215,4220, 4225,4235,4240,4245,4255, 4260,4265,4270,4315,4320, 4325,4335,4345,4355,4360, 4365,4370,560,575,590,592, 595,595 MKII,675,690,698,698T, 699,T256G,T266G,T277G,T288G, T3060,T3070,T3075,T3075D, T3085,T3085D,T3095,T3095D, T3105	TEETH: 40TX44T
	Gear	532907M1	235,240,245,250,253,255, 261,265,270,275,282,283, 290,360	TEETH: 38 T SPLINE: 21S
	Gear	1862422M1	158,158 V,240,250,255,265,275, 290,375E,390E,4225,4235,4240, 4245,4255,4265,4315,4320,4325, 4335,4345,4355,565,575,590,675	TEETH:42 T SPLINE:20 S
	Gear	906468M1	133,135,135 MKIII,135 V,145, 145 MKII,145 S,145 V,148 MKIII, 165 MKIII,178,230,235,240, 240S,245	TEETH:50 T SPLINE:20 S
	Gear	3599580M1	291,355,362,365,375,382,390, 396,398,399,593,596	TEETH: 40 T SPLINE: 21 S
	Gear	1692737M1	275,290,291,292,297,375, 390,398,399	TEETH: 15 T SPLINE: 39 S



Photo	Item Name	OEM/ REF	Applications	Description
	Gear	885517M1, 885518M1, 885518M2, 885518M4, 885518M5	133,135,135 Petrol,140,148, 152,155,158,165,168,175,178, 185,188,1080,230,240,250,265, 275,285,290,298,2620,2640, 2680,2720,340,342,350,352, 355,360,362,372,375,382,390, 390 T,398,399,3050,3060,3065, 3070,3075,3080,3085,3090, 3095,3115,3120,3120 T,3125, 3140,3610,3630,3635,3645, 3650,3655,550,565,575,590, 595,675,690,698,698 T,699, 6110,6120,6130,6140,6150, 6160,6170,6180,6190,8110, 8120,8130,8140,8150,8160, 1200,1250,20C,20D,20F,30B, 30D,30E,30H,40B,40E,50A,50B, 50B MKII,50C,50D,50E,50EX, 50F,50H,50HX,50HXS,50HXT, 60H,60HS,60HXT	TEETH:39 T SPLINE:14 S
	Gear	184176M1, 894769M1	145,152,158,165,168,175,178, 185,188,250 X,250,253,265,270, 275,282,283,290,425,435,440, 481,565,575,590,675,65,765, 410,420,430,20F,30,30B,30D, 30E,30H,40,40B,40E,50,50A, 50B,50B MKII,50C,50D,50E, 50EX,50F,50H,50HX,60H	TEETH:12 T
	Gear	2746322M1, 897725M1	1004,1080,1085,1100,1105, 1130,1135,1150,1155,1200, 1250,133,135,135 N.A., 135 Petrol,140,145,148,150, 152,155,158,165,165 MKIII, 168,175,175 S,178,180,185, 188,20,202,203,204,205,20C, 20F,2135,2200,230,235,240, 240 S,245,250,255,260,2620, 2640,265,2680,270,2720,275, 282,285,290,298,30,302,304, 3050,3060,3065,3070,3075, 3080,3085,3090,3095,30B,30D, 30E,30H,31,3115,3120,3120 T, 3125,3140,340,342,350,352, 355,360,3610,362,3630,3635, 3645,3650,3655,372,375,375E, 382,390,390 T,390E,390T,398, 399,40,40B,40E,410,420,430, 50,50A,50B,50B MKII,50C,50D, 50E,50EX,50F,50H,50HX,50HXS, 50HXT,550,560,565,575,590, 592,595,595 MKII,60,60H,60HS, 60HX,60HXT,6110,6120,6130, 6140,6150,6160,6170,6180, 6190,670,675,690,698,698 T, 698T,699,8110,8120,8130, 8140,8150,8160	TEETH:10 T



Photo	Item Name	OEM/ REF	Applications	Description
	Gear	1660919M1, 183040M1, 183040M91, 6217373M1	133,135,135 E,135 Petrol,140, 145,148,152,155,158,165, 165 MKIII,168,175,175 S,178, 185,188,1080,230,231,235,240, 240 S,243,245,250,253,261,263, 265,265 S,275,283,285,285 S, 290,350,355,360,362,365,375, 375 E,390,390 E,390 T,396,415, 425,435,440,4225,4235,4240, 4245,4255,4265,4315,4320, 4325,4335,4345,4355,550,565, 575,590,595,675,35,35X,65, 765,865,20C,20D,20F,50,50B, 50B MKII,50C,50D,50F,135 F	TEETH: 21T X13T
	Gear	180415M1, 180415M2	133,135,135 Petrol,140,145, 148,152,155,165,165 MKIII,168, 175,175 S,178,185,188,1080, 1085,292,230,231,235,240, 240 S,243,245,250,253,261,265, 265 S,275,285,285 S,290,295, 5830,133,135,135 Petrol,140, 145,148,152,155,165,165 MKIII, 168,175,175 S,178,185,188, 1080,1085,292,230,231,235, 240,240 S,243,245,250,253,261, 265,265 S,275,285,285 S,290, 295,350,355,360,362,365,375, 375 E,390,390 E,390 T,396,425, 435,440,4225,4235,4240,4245, 4255,4265,4315,4320,4325, 4335,4345,550,560,565,575, 590,595,675,1200,296,35,35X, 65,765,865, 20C,20D,20F,50, 50B,50B MKII,50C,50D,50F	TEETH:33 T SPLINE:17 S
	Gear	1660917M2, 1682688M1, 1682688M2, 1682989M1, 183042M1, 189439M1, 520700M1, 520700M2, 520700M3, 520700M4, 898912M1	1080,1085,1200,133,135, 135 Petrol,140,145,148,152, 155,158,165,168,175,178,185, 188,230,231,235,240,243,245, 250,253,255,260,261,263,265, 275,283,285,290,340,342,350, 352,355,360,362,365,375,390, 396,4225,4235,4245,4255, 4265,4315,4325,4335,4345, 4355,550,560,565,575,590, 675,690	TEETH:44 T SPLINE:18 S
	Gear	1660094M1, 1682690M1, 1682690M2, 964917M1	133,135,135 Petrol,140,145, 148,152,155,158,165,168,185, 230,235,240,250,253,265,275, 285,290,350,355,360,362,365, 375,390,4225,4235,4240,4245, 4255,4265,4315,4320,4325, 4335,4345,4355,550,565,575, 590,50B,50D,50F	TEETH:41 T SPLINE:18 S






Photo	Item Name	OEM/ REF	Applications	Description
	Gear	1682691M1, 1682691M2	230,240,240 S,243,250,253,261, 263,265,265 S,275,285 S,290,350, 355,360,362,365,375,375 E,390, 390 E,390 T,396,4225,4235,4240, 4245,4255,4265,4315,4320,4325, 4335,4345,4355,675,20C,20D, 20F,50,50C,50D,50F	TEETH:46T X 36T SPLINE:18 S
	Gear	964916M1, 964916M2	133,135,135 E,135 Petrol,140, 145,148,152,155,158,165, 165 MKIII,168,185,188,230,231, 235,240,245,250,253,261,263, 265,270,275,283,285,290,298, 383,393,350,355,360,362,365, 375,375 E,390,390 E,390 T,396, 4225,4235,4240,4245,4255, 4265,4315,4320,4325,4335, 4345,4355,550,565,575,590, 20C,20D,20F,40E,50C,50D,50E, 50F,135 F	TEETH:28 T SPLINE:20 S
	Gear	897005M1	152,158,165,168,175,178,185, 188,250 X,250,253,265,270,275, 282,283,285,290,425,435,440, 481,565,575,590,675,410,420, 430,20F,30B,30D,30E,30H,40B, 40E,50,50A,50A,50B,50B MKII, 50C,50D,50E,50EX,50F,50H, 50HX,60H	TEETH:21 T SPLINE:39 S
	Gear	072221P1, 180419M1, 180419M2	133,135,135 Petrol,140,145,148, 152,155,165,165 MKIII,168,175, 175 S,178,185,188,1080,1085, 230,231,235,240,240 S,243,245, 250,253,261,263,265,265 S,275, 285,285 S,290,350,355,360,362, 365,375,375 E,390,390 E,390 T, 396,415,425,435,440,4225,4235, 4240,4245,4255,4265,4315,4320, 4325,4335,4345,4355,550,560, 565,575,590,595,675,1200,35, 35X,65,765,865,440 Combine, 20C,20D,20F,50,50B,50B MKII, 50C,50D,50F	TEETH:23 T SPLINE:17 S
	Gear	1866552M1	133,135,145,148,152,158,165, 168,185,188,1080,292,297,299, 240,250,255,260,265,275,283, 285,290,298,415,425,435,440, 445,460,465,475,481,492,560, 565,575,590,592,595,650,660, 680,1004,1004 T,675,690,698, 699,8170,8180,8210,8220, 8240,8250,8260,8270,8280, 1200,1250	TEETH:23 T

Photo	Item Name	OEM/ REF	Applications	Description
	Gear	31171353, 736254M1	174 -4S,174 S,184,184 -4S,184 S, 194,194 S,165,168,175,178,185, 188,1100,1130,240,261,265,273, 274,274 S,274 SK,275,283,284, 284 -4S,284 S,285,290,293,294, 294 -4S,294 S,2620,2640,2645, 2675,2680,2685,2720,2725,2625, 393 TLX,394 TAQ,397 T,3050, 3060,3065,3070,3630,565,575, 590,1004 T,675,690,698 T,699, 1200,1014,1104,865,430, 186 Combine,187 Combine, 24 Combine,27 Combine, 29 Combine,29XP Combine, 307 Combine,31 Combine, 31XP Combine,330 Combine, 487 Combine,500 Combine, 506 Combine,507 Combine, 510 Combine,520 Combine, 525 Combine,530 Combine, 810 Combine,840 Combine, 99 Combine,440 Combine, 174 C,194 C,396 CT,20,30D, 50,50B,50B MKII,50D,50E, 50EX,60H,174 F,184 F,194 -4F, 194 F,174 V	TEETH:56T
	Gear	1688127M1	158 MKIII,158 S,168 MKIII,168 S, 253,265 S,275,285 S,290,350, 352,355,360,362,365,375,375 E, 390,390 E,390 T,396,398,399, 1004,675,690,698 T,699,158 F, 168 F	TEETH:21TX14T
	Gear	1686468M91	MF 158 F,MF 158 MKIII,MF 158 S, MF 168 F,MF 168 MKIII,MF 168 S, MF 265S,MF 275,MF 285S, MF 290,MF 265,MF 275,MF 290, MF 298,MF 350,MF 352,MF 355, MF 360,MF 362,MF 365,MF 375, MF 375E,MF 390,MF 390E, MF 390T,MF 398,MF 399,MF 675, MF 690,MF 698T,MF 699, MF 4215,MF 4220,MF 4225, MF 4235,MF 4240,MF 4245, MF 4255,MF 4260,MF 4265, MF 4270,T256G,T266G,T277G, T288G,T3060,T3070,T3075, T3075D,T3085,T3085D,T3095, T3095D,T3105	TEETH:44TX38T
	Gear	1868532M1, 1868532M92	133,135,135 E,135 Petrol,140, 145 MKIII,148,152,152 MKIII, 155,158,158 MKIII,158 S,165, 168,168 MKIII,168 S,185,188, 235,240 S,245,250,255,260,265, 265 S,275,285,285 S,290,375 E, 550,560,565,575,590,20C,50, 50C,135 F,152 F,158 F,168 F,145 V	TEETH:53 T SPLINE:21 S




Photo	Item Name	OEM/ REF	Applications	Description
	Gear	906469M1	145,152,152 MKIII,155,158, 158 MKIII,158 S,165,168, 168 MKIII,168 S,175,188,240,250, 255,260,265,265 S,270,275,282, 285,285 S,290,425,435,4225, 4235,4240,4245,4315,4320,4325, 4335,4345,560,565,575,20C,20D, 152 F,158 F,168 F	TEETH:45T SPLINE:20S
	Gear	1617923M1, 1617923M3	275,285,290,575,590,592,1200, 1250	TEETH:33T SPLINE:17S
	Gear	1686467M91	158 MKIII,158 S,168 MKIII,168 S, 253,265,265 S,275,285 S,290, 298,350,352,355,360,362,365, 375,375 E,390,390 E,390 T,396, 398,399,1004 T,675,690,698 T, 699,158 F,168 F	TEETH:42T


Photo	Item Name	OEM/ REF	Applications	Description
	Transaxle Gear	6210224M1, 80623100	250,299,5275,5290,610,620, 630,640	TEETH:34T


Photo	Item Name	OEM/ REF	Applications	Description
	Ring Gear	1692735M1, 1692735M2	275/375E,290/390E,375,375E, 390,390E,398,399, 4225/4235/4240,4245/4255, 4245/4255/4265,4260/4270, 4265/4365,4325/4335, 4345/4355,4360/4370,445,460, 465,492,5335,5340,5355,5360, 5365,699	TEETH:57 T






Photo	Item Name	OEM/ REF	Applications	Description
	Coupling	3800250M1	4215,4220,4225,4235,4240,4245, 4255,4260,4265,4270,4315,4320, 4325,4335,4345,4355,4360,4365, 4370	SPLINE:20S
	Coupling	3800251M1	4215,4220,4225,4225HV,4235, 4235 (USA),4235HV,4235HV (USA), 4240,4245,4245HV,4255,4255HV, 4260,4265,4270,4300,4315,4320, 4325,4325HV,4335,4335HV,4345, 4345HV,4355,4355HV,4360,4365, 4370	SPLINE:20S
	Coupling	3531797M1	154V,164T,174V,334V,353,353LX, 353S,354,354AQ,354F,354FQ, 354S,354SQ,354V,354VQ,356CF, 363,363LX,363S,364,364 CF, 364AQ,364FQ,364SQ,364VQ,373, 373LX,373S,374,374 F,374 FQ, 374 H,374 S,374 V,374 VQ,374AQ, 374SQ,377,383,383 LX,383 S,384, 384 AQ,384 F,384 FQ,384 S, 384 SQ,384 V,384 VQ,387,393, 393 LX,393 S,393 TLX,394,394 AQ, 394 F,394 FQ,394 H,394 S,394 SQ, 394T AQ,397,397T	SPLINE:6S
	Coupling	3648206M1		—
	Coupling	1866557M1, 1866557M2	148,152,158 MKIII,158 S,165, 168 MKIII,168 S,185,188,1080, 292,297,299,235,245,250,261, 265,265 S,275,285,285 S,290, 295,298,342,352,362,365,375, 375 E,390,390 E,390 T,398,399, 440,445,460,465,475,481,492, 4215,4220,4235,4240,4245,4255, 4260,4265,4270,4315,4320,4325, 4335,4345,4355,4360,4365,4370, 550,565,590,592,595,650,004, 1004 T,675,690,698,698 T,699, 1200,1250,296,158 F,168 F	TEETH:28 T SPLINE:22 S
	Coupling	886366M91, 886548M1	133,135,135 Petrol,140,152,155, 158,1004,698	—




Photo	Item Name	OEM/ REF	Applications	Description
	Coupling	3599630M1	133,135,135 E,135 Petrol,140,148,152,168,230,240,253,265,275,290,340,342,350,352,355,360,362,340,342,350,352,355,360,362	SPLINE:21S
	Coupling	184770M1, 184770M2, 184770M3	133,135,135 E,135 MKIII,140,145,145 MKIII,148,152,152 MKIII,155,158,158 MKIII,158 S,165,165 MKIII,168,175,175 S,178,185,1080,1085,230,231,235,240,240 S,245,250,253,255,260,263,265,265 S,275,340,342,350,352,355,360,362,365,375,3050,3060,3065,3070,3075,3080,3085,3090,3095,3115,3120,3125,3635,3645,3655,415,425,435,550,560,5425,5435,5435,5445,5455,5460,5465,6120,6130,6140,6150,6170,6180,6190,6235,6245,6255,6260,6265,6270,6280,6290,6445,6455,6460,6465,6470,6475,6480,8110,8120,8130,8140,8220,8240,65,765,135 F,152 F,158 F,135 V,145 V,158 V	SPLINE:18S TEETH:27T
	Coupling	1868538M4	100,1002 1004,1104,1204,133,135,135 MKIII,135 V,140,145 MKIII,145 V,148,148 MKIII,152,152 F,152 MKIII,152 MKIII,152 V,158 MKIII,158 S,165,168,168 MKIII,168 S,188,20,200,20C,20D,20E,20F,230,231,231S,235,240,240 P.,240 S,240 XTRA,240S,241S,243,245,250,251,251XE,253,255,260,260 XTRA,2605,261,2615,2620,2625,263,2630,2635,265,265 S,2650,2660,2665,2665MX,2670,268,268 XTRA,2680,2680MX,2685,2690,270,271,271 XE,275,280,281,281 X,281 XE,282 X,283,284,285,285 S,290,291,292,297,298,299,30,30B,30D,30E,31,32,33,340,342,350,352,355,360,362,365,375,375 E,383,390,390 E,390 T,393,396,398,399,40,40B,40E,410,415,420,425,425Xtra,431,435,435X,440,440X,445,445Xtra,450,451,455Xtra,460,460Xtra,461,461 Xtra,465,470Xtra,471,471 Xtra,475,480Xtra,481,481 TIER I,483,490,491,492,50C,50D,50E,50H,5275,5285,5290,5300,533,5335,5340,5355,5360,5365,543,550,560,563,565,573,575,583,590,591,592,593,595,595 MKII,596,60H,610	—







Photo	Item Name	OEM/ REF	Applications	Description
	Universal Joint	181276M1, 2746135M1, 2746135M2, 6211999M1, 894302M1, 894302M2	133,135,135 E,135 Petrol,140, 148,152,155,158,165,168,175, 178,185,188,1080,230,240,250, 265,275,285,290,298,2620,2640, 2680,2720,340,342,350,352,355, 360,362,372,375,382,390,390 T, 398,399,3050,3060,3065,3070, 3075,3080,3085,3090,3095, 3115,3120,3120 T,3125,3140, 3610,3630,3635,3645,3650, 3655,550,565,575,590,595,675, 690,698,698 T,699,6110,6120, 6130,6140,6150,6160,6170, 6180,6190,8110,8120,8130, 8140,8150,8160,1200,1250,35, 35X,65,765	—
	Universal Joint	3429996M1, 3765113M1	265S,275,275E,290,290E,365, 375,375E,390,390E,390T,396, 398,399,4225,4235,4240,4245, 4255,4260,4265,4270,4325, 4335,4345,4355,4360,4365, 4370,5425,5435,5445,5455, 5460,5460SA,6265,6445,6455,6 460,6470	LENGTH: 71MM OUTER D: 27MM
	Universal Joint	1895699M1, 3427352M91, 3475808M1, 3475808M91	240,253,265,275,290,3050, 3060,340,342,350,352,355, 360,362,365,372,375,375E, 382,383,390,390E,390T,393, 396,398,399,5M26,622,725	LENGTH:81.7MM OUTER D:27MM
	Universal Joint	068837R1, 81915700	660,680,7350,7370,7390	LENGTH: 82.5MM OUTER D: 30.2MM

Photo	Item Name	OEM/ REF	Applications	Description
	Crown Wheel Pinion	1664255M92, 1664255V92	135,145,148,152,152F,152S,152V, 155,158,165,168,175,175S,178, 185,188,240,250,253 (Italy), 253 (UK),255,255 (USA),260,265, 275,275E,285,285 (USA),290, 290E,350,355,360,362,365,375, 375E,390,390E,399,560,565,575, 590,65,675,690,765,865	WHEEL TEETH: 38T SHAFT TEETH: 11T
	Crown Wheel Pinion	182115M91, 1885317M91, 1885317M92, 531862M91, 960196M91	133,135,135 Petrol,140,35,35X	WHEEL TEETH: 37T SHAFT TEETH: 6T
	Crown Wheel Pinion	1661602M91, 1661603M91, 1683757M91, 1889777M91	133,135,135V,140,145V,230, 235,240,245,250,340	WHEEL TEETH: 37T SHAFT TEETH: 6T
	Crown Wheel Pinion	1665438M91, 3900698M1, 3614662	290,375,390,390E,398,399	WHEEL TEETH: 35T SHAFT TEETH: 9T



Photo	Item Name	OEM/ REF	Applications	Description
	Synchronizer	1677238M93	158,168,340,352,355,360,365, 375,390,398,399,675,690,698, 699	—
	Synchronizer	1677239M93	158,168,350,355,360,365,375, 390,398,399,675,690,698,699	—


Photo	Item Name	OEM/ REF	Applications	Description
	Synchronier Ring	1684022M1	133,135,135 MKIII,135 V, 145 MKIII,145 S,145 V,148 MKIII, 152 F,152 MKIII,152 S,152 V, 158 F,158 MKIII,158 S,158 V, 168 F,168 MKIII,168 S,230,240, 250,260,265,265S,275,285S, 290,298,340,342,350,352,355, 360,362,365,375,375E,390, 390E,390T,398,399,575,590, 592,595,595 MKII,675,690,698, 698T,699	TEETH:30T



Photo	Item Name	OEM/ REF	Applications	Description
	Shift Lever Knob	1682631M1	135,150,165,175,178,230,235, 240,245,250,255,265,270,275, 282,283,285,290,298,670,690, 698,699,20,20C,20D,20E,30, 30B,30D,30E,31,40,40B,50C,50D	—
	Shift Lever Knob	1862401M1	135,135UK,150,165,165UK,175, 230,235,245,255,265,270,275, 285,290,298,670,690,698,699, Ind. 20,20C,30,31	—



Photo	Item Name	OEM/ REF	Applications	Description
	Shift Lever Boot	1694127M1, 1694127M3	240,253,283,383,393,360,362, 375,390,396,398,399,390T	—
	Shift Lever Boot	022008P1, 1694126M3, 1694126M1	243,253,263,265,265S,275,283, 285,285S,290,292,297,298,299, 340,342,350,352,360,362,365, 375,375E,390,390E,390T,396, 398,399,415,4225,4235,4245, 425,4255,4260,4265,4270,4315, 4320,4325,4335,4345,435,4355, 4360,4365,4370,440,445,460, 465,475,481,492	—


Photo	Item Name	OEM/ REF	Applications	Description
	Shaft	1850017M1	135,148,230,240,250,35,35X	SPLINE:32 S

Photo	Item Name	OEM/ REF	Applications	Description
	Bearing seat	532880M1	<p>133,135,135 MKIII,135 Petrol,  140,145 MKIII,148,148 MKIII,  152 MKIII,158 MKIII,158 S,165,  168,168 MKIII,168 S,185,188133,  135,135 MKIII,135 Petrol,140,  145 MKIII,148,148 MKIII,  152 MKIII,158 MKIII,158 S,165,  168,168 MKIII,168 S,185,188,  230,231,235,240,240 S,245,250,  253,260,261,263,265,265 S,275,  285,285 S,290,298,340,342,350,  352,355,360,362,365,372,375,  382,390,390 T,398,399,550,560,  565,575,590,595,1004,1004 T,  675,690,698,698 T,699,1200,  20C,20D,20F,30B,30D,30E,40B,  40E,50,50C,50E,152 F,158 F,  168 F,145 V,158 V</p>	—
	Bearing seat	180465M1	<p>133,135,135 Petrol,140,148,165,  168,175,175 S,178,185,188133,  135,135 Petrol,140,148,165,168,  175,175 S,178,185,188,1200,35,  35X,65,765,835,865,50</p>	—





Photo	Item Name	OEM/ REF	Applications	Description
	Bush	3712078M1	3050,3060,3065,3075,3085,3095, 3120,3125,4215,4220,4225,4235, 4240,4245,4255,4260,4265,4270, 4315,4320,4325,4335,4345,4355, 4360,4365,4370,5425,5435,5445, 5455,5460,6110,6120,6130,6140, 6150,6160,6170,6180,6190,6235, 6245,6255,6260,6265,6270,6280, 6290,6445,6455,6460,6470,8110, 8120,8130,8140,8150,8160,8210, 8220,8240	OUTER D: 86 MM INNER D: 80 MM HEIGHT: 40 MM
	Bush	180802M1, 184592M1	135,148,165,168,175,178,185, 188,292,297,299,230,240,250, 253,265,275,283,290,298,415, 425,435,440,445,460,465,475, 481,492,1200,35,35X,65,TE20, TEA20,TED20,20C,20D,20F,30B, 30D,30E,30H,40B,40E,50,50A, 50A,50B,50B MKII,50C,50D,50E, 50EX,50F	OUTER D: 27MM INNER D: 25.5MM HEIGHT: 19MM



Photo	Item Name	OEM/ REF	Applications	Description
	Oil Seal	1860954M1	155,158,165,168,185,188,1080, 292,297,299,265,275,290,298, 390,390 T,398,399,425,435,440, 445,460,465,475,481,492,565, 575,590,595,698 T,699,1200, 1250,296,30B,30D,40B,50,50B, 50B MKII,50C	OUTER D: 85.8MM INNER D: 61MM HEIGHT: 24MM
	Oil Seal	3429790M1, 3429790M2	3050,3060,3065,3075,3085, 6110,6120,6130,6140,6150, 6160,6235,6245,6255,6260, 6265	OUTER D: 195MM INNER D: 165MM HEIGHT: 18MM


Photo	Item Name	OEM/ REF	Applications	Description
	Cover	1870598M91, 1870787M91, 888108M2, 888108M4	135,150,165,175,230,231,235, 240,245,250,253,255,263,265, 275,282,283,285 OLD MODELS	—

Photo	Item Name	OEM/ REF	Applications	Description
	Washer	3531263M1	1007,1014,1024,154V,164T, 174V,334V,353,353LX,353S, 354V,363,363LX,363S,364V, 373,373LX,373S,374V,377,383, 383LX,383S,387,393,393LX, 393S,393TLX,397,397T	SIZE: 70X94.4X5 MM
	Washer	3531264M1	1007,1014,1024,154V,164TV, 174V,2225,2230,2235,334V,353, 353LX,353S,354AQ,354FQ,354V, 363,363LX,363S,364V,364VQ, 373,373LX,373S,374V,377,383, 383LX,383S,384VQ,387,393, 393LX,393S,393TLX,394AQ, 394FQ,394SP,394SQ,394T,397, 397T	SIZE: 95X119.2X5 MM
	Washer	897726M1	1080,1085,1100,1105,1130, 1135,1150,1155,1200,1250, 133,135,140,148,150,152,155, 158,165,168,175,178,180,185, 188,230,231,235,240,245,250, 253,255,261,2620,2640,265, 2680,270,2720,275,282,283, 285,290,298,340,342,350,352, 355,360,362,372,375,382,383, 390,393,396,398,399,550,565, 575,590,670,675,690,698,699	OUTER D: 105.3MM INNER D: 76.55MM THK:1.5MM


Photo	Item Name	OEM/ REF	Applications	Description
	Gasket	1687785M4,	133,135,140,148,152,155,158,	
		1861986M1,	165,168,175,178,185,188,230,	
		1861986M2,	240,253,265,275,290,298,550,	
		3599804M1,	565,575,590,595,675,690,1200,	
		3599804M2,	35,35X,65,50,50A,50A,50B,	
8884457M1	50B MKII			

Photo	Item Name	OEM/ REF	Applications	Description
	Needle Roller Bearing	886668M1, 886668V1, F-47905	<p>1004,1004T,1080,1085,1200, 1250,133,135,135MKIII,135V, 140,145,145MKIII,145S,145V, 148,148MKIII,152,152F, 152MKIII,152S,152V,155,158, 158F,158MKIII,158S,158V,165, 165MKIII,168,168F,168MKIII, 168S,175,175S,178,185,188, 230,231,235,240,243,245,250, 253(UK),255,260,261,265,265S, 275,275(Turkey),275E,285, 285S,290,290(Turkey),290E, 298,340,342,350,352,355,360, 362,362N,365,372N,375,375E, 382N,390,390E,390T,396,398, 399,410,415,420,4215,4220, 4225,4225HV,4235,4235(USA), 4235HV,4235HV(USA),4240, 4245,4245HV,425,4255, 4255HV,4260,4265,4270,430, 4315,4320,4325,4325HV,4335, 4335HV,4345,4345HV,435, 4355,4355HV,4360,4365,4370, 440,550,560,565,575,590,592, 595,595MKII,650,675,690,698, 698T,699</p>	<p>OUTER D: 49.50MM INNER D: 42.10MM HEIGHT: 15.90MM BEARING NO.: F- 47905</p>
	Needle Roller Bearing	195453M1	<p>133,135,135 Petrol,140,145, 145 MKIII,148,152,152 MKIII, 158 MKIII,158 S,165,165 MKIII, 168,168 MKIII,168 S,175,175 S, 178,185,188,1080,1085,230, 231,235,240,245,250,253,255, 260,261,263,265,265 S,275,285, 285 S,290,340,342,350,352,355, 360,362,365,375,375 E,390, 390 E,390 T,396,398,399,415, 425,435,440,445,475,481,4215, 4220,4225,4235,4240,4245, 4255,4260,4265,4270,4315, 4320,4325,4335,4345,4355, 4360,4365,4370,550,560,565, 575,590,592,595,5335,5340, 5355,5360,5365,675,690,698, 698 T,699,1200,1250,35,35X,65, 765,835,865,20C,20D,20F,30B, 30D,30E,30H,40B,50,50B, 50B MKII,50C,50E,50EX,50H, 50HX,50HXS,50HXT,60H,60HS, 60HXT,152 F,158 F,168 F,145 V, 158 V,Super90</p>	<p>OUTER D: 41.28 MM INNER D: 34.93 MM HEIGHT: 12.7 MM</p>



Photo	Item Name	OEM/ REF	Applications	Description
	<p>Needle Roller Bearing</p>	<p>2700273M1</p>	<p>1004,1004T,1085,1200,1250,133,135,135MKIII,135V,140,145,145MKIII,145S,145V,148,148MKIII,152,152F,152MKIII,152S,152V,155,158,158F,158MKIII,158S,158V,165,165MKIII,168,168F,168MKIII,168S,175S,178,185,188,230,231,233,234C,234CF,234S,235,240,240S,243,244CF,245,250,253 (Italy),253 (UK),254,254C,254CF,254S,255,255 (USA),260,261,263 (UK),263T (Italy),264T,264TCF,264TS,265,265S,273,274,274C,274CF,274S,274SK,275,275 (Turkey),275E,283,284,284S,285,285 (USA),285S,290,290 (Turkey),290E,290S,293,294,294C,294S,298,333,334V,34,340,342,350,352,353,353LX,353S,354AP,354AQ,354F,354FP,354FP(X),354FQ,354GE,354GE(X),354S,354SP,354SP(X),354SQ,354V,354VQ,355,356CF,360,362,362N,363,363LX,363S,364AP,364AQ,364CF,364F,364FP,364FQ,364GE,364S,364SP,364SQ,364V,364VQ,365,366CF,367CF,372N,373,373LX,373S,374AP,374AP(X),374AQ,374F,374FP,374FP(X),374FQ,374GE,374GE(X),374H,374S,374SP,374SP(X),374SQ,374V,374VQ,375,375E,376C,3</p>	<p>BEARING NO.: B162116 OUTER D:33MM INNER D:25MM HEIGHT:25MM</p>
	<p>Needle Roller Bearing</p>	<p>834844M1, 195873M1, NWB2285</p>	<p>1080,1085,1200,135 (UK),135V (UK),145 (France),145S,145V,148 (UK/France),152,152F,152S,152V,155,158,165,168,185,188,235,240,245,250,260,265 (France/UK),275 (France/UK),285,290,35,550,560,565,575,590,595,65,675,690,765</p>	<p>BEARING NO.: BH1612 OUTER D: 33.3MM INNER D: 25.4MM HEIGHT: 19MM</p>


Photo	Item Name	OEM/ REF	Applications	Description
	<p>Needle Roller Bearing</p>	<p>1663796M1</p>	<p>230,231,233,234C,234CF,234S, 235,240,244CF,245,250, 253(Italy),253(UK),254,254C, 254CF,254S,255,255(USA),260, 261,263(UK),263T(Italy),264T, 264TCF,264TS,265,273,274, 274C,274CF,274S,274SK,275E, 283,284,284S,285,285(USA), 290E,290S,293,294,294C,294S, 298,333,334V,340,342,350,352, 353,353LX,353S,354AP,354AQ, 354F,354FP,354FP(X),354FQ, 354GE,354GE(X),354S,354SP, 354SP(X),354SQ,354V,354VQ, 356CF,362N,363,363LX,363S, 364AP,364AQ,364CF,364F,364FP, 364FQ,364GE,364S,364SP, 364SQ,364V,364VQ,366CF, 367CF,372N,373,373LX,373S, 374AP,374AP(X),374AQ,374F, 374FP,374FP(X),374FQ,374GE, 374GE(X),374H,374S,374SP, 374SP(X),374SQ,374V,374VQ, 375E,376C,376CF,376XCF,377, 382N,383,383LX,383S,384AP, 384AP(X),384AQ,384F,384FP, 384FP(X),384FQ,384GE, 384GE(X),384S,384SP,384SP(X), 384SQ,384V,384VQ,387,390E, 393,393LX,393S,393TLX,394AP, 394AP(X),394AQ,394C,394F, 394FP,394FP(X),394FQ,394GE, 394GE(X),394H,394S,394SP, 394SP(X),394SQ,394TAQ, 396C,396CF</p>	<p>BEARING NO.: NTA4860 OUTER D: 94.7MM INNER D: 76.56MM HEIGHT: 2.0MM</p>



Photo	Item Name	OEM/ REF	Applications	Description
	Nut	532956M1	<p>1004,1004T,1080,1085,1200,  1250,133,135,135V,140,145,  145V,148 (UK ),152,152F,152S,  152V,155,158,165,168,175,  175S,178,185,188,230,235,  240,243,245,250,253 (Italy),  253 (UK),255,255 (USA),260,  263 (UK),263T (Italy),265,275,  275E,285,285 (USA),290,290E,  298,340,342,35,350,352,355,  360,362,362N,365,372N,375,  375E,382N,390,390E,390T),  396,398,399,4215,4220,4225,  4225HV,4235,4235 (USA),  4235HV,4235HV (USA),4240,  4245,4245HV,4255,4255HV,  4260,4265,4270,4315,4320,  4325,4325HV,4335,4335HV,  4345,4345HV,4355,4355HV,  4360,4365,4370,550,560,565,  575,590,592,595,65,675,690,  698,698T,699,865</p>	—
	Nut	2824178M1, 4205521M1	<p>1004T,1007,234 S,261 2WD,  261 4WD,275,275 2WD,275 4WD,  290 2WD,290 4WD,298,340,350,  353,355,360,362,365,373 H,375,  377 A,383,390,390 T,393,396,  397,3050,3060,3060 E,3065,  5425 wersja I,5425 wersja II, 5435  BASIC,5435 wersja I,  5445 wersja I,5445 wersja II, 5455 wersja  I,5455 wersja II, 675,690,698,698  T,699,6110,  6120,6130,6140,6235,6245,  6255,6445,6455</p>	<p>OUTER D:  55.2 MM INNER D:  33.5 MM THREAD:  M11*7 MM</p>

Photo	Item Name	OEM/ REF	Applications	Description
	Cylindrical Roller Bearing	3587730M2, 3587731M2	1004,1004T,1085,1200,1250, 133,135,135MKIII,135V,140,145, 145MKIII,145S,145V,148, 148MKIII,152,152F,152MKIII, 152S,152V,155,158,158F, 158MKIII,158S,158V,165, 165MKIII,168,168F,168MKIII, 168S,178,185,188,230,231,233, 234C,234CF,234S,235,240,240S, 243,244CF,245,250,253 (Italy), 253 (UK),254,254C,254CF,254S, 255,255 (USA),260,261,263 (UK), 263T (Italy),264T,264TCF,264TS, 265,265S,273,274,274C,274CF, 274S,274SK,275 (Turkey),275E, 283,284,284S,285,285 (USA), 285S,290 (Turkey),290E,290S, 293,294,294C,294S,298,333, 334V,340,342,35,350,352,353, 353LX,353S,354AP,354AQ,354F, 354FP,354FP(X),354FQ,354GE, 354GE(X),354S,354SP,354SP(X), 354SQ,354V,354VQ,355,356CF, 360,362,362N,363,363LX,363S, 364AP,364AQ,364CF,364F, 364FP,364FQ,364GE,364S, 364SP,364SQ,364V,364VQ,365, 366CF,367CF,372N,373,373LX, 373S,374AP,374AP(X),374AQ, 374F,374FP,374FP(X),374FQ, 374GE,374GE(X),374H,374S, 374SP,374SP(X),374SQ,374V, 374VQ,375,375E,376C,376CF, 376XCF,3	BEARING NO.: 338552X1 OUTER D: 79.98MM INNER D: 49.85MM HEIGHT: 14.95MM

Photo	Item Name	OEM/ REF	Applications	Description
	Tapered Roller Bearing	3304822M91	1080,134V,154,154F,154S,154V, 164TF,164TS,164TV,168,174, 174F,174S,174V,184,184S,188, 194,233,234S,254,254S, 263T(Italy),264T,264TS,273, 274,274S,274SK,275,283,284, 284S,285,293,294,294S,298, 3125,3140,3610,3630,3635, 3645,3650F,3650GE,3650S, 3650V,3655,3660F,3660GE, 3660S,3660V,3670,3680,3690, 575,590,592,595,698,8110, 8120,8130,8140	BEARING NO.: 32309 OUTER D: 100MM INNER D: 45MM HEIGHT: 38.25MM
	Tapered Roller Bearing	185251M1, 185252M1, 1850909M91	1004,1004T,1080,1085,1200, 1250,133,135,140,145,148,152, 155,158,165,168,175,178,185, 188,230,235,240,243,245,250, 253 (Italy),253 (UK),260,2620, 2625,263 (UK),263T (Italy),2640, 2645,265,2680,2685,2720,2725, 275,275E,290,290E,298,3050, 3060,3065,3070,3075,3080, 3085,3090,3095,3115,3120, 3120T,3125,3140,340,342,35, 350,352,355,360,3610,362N, 3630,3635,3645,365,3650 F, 3650 GE,3650 S,3650 V,3655, 3660 F,3660 GE,3660 S,3660 V, 3670,3680,3690,372N,375, 375E,382N,390,390E,390T,398, 399,4215,4220,4225,4235,4240, 4245,4255,4260,4265,4270, 4315,4320,4345,4355,4360, 4365,4370,440,550,560,575, 590,6110,6120,6130,6140,6150, 6160,6170,6180,6190,6235, 6245,6255,6260,6265,6270, 6280,6290,65,675,690,698, 698T,699,765,8110,8120,8130, 8140,8150,8160,8170,8180, 8210,8220,8240,8250,8260, 8270,8280,835,865	BEARING NO.: 37425/37625 OUTER D: 158.7MM INNER D: 107.9MM HEIGHT: 23.02MM
	Tapered Roller Bearing	1850090M92, 185777M1, 185778M1, 831888M1	133,135,140,145,152,155,158, 165,168,175,178,185,188,230, 235,240,243,245,250,253 (Italy), 253 (UK),260,263 (UK), 263T (Italy),265,275,275E,290, 290E,340,342,35,350,352,355, 360,362N,365,372N,375,375E, 382N,390,390E,390T,398,4215, 4220,4225,4235,4240,4245,4255, 4260,4265,4270,4315,4320,4345, 4355,4360,4365,4370,560,575, 590,65,675,690,765,835,865	BEARING NO.: HM903249/ 903210 OUTER D: 95.25MM INNER D: 44.45MM HEIGHT: 30.95MM

Photo	Item Name	OEM/ REF	Applications	Description
	Hydraulic Pump	3611854M91, 3701006M91, 3774613M91	396,399	FLOW: 18&12ML/R PRESSURE: 160BAR ROTATION SPEED 500-3000R/MIN DIRECTION OF ROTATION:LEFT FUEL FEED HOLE: M18*1.5 FUEL DISCHARGE HOLE:M18*1.5
	Hydraulic Pump	3595202M91, 3597692M91, 3597706M91, 3701005M91, 3774612M91	362,362 N,365,372,372 N,375, 382,382 N,390,390 T,398,174 F, 184 F,194 F	FLOW:8-11ML/R PRESSURE: 100BAR ROTATION SPEED: 1500R/MIN DIRECTION OF ROTATION:LEFT
	Hydraulic Pump	052107T1	250 X,292,297,299,265,275,283, 290,298,415,425,435,440,445, 460,465,475,481,492,410,420	—
	Hydraulic Pump	6229666M91, 6214827M91	265,275,283,290	— FLOW:
	Hydraulic Pump	038479T1, 062976T1	650,660,680	28.0 ML/R PRESSURE: 250BAR ROATION SPEED: 3000R/MIN DIRECTION OF ROTATION: LEFT TEETH: 9T
	Hydraulic Pump	3595383M91, 3597420M91	399	—
	Hydraulic Pump	1884357M91, 3107201M91, 3600189M91, 523090M91, 897146M1	165	FLOW: 6.0 ML/R PRESSURE: 110BAR ROATION SPEED: 500- 3000R/MIN DIRECTION OF ROTATION: RIGHT TEETH:13T

Photo	Item Name	OEM/ REF	Applications	Description
	Hydraulic Pump	523089M91, 523089V91, 835091M91	1080.1085	FLOW: 6.0 ML/R PRESSURE: 110BAR ROATION SPEED: 500- 3000R/MIN DIRECTION OF ROTATION: LEFT TEETH: 14T
	Hydraulic Pump	3774617M91, 3774617M92, 523092M91, 897147M92	265S,275,285S,375 E,390 E	FLOW: 6.2 ML/R PRESSURE: 100 BAR ROATION SPEED: 3000R/MIN DIRECTION OF ROTATION: LEFT
	Hydraulic Pump	1696665M91, 3774616M92	362,365,375,390	—
	Hydraulic Pump	1662243M91, 1666726M91, 1666726M92, 1666726M93, 1666726M94, 1666727M91, 1666727M92, 1669139M91, 1872025M91, 31171082, 3774649M91	265,275,285,290,565,575,590, 675,690,50E,50EX	—
	Hydraulic Pump	1441121X1, 1830316M91, 1850592M91, 1853195M92, 1853195M93, 1853466M91, 1853466M92, 1853466M93, 1884374M91, 1884374M92, 1884374M93, 1885579M91, 3186320M91, 3186320M92, 354810X1, 3773740M91, 505525M91, 828498M2	165,168,175,178,185,188,265, 275,285,290,50,50B,50B MKII	—

Photo	Item Name	OEM/ REF	Applications	Description
	Hydraulic Pump	1691156M91,		FLOW: 5.2 ML/R PRESSURE: 175BAR ROATION SPEED: 4500R/MIN DIRECTION OF ROTATION: LEFT
		1691156M92,		
		1691156M93, 3763744M91,		
		3774618M91,		
		3819972M91		
	Hydraulic Pump	3539857M91	1004,1004T,270,275,283,375E, 670,675,690,698T 154,174,184,194,273,274,283, 284,293,294,373,377,383,387, 393,397 240S,260,2615,2620,2625, 2630,2635,268 3315,3325,3330,3350,3355VSF	FLOW: 9.0ML/R
				PRESSURE:
				200BAR
				ROATION SPEED: 2000R/MIN
				DIRECTION OF ROTATION: RIGHT
	Hydraulic Pump	4249207M91		—
	Hydraulic Pump	72276669, 72277154, 72281327		FLOW: 19ML/R PRESSURE: 20/25BAR ROTATION SPEED: 2000/2500R/MIN DIRECTION OF ROTATION:RIGHT
	Hydraulic Pump	041683T2	465,475,650	—
	Hydraulic Pump	020556T1	295,297,610,620,650,660,680BR	FLOW:25ML/R PRESSURE: 20/25BAR ROTATION SPEED: 2000/2500R/MIN DIRECTION OF ROTATION:RIGHT
	Hydraulic Pump	1927P00101	—	FLOW:5.0ML/R PRESSURE: 210BAR ROTATION SPEED: 500-3000R/MIN DIRECTION OF ROTATION:LEFT FUEL FEED HOLE:15 FUEL DISCHARGE HOLE:10

Photo	Item Name	OEM/ REF	Applications	Description
	Hydraulic Pump	1824474M91, 1824474M92, 3539859M91, 1823870M91	154F,154S,164TS,174F,174S, 184F,184S,194F,194S,274C	FLOW:17ML/R PRESSURE: 20/25BAR ROTATION SPEED: 2000/3500R/MIN DIRECTION OF ROTATION:RIGHT
	Hydraulic Pump	1470214M91, P2AP2208C2B31A, SPA2208C2B31A	25.50	SPLINE:14S PRESSURE: 210BAR ROTATION SPEED 600-2700R/MIN DIRECTION OF ROTATION:LEFT FUEL FEED HOLE: M12*1.75 FUEL DISCHARGE HOLE:M10*1.5
	Hydraulic Pump	886821M93, 886821M94, 886821T	133,135,140,148,150,152,155, 158,165,168,175,178,185,188, 1080,230,235,240,245,250,255, 260,265,275,285,290,1200,1250, 550,560,565,575,590,595,675, 690,698,20C,40B,50C,375E,390E, 698T	FLOW: 14.0 ML/R & 7.5 ML/R PRESSURE: 10 MPA ROATION SPEED: 3000R/MIN DIRECTION OF ROTATION: LEFT TEETH:12T
	Hydraulic Pump	1663627M92, 1675136M91, 1675136T, 1686765M91, 1686765T, 1686766M91, 1869458M92, 1869458T, 5316073M92, 531607M93, 531607T, 886367M95, 886367M96, 886367T	133,135,140,148,150,152,155, 158,165,168,175,178,185,188, 1080,230,235,240,245,250,255, 260,265,275,285,290,550,560, 565,575,590,595,675,690,698, 1200,1250,375E,390E,698T	FLOW: 14.0 ML/R & 7.5 ML/R PRESSURE: 10 MPA ROATION SPEED: 3000R/MIN DIRECTION OF ROTATION: LEFT TEETH:12T
	Hydraulic Pump	527904M91, 527904M92, 527904M93, 773126M92	135,148,230,231,235,240, 240S,245,250,255,550	TEETH:13T PRESSURE:69BAR ROTATION SPEED: 1500-4000R/MIN


Photo	Item Name	OEM/ REF	Applications	Description
	Hydraulic Pump	1672251M92, 1675125M92, 1683301M92, 1868439M98, 1872449M96, 3773700M92, 3773701M92	133,135,135 E,140,148,152,158, 165,168,185,188,250 X,292,297, 299,230,240,250,265,275,283, 290,298,415,425,435,440,445, 460,465,475,481,492,550,565, 575,590,675,690,698,698 T,699, 1200,1250,20C,20D,20F,30B, 30D,30E,40B,40E,50,50C,50E, 50EX	—





Photo	Item Name	OEM/ REF	Applications	Description
	Valve Chamber	3186321M91	165,168,175,178,185,188,265, 275,285,290,50,50B	HOLE: 13MM
	Valve Chamber	1868435M3	133,135 E,140,148,152,158,165, 168,175,178,185,188,230,240, 250,265,275,285,290,298,353, 340,342,350,360,362,365,372, 375,390,390 T,398,399,550,565, 575,590,675,690,698,698 T,699, 20C,20D,20F,30B,30D,30E,40B, 50,50C,50EX,	HOLE: 13MM



Photo	Item Name	OEM/ REF	Applications	Description
	Hydraulic Pump Cam Block	180925M1, 180925M2, 894608M1	133,135,135 E,140,148,152,158, 165,168,175,178,185,188,1080, 250 X,292,297,299,230,235,240, 250,265,275,285,290,295,298, 353,340,342,350,360,362,365, 372,375,390,390 T,398,399,415, 425,435,440,445,460,465,475, 481,492,550,565,575,590,595, 675,690,698,698 T,699,1200, 1250,296,35,35X,65,765,410, 420,20C,20D,20F,30B,30D,30E, 40B,40E,50,50C,50E,50EX	REAR
	Hydraulic Pump Cam Block	180914M2, 180924M2, 894607M1	133,135,135 E,140,148,152,158, 165,168,175,178,185,188,1080, 250 X,292,297,299,230,235,240, 250,265,275,285,290,295,298, 353,340,342,350,360,362,365, 372,375,390,390 T,398,399,415, 425,435,440,445,460,465,475, 481,492,550,565,575,590,595, 675,690,698,698 T,699,1200, 1250,296,35,35X,65,765,410, 420,20C,20D,20F,30B,30D,30E, 40B,40E,50,50C,50E,50EX	FRONT



Photo	Item Name	OEM/ REF	Applications	Description
	Hydraulic Pump Piston	1860038M1, 3148071M1, 518476M1, 897492M1	133,135,135 E,140,148,152,158, 165,168,175,178,185,188,1080, 292,297,299,230,240,250,265, 275,283,285,290,298,353,340, 342,350,360,362,365,372,375, 390,390 T,398,399,415,425,435, 440,445,460,465,475,481,492, 550,565,575,590,595,675,690, 698,698 T,699,1200,20C,20D, 20F,30B,30D,30E,40B,40E,50, 50C,50E,50EX,	DIA: 25 MM
	Hydraulic Pump Piston	184470M1	35,FE35	DIA: 23.1 MM



Photo	Item Name	OEM/ REF	Applications	Description
	Control Valve	1681786M1, 1681789M1, 1681789M91, 1870763M91, 1870763M92, 1870764M92, 3000261X1	133,135,135 E,140,148,152,165, 168,175,178,185,188,550,565, 575,590,675,690,698,698 T,699, 20C,20D,20F,30B,30D,30E,40B, 40E,50,50C,50E,50EX	—
	Control Valve	3611085M91	250 X,292,297,299,230,240, 240 S,253,265,265 S,275,285 S, 290,298,340,342,350,352,355, 360,362,362 N,365,372,372 N, 375,375 E,382 N,390,390 E,390 T, 396,398,399,415,425,435,440, 445,460,465,475,481,492,4215, 4220,4225,4235,4245,4255, 4260,4265,4270,410,420	L:190MM

Photo	Item Name	OEM/ REF	Applications	Description
	Steering Arm	1676664M1, 897923M1, 897923M2	165,168,175,178,185,188,292, 235,265,275,285,290,295,425, 435,440,445,460,565,575,590, 675,690,30D,3165,50,50B, 50B MKII,50D,50E,50EX,50F, 50H,50HX,60H	—
	Steering Arm	1866890M91, 887169M92, 898355M91	165,165 MKIII,168,168 MKIII, 168F,168S,175,175S,178,185, 188,265,265S,275,285,290,565, 575,675,690	SPLINE:41S HOLE SIZE: 49.1MM
	Steering Arm	898343M1	165,168,175,175 S,178,185,188, 292,261,265,275,283,285,290, 295,375 E,390 E,425,435,440, 445,460,465,565,575,590,675, 690	—
	Steering Arm	1853138M1	165,168,178,185,188,265,275, 285,290,375E Brazilian, 390E Brazilian	—
	Steering Arm	1671335M1, 898358M1	165,168,175,178,185,188,265, 275,285,290,50,50B,50B MKII	—
	Steering Arm	898342M1	165,168,175,175 S,178,185,188, 292,261,265,275,283,285,290, 295,375 E,390 E,425,435,440, 445,460,465,565,575,590,675, 690	—
	Steering Arm	898354M1	165,168,175,178,185,188,265, 275,285,290	SPLINE:42S HOLE SIZE: 17.1-19.6MM
	Steering Arm	886405M1, 888114M1, 897568M1	133,135,135 E,135 Petrol,140, 148,152,165,230,240,245,250, 550,20C,20D,20F,30E,40E,50	—


Photo	Item Name	OEM/ REF	Applications	Description
	Hydraulic Pump Valve	3186321M91	165,168,175,178,185,188, 265,275,285,290,50,50B	—

Photo	Item Name	OEM/ REF	Applications	Description
	Power Steering Control Unit	3384675E1, 3384675M1	3070,3075,3080,3085,3090, 3095,3115,3120,3125,6150, 6160,6170,6180,6190,6235, 6235HV,6245,6245HV,6255, 6255HV,6260,6265,6270,6280, 6290	IN THREAD: M18*1.5 OUT THREAD: M18*1.5 FLOW:125ML/R
	Power Steering Control Unit	1809696M91, 56000160, 782509M91	1014,1024,1104,1114,1134, 154,154C,154F,154S,154V,165, 168,174,174C,174F,174S,174V, 184,184F,184S,185,188,194, 194C,194F,194S,254,254C, 254CF,254S,265,274,274C, 274CF,274S,274SK,275,284, 284S,290,294,294C,294S,298	IN THREAD: 3/4- 16UNF OUT THREAD: 3/4-16UNF FLOW:100ML/R
	Power Steering Control Unit	1695445M91	240,253,261,263,271,360,362, 365,375,383,390,390T,393, 398,399,4225,4233,4235,4240, 4243,4245,4253,4263,4270	PRESSURE: 170BAR
	Power Steering Control Unit	1696663M91	365,375,390,398,399	IN THREAD: M18*1.5 OUT THREAD: M18*1.5 FLOW: 100ML/R PRESSURE: 17MBAR

Photo	Item Name	OEM/ REF	Applications	Description
	Hydraulic Filter	3595175M1, 6223537M1	340,342,350,352,355,360,362, 365,375,383,390,390T,398,399, 410,420,4215,4220,4225,4233, 4235,4240,4243,4245,4253, 4255,4260,4263,4265,4270, 430,4315,4320,4325,4333, 4335,4345,4355,4360,4365	OUTER D: 96MM HEIGHT: 146 MM THREAD: M24 X 2-6H INT
	Hydraulic Filter	103318M91, 103318-M91, 1033318M91, 1033318-M91, 1033356M1, 1033356-M1, 1043939M91, 1043939-M91, 1051689M1, 1051689-M1	2135,2155,2200,2500,3165,655, 775,785	HEIGHT:137MM OUTER D:94MM THREAD:1-12 UN
	Hydraulic Filter	1687042M91, 1810744M91,	133,135,135 E,140,148,152,158, 165,168,175,178,185,188,250 X, 292,297,299,230,235,240,250, 253,254,254 S,255,265,275,285, 290,295,298,353,340,342,350, 355,360,362,365,372,375,390, 390 T,396,398,399,415,425,435,	DIA: 60
		1870199M92	440,445,460,465,475,481,492, 550,565,575,590,595,675,690, 698,698 T,699,1200,1250,296, 35,65,765,FE35,410,420,20C, 20D,20F,30B,30D,30E,40B,40E, 50,50C,50E,50EX	HEIGHT: 89
	Hydraulic Filter	1639428M91, 1662566M1, 1662566M2	165,168,175,178,185,188,260, 265,275,285,290,298,365,375, 390,565,575,590,595,675,690, 698,698 T,50,50B,50B MKII,50D, 50E,50EX,50F,50H,50HX,60H	—
	Hydraulic Filter	3771122M92, 3700504M91	230,240,240S,265S,275,285S, 290,342,350,352,355,360,362, 365,375,390,390T,398,399,4215, 4220,4225,4235,4240,4245, 4255,4260,4265,4270,4315, 4320,4325,4335,4345,4355, 4360,4365,4370,T240,T250G, T256G,T266G,T277G,T288G, T3050,T3060,T3070,T3075, T3075D,T3085,T3085D,T3095, T3095D,T3105	—





Photo	Item Name	OEM/ REF	Applications	Description
	Hydraulic Filter	3619594M1	6110.6120	OUTER D: 50MM INTER D: 24MM HEIGHT: 159MM
	Hydraulic Filter	1002883M1, 1022883M1, 1028208M1	MF100,MF1500,MF1505, MF1800,MF1805,MF200, MF2135,MF220,MF2200, MF2200,MF2244,MF2500, MF304,MF320,MF356, MF4500,MF550,MF6500, MF750	HEIGHT: 177MM OUTER D: 114MM


Photo	Item Name	OEM/ REF	Applications	Description
	Filter Bowl Cover	181467M1, 768300M1, 768300T1	133,133 N,135,135 N,135 Petrol, 135 S,140,140 N,145,145 S,148, 148 S,152,152 S,155,158,158 S, 165,168,168 S,175,175 S,178, 185,188,1080,250 X,292,297, 299,230,231,235,240,240 S,245, 250,255,260,261,265,265 S,275, 283,285,285 S,290,298,3050, 3060,3065,3070,3075,3080, 3085,3090,3095,3115,3120, 3125,3635,3645,3655,3670, 3690,415,425,435,440,445,460, 465,475,481,492,550,560,565, 575,590,592,595,5335,5340, 5355,1004,1004 T,675,690,698, 698 T,699,6120,6130,6140,6150, 6160,6170,6180,6190,8110, 8120,8130,8140,8150,8160, 1200,1250,35,35X,65,765,TE20, TEA20,TED20,TEF20,TO20,410, 420,152 F,158 F,168 F,133 V,135 V, 145 V,152 V,158 V	—



Photo	Item Name	OEM/ REF	Applications	Description
	Rack End	3426312M1, 3909379M1	1007,275E,290E,3050,3060,3065, 3070,3075,3080,3085,3090,3095, 3115,3120,3210FP(X),3210GE(X), 3210SP(X),3220AP(X),3220FP(X), 3220GE(X),3220SP(X),3225AP(X), 3225FP(X),3225GE(X),3225SP(X), 3235AP(X),3235FP(X),3235GE(X), 3235SP(X),353,353LX,353S,354AP, 354AQ,354FP(X),354FQ,354GE, 354GE(X),354SP,354SP(X),354SQ, 3625(F ),363,3635(F ),363LX,363S, 3640 (F ),3645(F ),364AP,364AQ, 364FQ,364SP,364SQ,365,3650(F ), 3655(F ),3660(F ),373,373LX,373S, 374AP,374AQ,374FP(X),374FQ, 374GE(X),374SP(X),374SQ,375, 375E,377,383,383LX,383S,384AP, 384AQ,384FP(X),384FQ,384GE(X), 384SP(X),384SQ,387,390,390E, 393,393LX,393S,393TLX,394AP, 394AQ,394FP(X),394FQ,394GE(X), 394SP(X),394SQ,396,397,397T, 398,399,4225 (AG 75 & AG 85 ), 4225HV (AG 75 & AG 85 ),4235, 4235 (USA) (AG 75 & AG 85 ), 4235HV (AG 75 & AG 85 ), 4235HV (USA) (AG 75 & AG 85 ), 4240,4245, 4245HV (AG 75 & AG 85 AG 105 ), 4255, 4255HV (AG 75 & AG 85 AG 105 ), 4260, 4265 (AG 75 & AG 85 AG 105 ), 4270,4325, 4325HV (AG 75 & AG 85 ),4335, 4335HV (AG 75 & AG 85 AG 105 ), 4345, 4345HV (AG 75 & AG 85 AG 105 ), 4355, 4355HV (AG 75 & AG 85 AG 105 ), 4360,4365, 4370 (AG 75 & AG 85 AG 105 ), 6110,6120,6130,6140,6150,6160, 6235,6235HV,6245,6245HV,6255	TOTAL LENGTH: 180MM THREAD:18*1.5 THREAD:20*1.5
	Rack End	041063M1, 3426255M1, 3665323M91, 3903684M1, 3903690M1, 3907159M1, 3909318M1	1114,1134,3095,3120,3125, 3610,3630,3635,3645,3650, 3655,3670,3680,3690,5465, 5470,5470SA,5475,5475SA, 5480,5710,6170,6180,6190, 6260,6270,6280,6290,6460, 6465,6470,6475,6480,6485, 6490,6495,6497,6499,6712, 6712S,6713,6713S, 6714S Dyna VT,6715S,6716S, 6718S,7465,7475,7480,7485, 7490,7495,8110,8120,8130, 8140,8150,8160,8210,8220, 8240,8250,LT75A,LT90A	TOTAL LENGTH: 210MM THREAD: M22*1.5MM THREAD: M24*1.5MM



Photo	Item Name	OEM/ REF	Applications	Description
	Rack End	3428268M1	342,352,362,372,382,4215, 4220,4225,4235,4245,4255, 4265,4315,4325,4335	—
	Rack End		440	TOTAL LENGTH: 210MM THREAD: 24*1.5MM THREAD: 22*1.5MM

Photo	Item Name	OEM/ REF	Applications	Description
	Tie Rod End	3764027M1, 3764027M2	365,375,390,390 T,396,3050, 3060,3065,4225,4235,4245, 4255,4260,4265,4270,6110, 6120,6130,6140,6445,6455	TOTAL LENGTH: 246MM INNER THREAD: M18*1.5 OUTER THREAD: M20*1.5
	Tie Rod End	3429173M1, 3429173M2, 3429173M3	342,352,362 N,372,372 N,382 N, 4215,4220,4225,4235,4245, 4255,4265,4345,4355	—
	Tie Rod End	3599679M91, 3599679M92	365,375,390,390 T,398,399, 4225,4235,4240,4245,4255, 4260,4265,4270,4325,4335, 4345,4355,4360,4365,4370, 5335,5355,5360,5365,5425, 5435,5435,5445,5455,5460, 6445,6460,6470	—
	Tie Rod End	180391M91, 826752M2, 826752M91, 826752M92, 826757M91, 827039M1, 967702M2, 968405M91, 969352M1	133,135,148,230,240,250, 550,35,35X,FE35	—
	Tie Rod End	1692144M1, 1860564M1, 1860565M1, 1860565M2	133,135,148,230,240,250,550	—
	Tie Rod End	40188, 886802M91	165,168,168 MKIII,175,175 S, 178,185,188,265,275,285,290, 375 E,390 E,565,575,590,675, 690,30,30D,50,50B,50B MKII	—
	Tie Rod End	3595527M91	365,375,390,390 T,398,399	—

Photo	Item Name	OEM/ REF	Applications	Description
	Tie Rod End	3404472M91	231,240,250	—
	Tie Rod End	3426313M1, 3462313M1	3070,3075,3080,3085,3090, 3095,3115,3120,3120 T,	—
	Tie Rod End	3428268M1	342,352,362,372,382,4215, 4220,4225,4235,4245,4255, 4265,4315,4325,4335	—
	Tie Rod End	886800M92, 963915M91	165,165 MKIII,168,178,185, 188,265,265S,275,285,285S, 290,375E,390E,575,590,675, 690	—
	Tie Rod End	—	440	TOTAL LENGTH: 205MM INNER THREAD: M24*1.5 OUTER THREAD: M24*1.5
	Tie Rod End	061351R1	265,275,283,290,292 Brazilian, 375E Brazilian,390E Brazilian, 415 Brazilian,425 Brazilian, 435 Brazilian,440 Brazilian, 445 Brazilian,460 Brazilian	TOTAL LENGTH: 220MM INNER THREAD: M18*1.5 LEFT/RIGHT:RH
	Tie Rod End	1617829M1	1014,1114,2620,2625,2640, 2645,2680,2685,2720,2725, 3610,3630,3650 S/F/V/GE	TOTAL LENGTH: 100MM INNER THREAD: 24*1.5 LEFT/RIGHT:LH
	Tie Rod End	1824403M91, 3426773M1, 3426773M2, 3426773M3	1004,1014,1104,1134,165,168, 185,188,2620,2625,2640,2645, 2680,2685,2720,2725,275,285, 298,350,360,3610,3630,365, 3650 S/F/V/GE,375,390,398, 399,575,590,592,595,698,698T, 699	TOTAL LENGTH: 100MM OUTER THREAD: M24*1.5 LEFT/RIGHT:RH

Photo	Item Name	OEM/ REF	Applications	Description
	Tie Rod End	1810366M91	165,168,175 ,175S ,178 ,185, 188,265,275,285,290,565, 575,590,675,690	—
	Tie Rod End	886796M92	265,265S,275,285,290,375, 575,590,675,690	—
	Tie Rod End	881736M92, 898050M91	165,168,168 MKIII,175,175 S, 178,185,188,265,275,285,290, 375 E,390 E,565,575,590,675, 690,30D	—
	Tie Rod End	181582M91, 893607M1, 893607M91	TEA20,TEE20,TEF20,TEH20	TOTAL LENGTH: 80MM OUTER THREAD: 1/2"x20UN OUTER THREAD: 3/8" BSP
	Tie Rod End	126920, 825695M91, 969351M91	TEA20,TEE20,TEF20,TEH20	TOTAL LENGTH: 80MM OUTER THREAD: 3/8" BSP OUTER THREAD: M12 x 1.5
	Tie Rod End	1860408M2, 1860408R2	135 ,135V ,148 ,20D,230 ,240	TOTAL LENGTH: 200MM OUTER THREAD: M12x1.5
	Tie Rod End	182510M91, 186061M91	175 ,175S ,178 ,65,765	TOTAL LENGTH: 380MM INNER THREAD: 3/4" UNF OUTER THREAD: M16 x 1.5 LEFT/RIGHT:LEFT
	Tie Rod End	182507M91, 186063M1, 880003M1, 880008M92, 880088M91, 881884M91	175,178,65,765	TOTAL LENGTH: 380MM OUTER THREAD: M16*1.5 LEFT/RIGHT:LEFT

Photo	Item Name	OEM/ REF	Applications	Description
	Tie Rod End	1675881M1, 1678024M1	298,698,698T,699	TOTAL LENGTH: 360MM OUTER THREAD: 5/8"x18G
	Tie Rod End	1678023M1	298,698,698T,699	TOTAL LENGTH: 270MM OUTER THREAD: 5/8x18UN
	Tie Rod End	3033243M3	2620,2625,2640,2645, 2680,2685,2720,2725, 3505,3525,3545	TOTAL LENGTH: 735MM OUTER THREAD: M16 x 1.5
	Tie Rod End	3033244M2	1080,1085,2620,2625, 2640,2645,2680,2685, 2720,2725,592,595	TOTAL LENGTH: 95MM OUTER THREAD: 1"- 16 UNS
	Tie Rod End	1809676M91	174,174C,174F,174S,174V, 184,184F,184S,194,194C, 194F,194S,595	TOTAL LENGTH: 68MM INNER THREAD: 11/16" - 18 UNS OUTER THREAD: M16 x 1.5 RH
	Tie Rod End	1617826M93, 1617826M94, 3314437M1, 3426660M1, 3426660R1	1004,174,174C,174F,174S, 174V,184,184F,184S,194, 194C,194F,194S,250,265, 275,290,298,575,590,595 , 675,690,698,698T,699	TOTAL LENGTH: 70MM INNER THREAD: M18 x 1.5 OUTER THREAD: M16 x 1.5
	Tie Rod End	3426336M1, 3426336R1	1007,283 F,3050 ,3060 ,3065 , 353,353LX,353S,363,363LX, 363S,373,373LX,373S,377,383, 383LX,383S,387,393,393LX, 393S,393TLX,397,397T	TOTAL LENGTH: 200MM INNER THREAD: M18 x 1.5 OUTER THREAD: M18 x 1.5
	Tie Rod End	3429731M1	3670 ,3690 ,8150,8160	TOTAL LENGTH: 195MM INNER THREAD: M24 x 1.5 OUTER THREAD: M24 x 1.5






Photo	Item Name	OEM/ REF	Applications	Description
	Tie Rod End	3428818M1, 3428818M2	362,362N,372N,382N,4225, 4235,4240,4315,4320,4325, 4335	TOTAL LENGTH: 270MM INNER THREAD: M18 x 1.5 OUTER THREAD: M18 x 1.5
	Tie Rod End	4232264M1	8937,8937T,8939,8939T	TOTAL LENGTH: 295MM INNER THREAD: M24 x 1.5
	Tie Rod End	186066M91, 186235M91, 880009M92, 881883M91	165,65,765,865	TOTAL LENGTH: 380MM OUTER THREAD: M16 x 1.5 LEFT/RIGHT: RIGHT


Photo	Item Name	OEM/ REF	Applications	Description
	Drag Link Assembly	886796M92+ 886797M91	165,165 MKIII,168,175S,178,185, 188,265,265S,275,285,285S,290, 375E,390E,575,590,675,690, T266G	—


Photo	Item Name	OEM/ REF	Applications	Description
	Worm Shaft	1890727M91	230,240,250	—


Photo	Item Name	OEM/ REF	Applications	Description
	Steering Rocker Shaft	805744M91	165,168,178,185,188,265,275, 285,290,375E,390E	—



Photo	Item Name	OEM/ REF	Applications	Description
	Wheel Hub	191521M2, 898346M92, 898346M93, 898347M92	165,175,180,185,255,265,275, 285,1080,1085	—
	Wheel Hub	886336M1, 886337M1, 886337M91	135,148,165,168,175,178,20B, 20D,20E,2135,230,231,231S, 240,240 S,240 XTRA,240S,241S, 243,245,250,251XE,253,2605, 2615,2615 GE,263,265,275,340, 342,35,350,360,375E,410,420, 4215,4220,430,431,461,533, 543,550,563,565,65,765	—


Photo	Item Name	OEM/ REF	Applications	Description
	Wheel Rims	005281U91, 1077570M91, 1660769M91, 1678319M91, 1678319M92, 1691618M92, 1693421M92, 1883333M92, 509893M91, 7011529M91	165,168,175,178,185,188,240, 250,265,275,285,290,298,340, 342,350,352,355,360,362,362 N, 365,375,390,3050,3060,3065, 3070,3080,3090,550,565,575, 65,765	RIM SIZE: 5.5 x 16"- HOLE SPACING: 152MM HOLE SIZE: 14MM


Photo	Item Name	OEM/ REF	Applications	Description
	Hub Cap	882637M1	165,168,175,178,185,188,250, 255,265,270,275,282,283,285, 290,383,393,352,355,360,375, 390,398,565,575,590,670,675, 690,65,765,30D,30E,40	—


Photo	Item Name	OEM/ REF	Applications	Description
	PAVT Clamp	1755057M2, 3615259M1, 3615259M2, 3615259M91, 898021M1	398,399,3050,3060,3065,3070, 3075,3080,3085,3090,3095, 3115,3120,3120 T,3125,3610, 3630,3635,3645,3650,3655, 3670,3680,3690	—



Photo	Item Name	OEM/ REF	Applications	Description
	Shaft	1676666M1, 898023M2	165,168,175,178,185,188,292, 235,265,275,285,290,295,425, 435,440,445,460,565,575,590, 675,690,50,50D,50E,50EX,50F, 50H,50HX,60H	—
	Shaft	1684620M1, 1684620M91, 1684621M1, 1868544M91, 1868544M92, 1868545M2, 1868545M91, 1871782M3	135,148,158,165,168,185,188, 250 X,292,297,299,230,240,250, 253,265,275,283,285,290,298, 415,425,435,440,445,460,465, 475,481,492,550,565,575,590, 675,690,698,698 T,699,1200, 20C,20D,20F,30B,30D,30E,40B, 40E,50,50C,50E,50EX	SPLINE: 21 S
	Shaft	184359M2, 184359M91, 353558X1	122,354,35,35X,65,765,203	—





Photo	Item Name	OEM/ REF	Applications	Description
	Bush	3426028M2, 72714015	MF 154 V,MF 164T/ V,MF 174 V, MF 334 V,MF 353,MF 353 LX, MF 353 S,MF 354 AQ,MF 354 FQ, MF 354 SP-FP-AP-GE,MF 354 SQ, MF 354 V,MF 354 VQ,MF 363, MF 363 LX,MF 363 S,MF 364 AQ, MF 364 FQ,MF 364 SP-FP-AP-GE, MF 364 SQ,MF 364 V,MF 364 VQ, MF 373,MF 373 LX,MF 373 S, MF 374 AQ,MF 374 FQ, MF 374 SP-FP-AP-GE,MF 374 SQ, MF 374 V,MF 374 VQ,MF 377, MF 383,MF 383 LX,MF 383 S, MF 384 AQ,MF 384 FQ, MF 384 SP-FP-AP-GE,MF 384 SQ, MF 384 V,MF 384 VQ,MF 387, MF 393,MF 393 LX,MF 393 S, MF 393 TLX,MF 394 AQ, MF 394 FQ,MF 394 SP-FP-AP-GE, MF 394 SQ,MF 394T AQ,MF 1014	OUTER D: 100 MM INNER D: 95 MM HEIGHT: 55 MM
	Bush	3426988M1	340,350,355,360,362,365,375, 390,390 T,396,398,399,3050, 3060,3065,3070,3075,3080, 3085,3090,3095,3115,3120, 3120 T,3125,3140,3610,3630, 3635,3645,3650,3655,3670, 3680,3690,6170,6180,6190, 6270,6280,6290,8110,8120, 8130,8140,8150,8160,8210, 8220,8240,8250,8260	OUTER D: 44 MM INNER D: 40 MM HEIG: 40 MM
	Bush	3428571M1	275,290,365,375,390,390 T,396, 398,399,3050,3060,3065,3075, 3085,4225,4235,4240,4245, 4255,4260,4265,4270,4325, 4335,4345,4355,4360,4365, 4370,6110,6120,6130,6140, 6235,6245,6255,6260,6265	OUTER D: 39 MM INNER D: 35 MM HEIGHT: 35 MM
	Bush	882327M1	365,375,390,390 T,398,399,50, 50B,50B MKII,50D,50E,50EX,50F, 50H,50HX,60H	OUTER D: 50 MM INNER D: 44.5 MM HEIGHT: 47.5 MM
	Bush	1865012M1, 195949M1	133,135,135 E,135 Petrol,140, 148,152,158,165,168,175,178, 185,188,1080,1085,550,565, 575,590,1200,35,65,765,30D, 30E,50	OUTER D: 41 MM INNER D: 35 MM HEIGHT: 22 MM

Photo	Item Name	OEM/ REF	Applications	Description
	Bush	1870934M1, 886029M1, 897574M2	133,135,135 E,135 Petrol,140, 148,152,158,165,168,175,178, 185,188,1080,265,275,285,290, 340,342,350,352,355,360,362, 365,372,375,382,390,390 T,398, 399,565,575,590,595,675,690, 698,698 T,699,1200,30 Combine, 20D,20F,30B,30D,30E,40,40B, 40E,50,50C,50D,50E,50EX,50F, 50H,50HX	OUTER D: 60.2MM INNER D: 55.5MM HEIGHT: 73MM
	Bush	183086M1	165,168,175,178,185,188,265, 275,285,290,340,342,350,352, 355,360,362 N,365,375,390, 390 T,398,399,565,575,590,65, 765,20C,20D,20F,30B,30D,30E, 30H,40B,40E	OUTER D:43MM INNER D:38MM HEIGHT:38MM
	Bush	190560M1	165,168,175,178,185,188,265, 275,285,290,565,575,590,675, 690,50,50B,50B MKII,50D,50E, 50EX,50F,50H,50HX,60H	OUTER D: 22.5MM INNER D: 19MM HEIGHT: 31.6MM
	Bush	897235M1	165,168,175,178,185,188,265, 275,285,290,350,355,360,365, 375,375 E,390,390 E,398,399, 425,435,440,445,565,575,590, 675,690,30D,50,50B,50EX,50F, 50H MKII,50HX	OUTER D: 51MM INNER D: 47.7MM HEIGHT: 38MM
	Bush	1660457M2	231,240,245,250,253,360,362, 550,20D,20F,30E,40E	OUTER D: 52.5MM INNER D: 47.7MM HEIGHT: 35MM
	Bush	1660114M1, 1660114M2, 888314M1, 964516M1	133,135,135 Petrol,145,148,152, 155,158,230,235,240,250,255, 260,550,20B,2135	OUTER D: 48MM INNER D: 42.2MM HEIGHT: 32MM
	Bush	1850018M1, 21910014	135,135 Petrol,145,148,155,158, 165,168,175,178,185,188,230, 240,250,35,35X,65,765,20B,40	OUTER D: 35MM INNER D: 31.7MM HEIGHT: 29.3MM



Photo	Item Name	OEM/ REF	Applications	Description
	Bush	1850517M1	165,168,175,178,185,188,265, 275,285,290,65	OUTER D: 41.5MM INNER D: 38MM HEIGHT: 51MM
	Bush	1321, 180802M1, 184592M1	135,135 Petrol,148,165,168, 175,178,185,188,292,297,299, 230,240,250,253,265,275,283, 290,298,415,425,435,440,445, 460,465,475,481,492,1200,35, 35X,65,TE20,TEA20,TED20,20C, 20D,20F,30B,30D,30E,30H,40B, 40E,50,50A,50A,50B,50B MKII, 50C,50D,50E,50EX,50F	OUTER D: 27MM INNER D: 25.5MM HEIGHT: 19MM

Photo	Item Name	OEM/ REF	Applications	Description
	Oil Seal	3599006M1, 3699802M1, 3699802M2	340,342,350,352,355,360,362, 365,372,375,382,390,390T,398	MAT:- OUTER D: 64MM INNER D: 43MM HEIGHT: 19MM
	Oil Seal	894763M1	1004,1004T,1080,1085,1200, 1250,133,135,135V,140,145, 145S,145V,148,152,152F,152S, 152V,155,158,165,168,175, 175S,178,185,188,20E,20F,240, 243,250,253,255,260,263,265, 275,275E,285,290,290E,298, 30D,30E,350,352,355,360,362, 362N,365,372N,375,375E,382N, 390,390E,390T,396,398,399,40, 4215,4220,4225,4225HV,4235, 4235HV,4240,4245,4245HV, 4255,4255HV,4260,4265,4270, 4315,4320,4325,4325HV,4335, 4335HV,4345,4345HV,4355, 4355HV,4360,4365,4370,50, 50B,50B MKII,50D,50E,50EX, 50H,50H-S,50H-T,50HX,50HX-S, 50HX-T,560,565,575,590,592, 595,60H-S,60HX,60HX-T,675, 690,698,698T,699,750,750B, 760,760B,860,860B,860S,860SE	OUTER D: 101.66MM INNER D: 73.4MM HEIGHT: 14.14MM
	Oil Seal	897702M1, 897702M91	165,165 MKIII,168,175,178, 185,1080,250,253,255,260, 261,263,265,265 S,270,275, 282,283,285,290,298,2620, 2640,2680,2720,2725,2625, 2635,383,393,350,352,355, 360,362,362 N,365,372 N,375, 375 E,390,390 E,390 T,396,398, 399,3050,3060,3065,3070, 3075,3080,3085,3090,3095, 3115,3125,3610,3630,3645, 3650,3655,4215,4220,4225, 4235,4240,4245,4255,4260, 4270,4315,4320,4325,4335, 4345,4355,4360,4365,4370, 565,575,590,592,595,5335, 5340,5355,5360,5365,5425, 5435,5435,5445,5455,5460, 670,675,690,690 T,698,698 T, 699,6120,6130,6140,6150, 6445,6455,6460,6470,35,65, 765,520 Combine, 525 Combine,30D,30E,40	OUTER D: 86MM INNER D: 57MM HEIGHT: 12.5MM
	Oil Seal	027539R1	481,492,5650	OUTER D: 65MM INNER D: 45MM HEIGHT: 8MM

Photo	Item Name	OEM/ REF	Applications	Description
	Oil Seal	6193672M1	3050,3060,3065,3070,3075, 3080,3085,3090,3095,3115, 3120,3120T,3125,3140,340, 350,355,360,3610,3615 ,362, 3625 ,3625 V/S/F/GE ,3630 , 3635,3635 V/S/F/GE ,3640, 3640 ,3640 V/S/F/GE (Tier 3 ) , 3645 (Tier 2 / Tier 3 ) , 3645 V/S/F/GE (Tier 2 / Tier 3 ) , 365,3650, 3650 S/F/V/GE (Tier 3 ) ,3655, 3655 S/F/V/GE (Tier 2 / Tier 3 ) , 3660 (Tier 3 ) , 3660 S/F/V/GE (Tier 3 ) ,3670, 3690,375,390,390T,396,398, 399,6170,6180,6190,6270, 6280,6290,8110,8120,8130, 8140,8150,8160	OUTER D: 60MM INNER D: 40MM HEIGHT: 18MM
	Oil Seal	027537R1	492.297	OUTER D:65MM INNER D:45MM HEIGHT:10MM
	Oil Seal	6239085M1	565 Brazil,575 Brazil,590 Brazil	OUTER D: 165MM INNER D: 136.80MM HEIGHT:13MM
	Oil Seal	3429791M1	Farmall 105A,Farmall 115A, Farmall 55C,Farmall 65A, Farmall 65C,Farmall 75A, Farmall 75C,Farmall 85A, Farmall 95A,JX100U,JX105U, JX1060C,JX1070C,JX1070U, JX1075C,JX1080U,JX1085C, JX1090U,JX1095C,JX1100U, JX115U,JX60,JX70U,JX75U, JX80,JX80U,JX85U,JX90,JX90U, JX95,JX95U,Maxxum 110, Maxxum 115,Maxxum 120, Maxxum 125,Maxxum 130, Maxxum 140,MXM120, MXM130,MXM140,MXU100, MXU110,MXU115,MXU125, MXU130,MXU135,Puma115, Puma125,Puma140, Quantum 65C,Quantum 75C, Quantum 75N,Quantum 85C, Quantum 85N,Quantum 95C, VJ70,VJ80	OUTER D: 190MM INNER D: 165MM HEIGHT: 17MM


Photo	Item Name	OEM/ REF	Applications	Description
	Valve	1662591M91, 190537M91, 828927M91, 828927M92	5830,133,135,135E,140,148,152, 165,175,178,230,240,250,253, 265,275,285,290,340,342,350, 352,355,362,372,375,382,390, 35,65,765,20F,40E,50	—


Photo	Item Name	OEM/ REF	Applications	Description
	Nut	3429497M1	265S,275,285S,290,3050,3060, 3065,3075,3085,365,375,375E, 390,390E,390T,396,398,399, 4225,4235,4240,4245,4255, 4260,4265,4270,4325,4335, 4345,4355,4360,4365,4370, 5425,5435,5445,5455,5460, 6120,6130,6140,6150,6160, 6235,6245,6255,6260,6265, 6445,6455,6460,6470,LT75A, LT90A	OUTER D: 100 MM INNER D: 75 MM TEETH: M15*9.5



Photo	Item Name	OEM/ REF	Applications	Description
	Pin	3429319M1	265 S,275,275 E,285 S,290,290 E, 365,375,375 E,390,390 E,390 T, 396,398,399,3050,3060,3065, 3075,3085,4225,4235,4240, 4245,4255,4260,4265,4270, 4325,4335,4345,4355,4360, 4365,4370,6110,6120,6130, 6140,6150,6160,6235,6245, 6255,6260,6265	—
	Pin	3426523M2, 3426523M1	1007,154F,154S,164T F,164T S, 174F,174S,184F,184S,194F,194S, 250,253,254,261,263T,264 T S, 264T,265,273,274,274 SK,275, 283,284,290,293,294,294S,3050, 3060,3065,3075,3085,340,350, 353,353LX,353S,354F,354S,355, 360,362,363,363LX,363S,364F, 364S,365,373,373LX,373S,374F, 374S,375,377,383,383LX,383S, 384F,384S,387,390,390T,393, 393LX,393S,393TLX,394F,394H, 394S,396,397,397T,6120,6130, 6140,6150,6160,675,690	—
	Pin	898937M1	165,168,175,178,185,188,230, 240,20F,30B,30D,30E,40E	—
	Pin	1471630M1, 1671322M1, 1688511M1, 1691464M1, 898363M1	165,168,175,178,185,188,255, 265,275,285,290,565,575,590, 690,3165,50,50B,50D,50E,50EX, 50F,50H,50HX,60H,375E,390E	—



Photo	Item Name	OEM/ REF	Applications	Description
	Needle Roller Bearing	834296M1, 843282M1	440	BEARING NO.: HK2216 OUTER D:28MM INNER D:22MM HEIGHT:16MM
	Needle Roller Bearing	1000251M1, 834343M1	<p>133,135,135E,140,148,152,158, 165,168,175,178,185,188,1080, 1085,250X,292,297,299,230, 235,240,250,253,265,275,285, 290,295,298,340,342,350,352, 355,360,372,375,382,390,390T, 398,399,415,425,435,440,445, 460,465,475,481,492,550,565, 575,590,595,675,690,698,698 T, 699,1200,1250,1200,1250,296, 35,65,765,420,20C,20D,20F,30B, 30D,30E,40B,40E,50,50C</p>	<p>OUTER D: 20.6 MM INNER D: 16 MM HEIGHT: 12.4 MM</p>



Photo	Item Name	OEM/ REF	Applications	Description
	Thrust Ball Bearing	018560X, 18560X, 18560X1, 195175M1, 357639X1	122(UK),130(UK), 133(UK&France), 135(UK&France/ USA-vineyardstraightaxle), 140(UK&France),145,145S, 148(UK&France),152(France), 152S,155(France),158(France), 158S,165(France),20B,230,235, 240,245,250,255,260,35, 65(UK&France),765(UK),835, 865(France),TEA20,TEE20, TEF20,TEH20	OUTER D: 55.6MM INNER D: 32MM HEIGHT: 16MM BEARING NO.: 18560X1
	Thrust Ball Bearing	1850526M91+ 1850527M1, 1850526M91+ 1850527M91	165(MKII / France ),50,65, 765,865	—




Photo	Item Name	OEM/ REF	Applications	Description
	Tapered Roller Bearing	061249R1, VA118378	415 Brazilian,425 Brazilian, 435 Brazilian,440 Brazilian, CX100,CX50,CX60,CX70, CX80,CX90	BEARING NO.: 819349/819310 OUTER D:135MM INNER D:95MM HEIGHT:20MM
	Tapered Roller Bearing	17201X, 195123M1, 22663X, 701114M1, 893374M91, 893375M91	1080,135 (UK),165,168, 168F (France),168MKIII (France), 168S (France),175,175S,178,185, 188,20F,230 (UK/Turkey),240, 240S (Turkey),243,253 (Italy), 253 (UK),2620,2625,263 (UK), 263T (Italy),2640,2645,265,2680, 2685,2720,2725,275,275E, 285 (USA),290,290E,298,3050, 3060,3065,3065S,3070,3075, 3080,3085,3090,3095,30D,30H, 3115,3125,350,352,355,360, 3610,362,362N,3630,3645,365, 3650 F,3650 GE,3650 S,3650 V, 3655,372N,375,375E,390,390E, 390T,396,398,399,40,40E,415, 4215,4220,4225,4225HV,4235, 4235 (USA),4235HV, 4235HV (USA),4240,4245, 4245HV,4255,4255HV,4260, 4265,4270,4315,4320,4325, 4325HV,4335,4335HV,4345, 4345HV,435,4355,4355HV,4360, 4365,4370,565,575,590,592, 595,6110,6120,6130,6140,6150, 65,675,690,698,698T,699,765	BEARING NO.: 25590/20 OUTER D: 82.931MM INNER D: 45.618MM HEIGHT: 25.4MM
	Tapered Roller Bearing	354369X1, 893373M91	1080,122 (France),130 (France), 133 (France),135 (France), 135MKIII (France),140 (France), 145,145MKIII (France), 145S (France),145V (France), 148 (France),152 (France), 152F (France),152MKIII (France), 152S (France),152V (France), 155 (France),158 (France), 158F (France),158MKIII (France), 158S,158V (France),165,168,175, 175S,178,185,188,20F, 25 (France),253 (Italy),253 (UK), 2620,2625,263 (UK),263T (Italy), 2640,2645,265,2680,2685,2720, 2725,275,275E,285 (USA),290, 290E,298,3050,3060,3065, 3065S,3070,3075,3080,3085, 3090,3095,30D,30E,30H,3115, 3125,350,352,355,360,3610,362, 362N,3630,3645,365,3650 F, 3650 GE,3650 S,3650 V,3655,	BEARING NO.: 25590/20 OUTER D: 82.931MM INNER D: 45.618MM HEIGHT: 25.4MM


Photo	Item Name	OEM/ REF	Applications	Description
	Angular Contact Ball Bearing	1883133M91, 880951M91, 1883133M1	165,168,185,188,265, 275,285,290	OUTER D: 55.5MM INNER D: 29.7MM HEIGHT: 9.8MM


Photo	Item Name	OEM/ REF	Applications	Description
	Deep Groove Ball Bearing	3473264M1	168,265,275,290,375E (Brazilian) , 390E (Brazilian)	—

Photo	Item Name	OEM/ REF	Applications	Description
	Wheel Hub Bolt&Nut	831420M1+195490M1	1080,1100,1130,165,168,175, 175S,178,185,188,253,263,265, 265S,275,285,285S,290,350,352, 355,360,362,362N,365,372N, 375,375E,390,390E,390T,396, 398,399,4215,4220,4225,4235, 4240,4245,4255,4260,4265, 4270,4315,4320,4325,4335, 4345,4355,4360,4365,4370, 5335,5340,5355,5360,5365, 5425,5435,5445,5455,5460, 565,575,590,592,595,595MKII, 6445,6455,6460,6470,65,675, 690,765,LT75A,LT90A	LENGTH: 38 MM THREAD: 1/2"UNF
	Wheel Hub Bolt&Nut	1808210M91, 1808223M91, 1860433M91, 1872823M91, 847414M92, 847416M1+847417M1, 909237M91, 909797M91	1004,1004T,1080,1085,1100, 1105,1130,1135,1150,1155, 1200,1250,1500,1505,152,1800, 185,240,243,250,253,263,275, 290,298,300,350,352,355,360, 362,362N,365,372N,375,375E, 382N,390,390E,390T,396,398, 399,4215,4220,4225,4235,4240, 4245,4255,4260,4265,4270, 4315,4320,4325,4335,4345, 4355,4360,4365,4370,445,460, 465,5335,5340,5355,5360,5365, 575,590,595,595 MKII,675,690, 698,698T,699	LENGTH: 43.50MM THREAD: 1/2-20UN


Photo	Item Name	OEM/ REF	Applications	Description
	Repair Kit	1851800M91+ 67048/10+ 897702M1+ 882263M1	133,135,140,145,145S,148, 152S,158S,165,168,175,178, 20B,20D,20E,230,235,240,243, 245,250,253,253 (Italy),255, 255 (USA),260,263 (UK), 263T (Italy),265,275,340,342, 35,350,4215,4220,550,560, 565,65,765	—









Photo	Item Name	OEM/ REF	Applications	Description
	Brake Friction Disc	1626989M92, 3386897M92	2645,2685,2625,3115,3120, 3125,3610,3630,3635,3645, 3650,3655,3670,3680	OUTER D: 355MM INNER D:-MM SPLINE:14S TEETH SPACE: 70MM
	Brake Friction Disc	3700134M1, 3825367M1, 3900494M92	240,340,342,410,420,430	OUTER D: 223.5MM SPLINE:27S SPLINE ID: 55MM THK:4.8MM
	Brake Friction Disc	1672626M1, 1862289M2, 1869665M1, 1870074M1, 1870879M1, 190177M1, 514276M1, 521282M1, 533326M2	133,135,135 E,140,145,148,152, 152 MKIII,152 S,155,158, 158 MKIII,158 S,165,165 MKIII, 168,168 MKIII,168 S,175,175 S, 178,185,188, 1080, 230,240, 250,253,255,260,263,265,275, 285,290,298,2620,2640,2680, 2720,340,350,355,360,362,365, 375,390,390 T,398,398 T,399,550, 560,565,575,590,592,595,1004, 1004 T,675,690,698,698 T,699, 1200,1250,35,35X,65,765,152 F, 158 F,168 F,152 V,158 V	OUTER D: 128.3MM SPLINE:57S SPLINE ID: 88MM THK:2.5MM
	Brake Friction Disc	1672626M1, 1862289M2, 1869665M1, 1870074M1, 1870879M1, 190177M1, 514276M1, 521282M1, 533326M2	133,135,135 E,140,145,148,152, 152 MKIII,152 S,155,158, 158 MKIII,158 S,165,165 MKIII, 168,168 MKIII,168 S,175,175 S, 178,185,188,1080,230,240,250, 253,255,260,263,265,275,285, 290,298,2620,2640,2680,2720, 340,350,355,360,362,365,375, 390,390 T,398,398 T,399,550, 560,565,575,590,592,595,1004, 1004 T,675,690,698,698 T,699, 1200,1250,35,35X,65,765,152 F, 158 F,168 F,152 V,158 V	OUTER D: 134.8MM SPLINE:57S SPLINE ID: 88MM THK:3.5MM
	Brake Friction Disc	3304636M1, 3308296M1, 3308296M2	154,164,174,184,194,233,253, 264,273,283,284,293,294,333, 353,354,363,373,374,383,384, 393,394,397,396,1007,334,134, 274SK	THK:3.2MM SPLINE ID: SPLINE OD: OUTER D: 180MM SPLINE: LINING WIDTH:
	Brake Friction Disc	3380442M1, 3616274M1	2620,2640,2645,2680,2685,2720, 2725,2625,3610,3630,3635,3650, 3655,3670,3680,3690,8110,8120, 8130,8140,8150,8160	OUTER D: 136MM


Photo	Item Name	OEM/ REF	Applications	Description
	Brake Friction Disc	1860965M1, 1860965M2, 3613538M2	133,135,145,148,152,158,165, 168,185,188,1080,292,297,299, 240,243,250,253,255,260,261, 265,275,283,285,290,298,350, 352,355,360,362,365,372,375, 382,390,396,398,399,415,425, 435,440,445,460,465,475,492, 4215,4220,4225,4235,4245, 4255,4260,4265,4270,4315, 4320,4325,4335,4345,4355, 4360,4365,4370,565,575,590, 595,5340,5355,5360,5365,1004, 675,690,698,699,1200,1250, 1014,1114,1134,1024,20F,30B, 30E,30H,40B,40E,50,50A,50A, 50B,50C,50D,50E,50EX,50F,50H, 50HX,60H,1004T,375E,390E, 390T,698T	OUTER D: 228.6MM


Photo	Item Name	OEM/ REF	Applications	Description
	Brake Shoes Repair Kit	32712715+ 31742128+ 33157122, 736510M1+ 736511M1+ 735199M1, 0630082+ 0780312+ 33157122, 0780312+ 0630082+ 33157122	10 Plot,1004,1004T,1007,1014, 1024,1080,1104,1114,1134, 1200,122,1250,130,133,134C, 134V,135,135MKIII,135V,140, 145,145MKIII,145S,145V,148, 148MKIII,152F,152MKIII,152S, 152V,154,154C,154F,154S,154V, 155,158F,158MKIII,158S,158V, 16,16 Plot,164TF,164TS,164TV, 165,165MKIII,168,168F,168MKIII, 168S,174,174C,174F,174S,175, 175S,178,184,184F,184S,185, 186,187,188,194,194C,194F, 194S,2205,231,233,234C,234CF, 234S,235,24,240,244CF,245,25, 250,253 (UK),254,254C,254CF, 254S,255,260,261,2620,2625, 263T (Italy),2640,2645,264T, 264TCF,264TS,265,2680,2685, 27,2720,2725,273,274,274C, 274CF,274S,274SK,275,283,284, 284S,285,29,290,293,294,294C, 294S,298,29XP,307,3070,3080, 3090,31,31XP,3210FP(X), 3210GE(X),3210SP(X),3220AP(X), 3220FP(X),3220GE(X),3220SP(X), 330,333,334V,340,35,350,353, 353LX,353S,354AP,354AQ,354F, 354FP,354FP(X),354FQ,354GE, 354GE(X),354S,354SP,354SP(X), 354SQ,354V,354VQ,355,356CF, 35X,360,3610,362N,363,3630, 363LX,363S,3645,364AP,364AQ, 364CF,364F,364FP,364FQ,364GE, 364S,364SP,364SQ,364V,364VQ, 365,3650 S/F/V/GE,366CF,367CF, 3680,373,373LX,373S,374AP, 374AP(X),374AQ,374F,374FP, 374FP(X),374FQ,374GE, 374GE(X),374H,374S,374SP, 374SP(X),374SQ,374V,374VQ, 375,376C,376CF,376XCF,377, 382N,383,383LX,383S,384AP, 384AP(X),384AQ,384F,384FP, 384FP(X),384FQ,384GE, 384GE(X),384S,384SP,384SP(X), 384SQ,384V,384VQ,387,390, 390E,390T,393,393LX,393S, 393TLX,394AP,394AP(X),394AQ, 394C,394F,394FP,394FP(X), 394FQ,394GE,394GE(X),394H, 394S,394SP,394SP(X),394SQ, 394TAQ,396,396C,396CF,396CT, 397,397T,398,399,400,410,415, 4215,4220,4225,4235,4240, 4245,425,4255,4260,4265,4270, 430,4315,4320,4325,4335,4345, 435,4355,4365,440,445,460,465, 475,481,487,492,500,506,507, 510,515,520,525,530,530S,5335, 5340,535,5355,5360,5365,550, 560,565,575,590,595,595MKII, 620,625,65,650,660,665,675, 680,690,698,698T,699,740,765, 800,805,810,815,820,825,830, 835,840,845,850,855,865,8780, 99,MT434B	—


Photo	Item Name	OEM/ REF	Applications	Description
	Brake Shoes Repair Kit	892266M2, 892267M1, 892268M1, 892269M1, 898654M91, 898654M92	133,135,135 Petrol,145,148,152, 155,158,165,168,175,178,185, 188,1080,230,231,235,240,245, 250,255,260,265,275,285,290, 20D,20F,30E,40E,50E,50EX	2


Photo	Item Name	OEM/ REF	Applications	Description
	Brake Arm	180864M1, 180684M1	135,135 UK,150,20,20D,2135, 240,30,3165,MF 35,MF 35 UK, MF 50,MH50	—



Photo	Item Name	OEM/ REF	Applications	Description
	Brake Master Cylinder	3614780M91	342,352,362,365,372,375,382, 390,390T,396,398,399	—
	Brake Master Cylinder	1698670M91, 1698670M91	235,245,250,255,260,265, 270,275,290,298,30E,40E, 50E,560	—


Photo	Item Name	OEM/ REF	Applications	Description
	Brake Slave Cylinder	3477380M91, 3477380M92, 3477380M93	340,342,350,352,355,360,362, 362 N,365,372 N,375,382 N,390, 390 T,396,398,399	—


Photo	Item Name	OEM/ REF	Applications	Description
	Hand Trottle Cable	3759021M91	230,235,240,253,340,342,350, 352,355,362,362 N,365,375, 382 N,390,390 T,398	1127mm



Photo	Item Name	OEM/ REF	Applications	Description
	Bush	061265R1, 6203970M1, 897712M2	165,168,175,178,185,188,240, 250,253,263,265,275,285,290, 340,342,350,352,355,360,362, 362 N,365,372 N,375,382 N,390, 390 T,396,398,399,415,425,435, 440,445,565,575,590,675,690, 65,765,30D,50,50B,50B MKII, 50D,50E,50EX,50F,50H,50HX,60H	OUTER D: 52.5MM INNER D: 47.8MM HEIGHT: 51MM
	Bush	3428657M3	MF 3050,MF 3060,MF 3065, MF 3075,MF 3085,MF 3095, MF 3120,MF 3125,MF 4215, MF 4220,MF 4225,MF 4235, MF 4240,MF 4245,MF 4255, MF 4260,MF 4265,MF 4270, MF 4315,MF 4320,MF 4325, MF 4335,MF 4345,MF 4355, MF 4360,MF 4365,MF 4370, MF 5425,MF 5435,MF 5445, MF 5455,MF 5460,MF 6110, MF 6120,MF 6130,MF 6140, MF 6150,MF 6160,MF 6170, MF 6180,MF 6190,MF 6235, MF 6245,MF 6255,MF 6260, MF 6265,MF 6270,MF 6280, MF 6290,MF 6445,MF 6455, MF 6460,MF 6470,MF 8110, MF 8120,MF 8130,MF 8140, MF 8150,MF 8160,MF 8210, MF 8220,MF 8240	OUTER D:80MM INNER D:72MM HEIGHT:47.6MM


Photo	Item Name	OEM/ REF	Applications	Description
	Oil Seal	1860959M1	154,164,174,184,194,133,	
			135 MKIII,145 MKIII,148 MKIII,	
			152 MKIII,158,165,168,185,188,	
			1080,1085,250X,292,297,299,	
			2210,2220,2225,2230,2235,230,	
			233,235,240,243,250,253,254,	
			255,260,261,263T,264T,265,273,	
			274,275,283,285,290,295,298,	
			373,374,377,383,384,387,393,	
			394,397,415,425,435,440,445,	
			460,465,475,481,492,560,565,	
			575,590,592,595,650,660,680,	
			1200,1250,296,1007,1014,1114,	
			1134,410,420,1024,20F,2205,	
30B,30E,40B,40E,50,50A,50A,				
50B,50B MKII,50C				


Photo	Item Name	OEM/ REF	Applications	Description
	Rear Axle Shaft	884847M92, 884847M93, 884850M3	158,165,168,175,178,185,188, 250,253,260,265,275,285,290, 350,352,355,360,362,365,372, 375,382,390,390 T,565,575,20F, 30B,30D,30E,40B,40E,50,50A, 50A	SPLINE:25 S



Photo	Item Name	OEM/ REF	Applications	Description
	Knuckle	897237M94	135,135 Petrol,148,230,240, 250,35,20B,2135	DIRECTION:LH
	Knuckle	897236M94	135,135 Petrol,148,230,240, 250,35,20B,2135	DIRECTION:RH


Photo	Item Name	OEM/ REF	Applications	Description
	Ball Joint	1695045M91	365,375,390,390 T,398,399, 4225,4235,4240,4245,4255, 4260,4265,4270,4325,4335, 4345,4355,4360,4365,4370, 5335,5355,5360,5365,5425, 5435,5445,5455,5460,6445, 6460,6470	—


Photo	Item Name	OEM/ REF	Applications	Description
	Strut Mount	3715926M1	6465 ,6475 ,6480 ,7465 , 7475 ,7480	—


Photo	Item Name	OEM/ REF	Applications	Description
	Rubber Damper	6226263M1	—	THREAD: 5/16-18UNCMM THREAD LENGTH: 56.5MM RUBBER HEIGHT: 19MM



Photo	Item Name	OEM/ REF	Applications	Description
	Bracket	885531M1	165,168,175,178,265,275,285, 290,575,590,675,690	DIRECTION:LH
	Bracket	885532M1	165,168,175,178,265,275,285, 290,575,590,675,690	DIRECTION:RH




Photo	Item Name	OEM/ REF	Applications	Description
	Bolt	894061M1	165,168,175,178,185,188,265, 275,290,565,575,590,675,690, 65,765	LENGTH: 57 MM THREAD: 9/16" UNF


Photo	Item Name	OEM/ REF	Applications	Description
	Nut	353931X1, 882263M1, 882263M91	165,168,175,178,185,188,1080, 292,297,299,250,255,265,270, 275,282,283,285,290,295,298, 383,393,352,355,360,375,390, 398,3050,3060,3065,425,435, 440,445,460,465,475,565,575, 590,595,670,675,690,698,698 T, 296,65,765,30D,30E,40	THREAD: 1-1/4 UNF



Photo	Item Name	OEM/ REF	Applications	Description
	Stabilizer Chain	1661406M91, 3620021M1	1200,265,275,285,290,340,342, 362,372,375E,382,390E,565, 575,590,675,690	—
	Stabilizer Chain	888523M91, 893410M1	165,168,175,178,185,253,260, 265,275,340,342,350,355,360, 362,362 N,365,372 N,375,390, 390 T,565,575,590,675,690,65, 765,20F,40E,50	—

Photo	Item Name	OEM/ REF	Applications	Description
	Quick Release Coupling	3384873M4, 3384873M5, 3384873M7, 3384873M8, 3384874M4, 3772942M1, 3794298M1, 3794298M2, 3905722M91	292,297,299,265,275,283,290, 298,353,354,363,373,373 S,374, 374 S,377,383,383 S,384,384 S, 387,393,393 S,394,394 S,397, 340,342,350,352,355,360,362, 362 N,365,372,372 N,375,382, 382 N,390,390 T,398,399,415, 425,435,440,445,460,465,475, 670,675,690,698,698 T,699, 384 F,394 F	—
	Quick Release Coupling	646663M91	135,148,165,188,788,805,810, 815,820,825,880,885,888	—
	Quick Release Coupling	646670M91	148,165,168,175,178,185,188, 230,240,240S,250,253,263,265, 265 S,275,285 S,290,298,342, 352,362,372 N,375 E,390 E,410, 430,465,550,565,575,590	—
	Quick Release Coupling			—
	Quick Release Coupling	—	—	—


Photo	Item Name	OEM/ REF	Applications	Description
	U Fork	1660372M91, 184350M91, 897683M91, 897683M92, 907981M91	133,135,135 E,140,152,165,240, 250,340,550,65,765,865,20,20D, 20F,30,30B,30D,30E,40B,135 F	—


Photo	Item Name	OEM/ REF	Applications	Description
	Linch Pin	1426056M91, 3304172M91, 810285M91, 810285M92	133,135,140,148,152,155,158, 165,168,175,178,185,188,230, 240,250,253,265,275,285,290, 340,342,350,352,355,362,365, 372,375,382,390,390 T,550,565, 575,590,595,675,690,35,35X,65, 765,TE20,TEA20,TED20,TEF20, TO20	—


Photo	Item Name	OEM/ REF	Applications	Description
	Insert Bearing	842323M1, PMDS209TT5, W209 PPB5	—	BEARING NO.: W209PPB5 OUTER D:85MM INNER D:34.4MM HEIGHT:36.5MM



Photo	Item Name	OEM/ REF	Applications	Description
 A dark grey metal joint bearing with a circular hole in the center and a rectangular tab on the left side. The tab has the markings "FNM 376" stamped on it.	Joint Bearing	FNM376	—	—
 A dark grey metal joint bearing with a circular hole in the center and a rectangular tab on the right side.	Joint Bearing	FNM448	—	—




Photo	Item Name	OEM/ REF	Applications	Description
	<p>Linker</p>	<p>881729M1+ 881727M1+ 188909M1+ 1888905M1+ 182723M</p>	<p>165,168,175,178,185,188,265, 275,285,290,50,50B,50B MKII</p>	<p>—</p>


Photo	Item Name	OEM/ REF	Applications	Description
	Silencer	1673835M92, 1675390M91, 1675390M92, 3772138M1, 3821782M91	265,265 S,275,285 S,290,362, 362 N,372 N,375 E,382 N,390 E, 565,575,590	VOERALL LENGTH:124CM SILENCER $\phi$ : 11MM SILENCER LENGTH:51CM FITTING $\phi$ : 54MM TYPE:VERTICAL
	Silencer	1672994M92, 1672994M93, 1699143M93, 1897207M91	260,275,290,565,575,590, 675,690	VOERALL LENGTH: 106CM SILENCER $\phi$ : 110MM SILENCER LENGTH: 47CM FITTING $\phi$ : 55MM TYPE: VERTICAL-
	Silencer	3530335M91, 898228M92, 898228M93, 898228M94	165,168,175,175 S,178,185, 188,265,275,290,565,575,65, 765,865	VOERALL LENGTH: 110CM SILENCER $\phi$ : 95MM SILENCER LENGTH: 60CM FITTING $\phi$ : 55- 58MM TYPE: VERTICAL-


Photo	Item Name	OEM/ REF	Applications	Description
	Head Lamp	1672768M91, 1860175M1, 1890154M1, 3600101M91	135,148,165,168,175,178,185, 188,230,235,240,245,250,253, 255,265,275,290,298,2620, 2640,2645,2680,2685,2720, 2725,550,565,575,590,595, 675,690,698,698T,699,1200, 1250,20D,50,50B,50B MKII, 50D,50E,50EX,50F,50H,50HX,60H	POWER:KW VOLT:V LEFT/RIGHT:RH

Photo	Item Name	OEM/ REF	Applications	Description
	Tail Lamp	1668658M91, 1678869M91, 1678869M92, 1808842M91, 1808842M92	230,240,243,250,253,263,265, 275,290,298,374 AP,374 FP, 374 GE,374 H,374 SP,394 AP, 394 FP,394 GE,394 H,394 SP, 340,375 E,390 E,550,565,575, 590,174 F,194 F,374 F,394 F	RH
	Tail Lamp	1668657M1, 1668657M91, 1678868M91, 1678868M92, 1679869M91, 1808843M91, 1808843M92	174F,194F,230,240,250,253, 263,265,275,285,290,298,340, 374F,374FP,374GE,374H,374SP, 375E,390E,394AP,394F,394FP, 394GE,394H,394SP,550,565, 575,590	LH
	Tail Lamp	3699490M91, 3699490M92, 3700154M1	362,362N,365,375,382N,390, 390T,398,399,4225,4235,4240, 4245,4260,4265,4270,4325, 4355,4360,4365,4370	—


Photo	Item Name	OEM/ REF	Applications	Description
	Turn Signal Lamp	1673840M91, 1673841M91, 1678580M91, 1678840M91	230,240,243,250,253,263,265, 275,290,340,560,565,575,590, 595,375E,390E	—


Photo	Item Name	OEM/ REF	Applications	Description
	Bulb	002088-134, 8GD002088-135, 8GD002088-136, 8GD002088-137, 8GD002088-131	1004 (Italian series ), 1004T (Italian series ), 1007 (Italian series ), 1014 (Italian series ), 1024 (Italian series ), 1080 (Italian series ), 1085 (Italian series ), 1100 (Italian series ), 1104 (Italian series ), 1105 (Italian series ), 1114 (Italian series ), 1130 (Italian series ), 1134 (Italian series ), 1135 (Italian series ), 1200 (Italian series ), 122,1250 (Italian series ), 130,133,134C,134V,135, 135V,140,145,145S,145V, 148,150,152,152F,152S, 152V,154,154C,154F,154S, 154V,155,158,158F,158S, 158V,164TF,164TS,164TV, 165,168,168F,168S,174,174C, 174F,174S,174V,175,175S, 178,184,184F,184S,185,188, 194,194C,194F,194S,20B,20D, 230,233,234C,234CF,234S, 235,240,244CF,245,250, 253 (Italy),253 (UK),254,254C, 254CF,254S,255,255 (USA), 260,2620,2625,263 (UK), 263T (Italy),2640,2645,264T, 264TCF,264TS,265,2675,2680, 2685,2705,2720,2725,273, 274,274C,274CF,274S,274SK, 275,275E,2805,283,284,284S, 285,285 (USA),290,290E,293, 294	TYPE:R2 VOLT:12V POWER: 45/40W

Photo	Item Name	OEM/ REF	Applications	Description
	Horn	1678404M1, 794220M1	1002,1004,1004 T,1104,1204, 20D,20E,20F,230,231,240,240 P., 243,250,2665,2665MX,2670, 2680,2685,2690,2695,270,275, 281,283,290,291,292,297,298, 299,30,3050,3060,3065,3070, 3075,3080,3085,3090,3095, 30E,30H,31,3115,3120,3125, 3140,340,342,350,352,355,360, 362,362 N,3630,3635,3645,365, 3650,3655,3660,3670,3680, 3690,372 N,375,375 E,382 N, 383,390,390 E,390 T,393,396, 398,399,4000,415,4215,4220, 4225,4233,4235,4240,4243, 4245,425,4253,4255,425Xtra, 4260,4263,4265,4270,4292, 4315,4320,4325,4335,4345, 435,4355,435Xtra,4360,4365, 4370,440,440Xtra,445,445Xtra, 450,455Xtra,460,460Xtra, 461 Xtra,465,470Xtra,471 Xtra, 475,480Xtra,481 TIER I,483,490, 492,50E,50F,50H,5300,5310, 5320,5335,5340,5355,5360, 5365,5425,5435,5445,5455, 5460,5460 SA,5465,5470, 5470 SA,5475,5475 SA,5480, 560,565,575,590,591,592,60H, 6110,6120,6130,6140,6150, 6160,6170,6180,6190,6235, 6245,6255,6260,6265,6270, 6280,6290,6350,6360,6445, 6455,6460,6465,6470,6475, 6480,6485,6490,6495,6497, 6499,649T,670,675,690,698, 698 T,699,7140,7150,7170, 7180,7465,7475,7480,7485, 7490,7495,800,804,8110,8120, 8130,8140,8150,8160,8170, 8180,8210,8220,8240,8245, 8250,8260,8260 LST,8270,8280, 8450,8460,8470,8480,8650, 8660,8670,8680,8690,900,904	VOLT:12V



Photo	Item Name	OEM/ REF	Applications	Description
	Emblem	1698120M1, 1698121M1	285	—
	Emblem	1682944M1, 1682944M91	<p>164 TS,174 S,184 S,194 S,133, 135 MKIII,145 MKIII,152 MKIII, 158 MKIII,158 S,168 MKIII,168 S, 230,233,240,250,253,254,260, 264,265,273,274,275,283,284, 290,293,294 S,298,1004,1004 T, 675,154 F,164 TF,174 F,184 F, 194 F 690,698,698 T,699,152 F, 168 F,234 C,234 CF,294 C,152 F, 168 F,134 V,154 V,164 TV,174 V, 135 V,145 V</p>	—




Photo	Item Name	OEM/ REF	Applications	Description
	Seat	—	—	—


Photo	Item Name	OEM/ REF	Applications	Description
	Wiper Blade	3620125M91, 3713195M1, 3812439M9	230,231,233,234C,234CF,234S, 235,240,240S,243,244CF,245, 250,253 (Italy),253 (UK),254, 254C,254CF,254S,255, 255 (USA),260,261,263 (UK), 263T (Italy),264T,264TCF, 264TS,265,265S,273,274,274C, 274CF,274S,274SK,275,275E, 283,284,284S,285,285 (USA), 285S,290,290E,290S,293,294, 294C,294S,298,50	LENGTH:18"


Photo	Item Name	OEM/ REF	Applications	Description
	Seal Ring	1874520M91, 1876176M2	265,265S,275,285,290,298, 375E,390E	—

Photo	Item Name	OEM/ REF	Applications	Description
	Alternator	3671529M91	6110,6120,6130,6140,6150, 6160,6170,6180,6190	VOLT:12V AMP:65A
	Alternator	1672844M1, 1676689M92, 1699871M1, 1879264M91, 1895271M91, 1897264M91, 1897271M91, 24087, 60600700, LRA361, 24022,24087, 60600700, LRA00361, 432983,433375	133,135,145,148,152,158,158 F, 158 MKIII,158 S,158 V,168, 168 MKIII,168 S,20D,20E,20F, 230,240,250,265,270,275,283, 290,298,30,30E,30H,375 E, 375E,390 E,390E,40E,50,50B, 50D,50E,50EX	VOLT:14V AMP:33A
	Alternator	3637261R91, LRA00100, LRA100	400,450,520,525,620,625,9500	VOLT:12V AMP:43A
	Alternator	7017732M1	235.255	VOLT:14V AMP:55A
	Alternator	3789453M91, 3789453M92, 3789453M93, 3789983M91, 3789983M92, 3789983M93, 4280470F91, 4281878M91, 4281878M92, 4281878M93, 4281880M91, 4281880M92, 4281880M93	5465,5475,6465,6475,6480, 6485,6490,6495,6497,6499, 7465,7475,7480,7485,7490, 7495,8450,8460,8470,8480	VOLT:14V AMP:150A



Photo	Item Name	OEM/ REF	Applications	Description
	Alternator	3589435M91, 9120080159, 0120489723, 0120489724, 9120080102, 9120080112, 9120080148, 9120080159, 9120080183	250X,250X Advanced,265, 265 Advanced,275, 275 Advanced,283, 283 Advanced,290, 290 Advanced,292, 292 Advanced,415,425,435, 440,445,460,5275,5285,5290, 5300,5310,5335,5340,5355, 5360,610,610 Turbo,620	VOLT:12V AMP:35A
	Alternator	1447634M91, 1897695M91, 3638512R91, 3638813R1, 3698016M91, 3930501E91, 3930501E91ATG, 3930501R91, 3930501T, 3933142M91, LRA00226	1004,20,20F,230,24,240,253, 2620,263,2640,265,27,2720, 283,29,298,29XP,3050,30E, 30H,31XP,340,350,355,360, 365,375,383,390,390T,398, 399,40E,620,625,698,699	VOLT:12V AMP:45A

Photo	Item Name	OEM/ REF	Applications	Description
	Carbon Brush	1012013M91, 1714525M1, 1810743M91, TAB125	133,135,140,145,148,152,155, 165,168,175,178,185,188,230, 234,235,240,245,250,253,254, 255,265,275,290,298,340,342, 350,352,355,360,362,362 N,365, 372 N,375,382 N,390,390 T,396, 398,399,3050,3060,3065,3070, 3075,565,575,590,595,1004, 1004 T,675,690,698,698 T,699, 35,35X,65,TEF20,307 Combine, 506 Combine,507 Combine, 520 Combine,525 Combine, 440 Combine,134 C,154 C,0D, 20F,30E,30H,40E,50,50B, 50B MKII,50D,50E,50EX,50F, 50H,50HX,60H	—
	Carbon Brush	1873842M1	20D,20F,230,235,240,243,245, 250,253,255,260,263,265,275, 283,290,298,30E,342,352,362 N, 365,372 N,375,375 E,382 H,383, 390,390 E,390 T,393,396,398, 399,40E,50E,550,560,575,590, 592,595,595 MKII	—
	Carbon Brush	7123388, 7123-388	20D,20F,230,235,240,243,245, 250,253,255,260,263,265,275, 283,290,298,30E,342,352,362 N, 365,372 N,375,375 E,382 H,383, 390,390 E,390 T,393,396,398, 399,40E,50E,550,560,575,590, 592,595,595 MKII	—


Photo	Item Name	OEM/ REF	Applications	Description
	Regulator	1887416M1, 1897383M1, UCB100	133,135,145,148,152,158,168, 230,240,250,265,275,290,20D, 30E,30H,40E,50B,50B MKII,50D, 50E,50EX	VOLT:12V AMP:45A

Photo	Item Name	OEM/ REF	Applications	Description
	Rectifier	1897267M1, 1897567M1	298	AMP: 45A
	Rectifier	1897700M91, 3474648M91, 347468M91, 3477529M91	1007,1014,1024,230,240,243, 253,263,275,290,340,342,350, 352,353,353LX,353S,354,355, 356,360,362,363,364,365,366, 367,372,373,374,375,375E,376, 377,382,383,384,387,390,390E, 393,394,396,397,398,399,4215, 4220,4225,4235,4240,4260,4265, 4270,6235,6245,6255,6260,6265, 6270,6280,6290,8210,8220	AMP: 75A
	Rectifier	1865974M1, 1897699M91, 345773M91, 3474604M91, 3476714M91	3900691M91,UCB148,37701, 37703,37705,37707,54048473, 54205986,54206177,54206448, 54206467,54206645,54207336, UCB148X,UCB150,UCB150X, UCB151,UCB151X	AMP: 75A
	Rectifier	1429443M1, 1888323M1, 1897094M1	133,135,145,148,152,158,168, 20D,230,240,250,265,275,285, 290,30E,30H,40E,50B,50B MKII, 50D,50E,50EX	AMP: 75A



Photo	Item Name	OEM/ REF	Applications	Description
	Starter	1433262M91, 1903111M91, 1903135M91, 518884M91, 519977M92, 721894M91, 1113640, 1113641, 1113644, 1113653, 1113668, 1113672, 1113683, 1993988	1100,1105,1130,1135,740, 750,760	TEETH:10T VOLT:12V POWER:3.2KW
	Starter	3784889M2, 3784890M1, 3823621M91, 3823621M93, 3823621M94, LRS02206	5465,5470,5470SA,5475SA, 6260,6270,6280,6290,6465, 6475,6480,6485,6490,6495, 6497,6499,7465,7475,7480, 7485,7490,7495,8210,8220, 8240,8250,8260,8270,8280, 8450,8460,8470	TEETH:10T VOLT:12V POWER:3.2KW L:225mm A x B:3*127
	Starter	168065M3, 1868283M5, 3597371M2, 0001362084, 26344,26365, 26411,27522, 27540,27571, 9142764(MAGNETON)	133,135,140,145S,152, 152V155,158,165,230,240, 250,255,260,350,360,535, 550,560	TEETH:10T VOLT:12V POWER:2.7KW
	Starter	3539389M91, 3821818M91, 3821818M93, 26154,26220, 26264,26412, 27432,27470, 27480A, LRS00190, 0001362049, 0986050570, 9000143400, 9000143404, 9000143414, 90004475057	133,135,135 MKIII,140,145, 145 MKIII,148,148 MKIII,152, 152 MKIII,155,158,165,230,234, 235,240,240 S,243,245,250,253, 254,255,260,263,340,342,350, 352,355,360,4215,4220,560,35, 35X,65,134 C,154 C,20,20D,20F, 30,30E,30H,40E,50,152 F,135 V, 145 V	TEETH:10T VOLT:12V POWER:2.8KW
	Starter	28730001T, 2873B056T, 2873B071, 3581576M2, 3581576M3, 3930508E1, 3930508R1, 3935081E1ATG	3085,3095,3115,3120,3125, 3635,3645,3655,3670,3680, 3690,6160,6170,6180,6190, 6260,6270,6280,6290,8110, 8120,8130,8140,8150,8160, 8210,8220,8240,8250,8260	TEETH:10T VOLT:12V POWER:3.0KW
	Starter	3821818M93	3050,3060,3065,4225,4235, 4240,4245,4255,4260,4265, 4270,4325,4335,4345,4355, 4360,4365,4370,5425,5435, 5445,5455,6110,6120,6130, 6140,6150,6235,6245,6255	TEETH:10T VOLT:12V POWER:4.2KW L:387mm A x B:3*127



Photo	Item Name	OEM/ REF	Applications	Description
	Starter	1447731M1, 1680064M1, 1691806M1, 1860093M2, 1868285M2, 1868285M3, 1868285M91, 1868287T, 2873B057, 2873B072, 3597372M1, 3597372M2, 3597372R2, 3763362M91, 3763362M92, 3930506E1, 3930506E1ATG, 3930506R1, 4224340M91, 4226701M91, 0001367040, 9000143416, 26271,26271R, 26404,26404R, 26410,26413, 26413R,27464, 27539,27539R, 27572,27572B, LRS215,LRS232, LRS519,NSB529	MLT629-120LS	TEETH:10T VOLT:12V POWER:2.8KW
	Starter	2873K405, 2873K624, 2873K626, 2873K634, 19083018, 4280001290, 428000-1290, DRS3954, DRS3954N	291Advanced,3425F,3425S, 3425V,3435F,3435S,3435V, 3445F,3445S,3445V,3455F, 3455S,3455V,471,481,491, 492,573,583,593,596	TEETH:10T VOLT:12V POWER:3.2KW L:196.5mm A x B:3*127


Photo	Item Name	OEM/ REF	Applications	Description
	<p>Starter Armature</p>	<p>1887964M91, 1897268M92</p>	<p>155,158,165,168,174,175,178, 184,185,188,194,240,263,265, 273,274,275,283,284,285,290, 293,294,298,3050,3060,3065, 3070,3075,350,355,360,362, 365,372,373,374,375,377,382, 383,384,387,390,396,398,399, 4215,4220,4225,4235,4245, 4255,4260,4265</p>	<p>SPLINES: 12 S SLOTS: 21 LENGTH: 302.0 MM OUTER D: 84.1 MM</p>



Photo	Item Name	OEM/ REF	Applications	Description
	Starter Stator	245079, 54245079, 54245576, 54258818, SFC0007, TEB128	—	VOLT: 12V
	Starter Stator	1897291M91, 54245574, TEB129	240,255,274,285,350,354,355, 360,364,3645,365,3655,3680, 375,390,398,399,4255,4270, 6170,6180,8120,8140,8150, 8160,8240,8250,8260,8270, 8280	VOLT: 12V



Photo	Item Name	OEM/ REF	Applications	Description
	Solenoid Switch	1094197M91, 1889779M1, 1893404M91, 1897313M91, 3473937M91, 3474587M1, 901191M1, 77010, TOB110	133,135,140,145,148,152,155, 165,230,234,235,240,245,250, 253,254,255,340,342,350,352, 355,360,398T,399,3050,3060, 3065,3070,3075,1004,1004T, 698T,699,35,35X,65, 307 Combine,506 Combine, 507 Combine,520 Combine, 525 Combine,440 Combine, 134 C,154 C,20D,20F,30E,30H, 40E,50,50B,50B MKII,50D,50E, 50EX,50F,50H,50HX,60H	VOLT:12V SOCKET:4PIN
	Solenoid Switch	1047083M91, 1632988M91, 3475771M91, 700717664, 76803,76891, 76892,76897, 76899,76902, 76908,76940, 76983,77034, 77035, H1284365C2, TOB162	165,168,175,178,185,188,240, 265,275,290,298,362,362 N, 365,372 N,375,382 N,390,390 T, 396,398,399,3050,3060,3065, 3070,3075,565,575,590,595, 1004,1004 T,675,690,698,698 T, 699,307 Combine,506 Combine, 507 Combine,520 Combine, 525 Combine,440 Combine,50, 50B,50B MKII,50D,50E,50EX, 50F,50H,50HX,60H,60X	VOLT:12V SOCKET:4PIN



Photo	Item Name	OEM/ REF	Applications	Description
	Starter Drive	10479034, 1993958, 1993992	8570,8680,8780,9240	TEETH:12 T SPLINE:3 S
	Starter Drive	1894395M91, 54247034, TMB120	1004,133,135,140,145,148,152, 155,165,168,175,178,185,188, 230,234,235,240,245,250,253, 254,255,265,275,290,298,3050, 3060,3065,3070,3075,340,342, 35,350,352,355,35X,360,362, 365,372,375,382,390,396,398, 399,565,575,590,595,65,675, 690,698,699	TEETH:10 T SPLINE:12 S


Photo	Item Name	OEM/ REF	Applications	Description
	Starter End Housing	1635906M91	155,158,165,168,174,175,178, 184,185,188,194,240,263,265, 273,274,275,283,284,285,290, 293,294,298,3050,3060,3065, 3070,3075,350,355,360,362, 365,372,373,374,375,377,382, 383,384,387,390,396,398,399, 4215,4220,4225,4235,4245,4 255,4260,4265	—


Photo	Item Name	OEM/ REF	Applications	Description
	Solenoid Valve	1896464M1, 28730179	292,299,243,253,263,275,283, 290,298,352,355,396,399,3075, 3085,3095,3115,3125,3635, 3645,3655,440,445,460,465, 475,4220,4235,4245,4255,4260, 4270,6130,6140,6150,6160, 6170,6180,6235,6245,6255, 6260,6265,6270,6290,8120, 8210,8220	VOLT:12V SOCKET:2PIN





Photo	Item Name	OEM/ REF	Applications	Description
	Ignition Switch	1446116M1, 1446116M91, 1865976M91, 1874120M91, 1874120M92, 1874120M93, 1874120T93, 1874120T94, 1874535M3, 2846130, 34228, 35670, 3640789M1	1100,1102,1103,1203,133,135, 148,152,158,165,168,175,178, 185,188,20,20D,20F,230,231, 235,240,243,245,250,253,255, 263,265,265S,275,285,285S, 290,292,295,296,297,298,299, 3050,3060,3065,3070,3075, 3080,3085,3090,3095,30E,3115, 3120,3125,340,350,355,360, 3610,3630,3635,3645,365,3650, 3655,3670,3680,3690,375,375E, 390,390E,390T,396,398,399, 40E,415,425,435,440,445,460, 465,475,481,492,50,500,502, 504,50B,50E,50EX,50F,50H, 50HX,5340,5355,5360,5365, 560,565,575,590,592,595,6000, 602,604,60H,6100,6120,6130, 6140,6150,6160,6170,6180, 6190,6260,6270,6280,6290, 6300,6400,650,660,6600,680, 6800,700,702,703,8000,802, 803,8100,8110,8120,8130, 8140,8150,8160,8170,8180, 8200,8210,8220,8400,900,903	—
	Ignition Switch	3699692M91, 3699692M92	342,352,362,365,372,375,382, 390,396,398,399,4215,4220, 4225,4235,4245,4255,4260, 4265,4270,4315,4325,4335, 4345,4355,4360,4365,4370, 5355,5360,390T	—


Photo	Item Name	OEM/ REF	Applications	Description
	Combination Switch	1668816M1, 1668816M2, 1668816M91, 1699034M1, 1699034M91, 34592	133,135,140,145,148,152,155, 158,165,168,175,178,185,188, 230,235,240,245,250,255,260, 265,275,285,290,298,550,560, 565,575,590,592,595,20D,20F, 30E,30H,40E,50,50D,50F,50H, 50HX,60H,60HX,375E,390E	—


Photo	Item Name	OEM/ REF	Applications	Description
	Ignition Switch Key	1695447M1, 3305190M91, 3813361M1, 54324157	135,148,165,168,175,178,185, 188,230,235,240,245,250,255, 265,275,290,298,565,575,590, 35,35X,65,765,20D,20F,30E,30H, 40E,50,50B,50B MKII,50E,50EX, 50F,50H,50HX,60H	—

Photo	Item Name	OEM/ REF	Applications	Description
	Glow Plug	1446935M1, 2666108, 3583453M2, 3583543M2, 893501M91	154,154 S,174,174 S,184,184 S, 194,194 S,133,135,135 MKIII, 140,145 MKIII,145 S,148, 148 MKIII,152,152 MKIII, 158 MKIII,158 S,165,168 MKIII, 168 S,175,178,185,188,1080, 2210,2220,230,231,233,234 S, 235,240,243,245,250,253,254, 254 C,254 S,255,260,261,263, 263 T,264 T,265,265 S,273,274, 274 S,274 SK,275,283,284,284 S, 285,285 S,290,293,294,294 S, 298,2620,2640,2645,2680,2685, 2625,333,353,353 LX,353 S,354, 354 GE,363,363 LX,363 S,364, 364 GE,364 S,373,373 LX,373 S, 374,374 AP,374 AQ,374 FP, 374 FQ,374 GE,374 S,374 SP, 374 SQ,377,383,383 LX,383 S, 384 AP,384 AQ,384 FP,384 FQ,3 84 GE,384 S,384 SP,384 SQ,387, 393,393 LX,393 S,393 TLX,394, 394 AP,394 AQ,394 FP,394 FQ, 394 GE,394 H,394 S,394 SP, 394 SQ,397,397 T,340,342,350, 352,354 AP,354 AQ,354 S, 354 SP,354 SQ,355,360,362, 362 N,364 AP,364 AQ,364 FP, 364 FQ,364 SP,364 SQ,365,372, 372 N,375,375 E,382,382 N, 390,390 E,390 T,396,398,399, 3050,3060,3065,3070,3075, 3080,3085,3090,3095,3115, 3120,3120 T,3125,3315,3325, 3330,3340,3350,3355,3610, 3630,3635,3645,3650,3655, 4215,4220,4225,4235,4240, 4245,4255,4260,4270,4315, 4320,4325,4335,4345,4355, 4360,4370,550,560,565,575, 590,592,595,595 MKII,5335, 5340,5355,5360,660,1004, 1004 T,675,690,698,698 T,699, 699 T,6110,6120,6160,6170, 6180,6190,6235,6245,6255, 6260,6265,6270,6280,6290, 8110,8120,8130,8210,8220, 1250,1007,1014,1114,1134, 820,825,835,430,10 Combine, 307 Combine,330 Combine, 530S Combine,810 Combine, 830 Combine,840 Combine, 440 Combine,174 C,194 C,234 C, 234 CF,244 CF,254 C,254 CF, 274 C,274 CF,294 C,356 CF, 364 CF,366 CF,367 CF,376 C, 376 CF,376 XCF,394 C,396 C, 396 CF,396 CT,20,20B,20D,20E,	—


Photo	Item Name	OEM/ REF	Applications	Description
	Glow Plug	2666103, 893501M1	<p>10 Plot,1014,1024,1100,1104, 1114,1200,1250,130,133,135, 140,145,155,16,16 Plot,165, 165MKIII,168,168F,168S,174, 174C,174F,174S,174V,175,175S, 178,184,184F,184S,185,186, 187,188,194,194C,194F,194S, 20,203,205,206,2230,230,240, 240S,250X,250X Advanced, 255 (USA),2620,2625,2640, 2645,265,265 Advanced,2675, 27,273,274,274C,274CF,274S, 274SK,275,275 Advanced,275E, 283,283 Advanced,284,284S, 285,290,290 Advanced,290E, 292,292 Advanced,293,294, 294C,294S,297,297 Advanced, 298 Advanced,299, 299 Advanced,3050,3055, 3060,307,3075,3080,3085, 3090,3095,30D,3115, 3220AP(X),3220FP(X), 3220GE(X),3220SP(X), 3225AP(X),3225FP(X), 3225GE(X),3225SP(X), 3235AP(X),3235FP(X), 3235GE(X),3235SP(X),330,3303, 3305,3330,3330F/FE,3330GE, 3330S,3330V,3340,3340F/FE, 3340GE,3340S,3340V,35,356, 3610,362,362N,365,3670,367CF, 3690,372N,373,373LX,373S, 374AP,374AP(X),374AQ,374F, 374FP,374FP(X),374FQ,374GE, 374GE(X),374H,374S,374SP, 374SP(X),374SQ,374V,374V</p>	<p>VOLT:12V AMP:12.5A LENGTH: 59MM THREAD: 3/8-24 UNFMM</p>


Photo	Item Name	OEM/ REF	Applications	Description
	Ampere Meter	1672835M2	230,235,240,243,245,250, 253,263	—


Photo	Item Name	OEM/ REF	Applications	Description
	Oil Pressure Meter	1458875M91, 1850337M96, 1850377M96, 1853097M91, 1853097M92, 3381907M1, 506902M92, 908428M1, 960265M1, 968903M1	135,148,165,168,175,178,185, 188,415,35,35X,65,765,TEA20, TED20,TEF20,410,510 Combine, 520 Combine,525 Combine, 620 Combine,625 Combine, 50,50B	—

Photo	Item Name	OEM/ REF	Applications	Description
	Water Tem Meter	3698122M91	342,352,362,365,375,390, 390 T,396,398,399	—
	Water Tem Meter	1078125M91, 180727M91, 180727M92, 180727M93, 881369M91, 881396M1, 881396M91, 899455M91	135,148,165,168,175,178,185, 188,415,1200,1250,35,35X,65, TEF20,410,510 Combine, 520 Combine,525 Combine, 620 Combine,625 Combine,50	—
	Water Tem Meter	1877719M92, 1877719M93	230,231,235,240,243,245,250, 253,255,260,261,263,265,265 S, 275,285,290,298,2620,2640, 2680,2775,2805,375 E,390 E, 550,560,565,575,590,592,595, 840 Combine,20D,20F,30E,40E, 50,50D,50E,50EX,50F	—




Photo	Item Name	OEM/ REF	Applications	Description
	Fuel Gauge	1877717M92, 1877717M93	20D,20E,20F,231,240,250,253, 261,270,2775,2805,282,283, 283 UK,290,298,30E,40E,50E, 50F	—



Photo	Item Name	OEM/ REF	Applications	Description
	Tacho Meter	1674637M91, 1674637M92, 1875187M92	158,240,253,260,265,275,285, 290,298,560,565,575,590,592, 595,50E,50EX,375E,390E	—
	Tacho Meter	3698118M92	275,290,365,375E,390,390T,398	—

Photo	Item Name	OEM/ REF	Applications	Description
	Rocker Switch	3597800M1	342,350,355,360,362,362 N, 365,372 N,375,390,390 T	—
	Rocker Switch	1696498M1	340,342,350,352,355,360,362, 365,375,382N,390,390T,396, 398,399	—
	Rocker Switch	1694369M1	340,342,350,352,355,360,362, 365,375,382N,390,390T,396, 398,399	—
	Rocker Switch	1695208M1	342,350,355,360,362,362 N, 365,372 N,375,382 N,390,390 T, 396,398,399	—
	Rocker Switch	35957800M1	—	SOCKET:3PIN
	Rocker Switch	1694362M1		—
	Rocker Switch	3597366M1	340,342,350,352,355,360,362, 365,372,375,382,383,390,396, 398,399	—


Photo	Item Name	OEM/ REF	Applications	Description
	Hazard Light Switch	1695208M1	342,350,355,360,362,362 N, 365,372 N,375,382 N,390, 390 T,396,398,399	—


Photo	Item Name	OEM/ REF	Applications	Description
	Horn Switch	3597562M1	240,243,253,283,340,342,350, 352,355,360,362,365,375,382, 383,390,396,398,399	SOCKET:2PIN MAX VOLT: 12/24V MAX AMP: 25/15A

Photo	Item Name	OEM/ REF	Applications	Description
	<p>Water Temperature Sensor</p>	<p>1877731M92, 1877731M93, 963418M1, 969606M2</p>	<p>1004,1007,1014,1024,133, 134 V,135,135 MKIII,135 V,145, 145 MKIII,145 V,148,148 MKIII, 152,152 F,152 MKIII,154,154 F, 154 V,154S,158,158 F,158 MKIII, 158 S,158 V,164,164 TF,164 TS, 164 TV,168,168 F,168 MKIII, 168 S,174 F,174 S,174 V,184 F, 184 S,194 F,194 S,20B,20D,20E, 20F,2205,2210,2220,2225,2230, 2235,230,231,233,235,240, 240 S,245,250,253,254,254 S, 255,261,2620,2625,263,2640, 2645,265,265 S,2675,2680, 2685,2705,2720,2725,273, 274 SK,2745,275,2775,2805, 283,284,285,290,293,294, 294 S,298,3050,3060,3065, 3070,3075,3080,3085,3090, 3095,30E,30H,3115,3120,3125, 333,334 V,340,342,350,352, 353,353 LX,353 S,354 AP,354 F, 354 FP,354 FQ,354 GE,354 S, 354 SP,354 SQ,354 V,354 VQ, 355,356 CF,360,3610,362,362 N, 363,363 LX,363 S,3635,364 AP, 364 AQ,364 CF,364 F,364 FP, 364 FQ,364 GE,364 S,364 SP, 364 SQ,364 V,364 VQ,3645,365, 3650,3655,366 CF,372 N,373, 373 LX,373 S,374 AP,374 AQ, 374 F,374 FP,374 FQ,374 GE, 374 H,374 S,374 SP,374 SQ, 374 V,374 VQ,375,375 E,376 C, 376 CF,376 XCF,377,382 N,383, 383 LX,383 S,384 AP,384 AQ, 384 F,384 FP,384 FQ,384 GE, 384 S,384 SP,384 SQ,384 V, 384 VQ,387,390,390 E,390 T, 393,393 LX,393 S,393 TLX, 394 AP,394 AQ,394 C,394 F, 394 FP,394 FQ,394 GE,394 H, 394 S,394 SP,394 SQ,394 TAQ, 396,396 C,396 CF,397,397 T, 398,399,40E,4225,4235,4240, 4245,4255,4260,4265,4270, 4325,4335,4345,4355,4365, 4370,440 Combine,50,50B, 50B MKII,50D,50E,50EX,50H, 50HS,50HX,50HXS,50HXT,5360, 550,560,565,575,590,592,595, 60H,60HS,60HXS,6120,6130, 6140,6150,6160,6170,6180, 6190,6235,6245,6255,6260, 6265,6270,6280,6290,675,690, 698,698 T,699,8110,8120,8130, 8210,8220</p>	<p>—</p>



Photo	Item Name	OEM/ REF	Applications	Description
	Oil Pressure Sensor	1877721M92, 3599307M91	<p>154,164,174,184,194,230,231, 235,240,243,245,250,253,254, 255,260,265,285,290,298,2640, 2645,2680,2720,2725,2625,333, 353,354,363,364,373,374,377, 383,384,387,393,394,397,340, 342,350,352,355,360,365,372, 375,382,390,398,399,3050,3060, 3065,3070,3075,3080,3085, 3090,3095,3115,3120,3125, 3610,3630,3635,3645,3650, 3655,4215,4220,4225,4235, 4245,4255,4260,4265,4270, 4315,4325,4335,4345,4355, 4360,4365,4370,550,560,565, 575,590,592,595,5460,5465, 1004,675,690,698,699,6120, 6130,6140,6150,6160,6170, 6180,6190,6235,6245,6255, 6260,6265,6270,6280,6290, 8120,8130,8210,8220,1007, 1014,1024,20B,20D,20E,20F, 30E,30H,40E,334,1004T,134, 234C,244CF,254C,264C,353LX, 356CF,363LX,364CF,366CF, 373LX,376C,376CF,376XCF, 383LX,390E,390T,393LX,394C, 396C,396CF,396TC,698T</p>	—
	Oil Pressure Sensor	1693367M1	<p>275,290,342,350,352,355,360, 362,365,375,390,390T,398,399, 4215,4220,4225,4235,4240, 4245,4255,4260,4265,4270, 4315,4320,4325,4335,4345, 4355,4360,4365,4370,T256G, T266G,T277G,T288G,T3050, T3060,T3070,T3075,T3075D, T3085,T3085D,T3095,T3095D, T3105</p>	—


Photo	Item Name	OEM/ REF	Applications	Description
	Oil Pressure Sensor	1614707M3, 3381386M1	203,205,206,230,233,234C, 234CF,234S,235,240,244CF,245, 250,253 (Italy),253 (UK),254, 254C,254CF,254S,255,255 (USA), 260,2620,2625,263 (UK), 263T (Italy),2640,2645,264T, 264TCF,264TS,265,2675,2680, 2685,2720,2725,273,274,274C, 274CF,274S,274SK,275,275E,283, 284,284S,285,285 (USA),290, 290E,293,294,294C,294S,298, 3050,3055,3060,3065,3065S, 3070,3075,3080,3085,3090, 3095,3115,3125,500,506,507, 510,515,520,525,530,530S,535, 550,560,565,575,590,592,595, 620,625,660,665,675,690,698, 698T,699	SOCKET:2PIN



Photo	Item Name	OEM/ REF	Applications	Description
	Oil Pressure Sensor	1877721M92*, 3599307M91	1004,1004T,1007,1014,1024, 122,130,133,134C,134V,135, 135V,140,145,145S,145V,148, 150,152,152F,152S,152V,154, 154C,154F,154S,154V,155,158, 158F,158S,158V,164TF,164TS, 164TV,165,168,168F,168S,174, 174C,174F,174S,174V,175,175S, 178,184,184F,184S,185,186, 187,188,194,194C,194F,194S, 203,205,206,20D,20F,2203, 2205,2210,2220,2225,2230, 230,233,234C,234CF,234S,235, 24,240,240S,244CF,245,24T,25, 250,253 (Italy),253 (UK),254, 254C,254CF,254S,255,255 (USA), 260,2620,2625,263 (UK), 263T (Italy),2640,2645,264T, 264TCF,264TS,265, 265S (Turkey),2675,2680,2685, 2705,2720,2725,273,274,274C, 274CF,274S,274SK,275,275E, 283,284,284S,285,285 (USA), 285S (Turkey),290,290E,293, 294,294C,294S,298,302,304, 3050,3055,3060,3065,3065S, 307,3070,3075,3080,3085, 3090,3095,30E,30H,3115, 3120,3120T,3125,330,333, 334V,340,342,350,352,353, 353LX,353S,354AP,354AQ, 354F,354FP,354FP(X),354FQ, 354GE,354GE(X),354S,354SP, 354SP(X),354SQ,354V,354VQ, 355,356,356CF,360,3610,362, 362N,363,3630,3635,363LX, 363S,3645,364AP,364AQ, 364CF,364F,364FP,364FQ, 364GE,364S,364SP,364SQ, 364V,364VQ,365,3650 S/F/V/GE, 3655,3660 S/F/V/GE,366CF,3670, 367CF,3680,3690,372N,373, 373LX,373S,374AP,374AP(X), 374AQ,374F,374FP,374FP(X), 374FQ,374GE,374GE(X),374H, 374S,374SP,374SP(X),374SQ, 374V,374VQ,375,375E,376C, 376CF,376XCF,377,382N,383, 383LX,383S,384AP,384AP(X), 384AQ,384F,384FP,384FP(X), 384FQ,384GE,384GE(X),384S, 384SP,384SP(X),384SQ,384V, 384VQ,387,390,390E,390T,393, 393LX,393S,393TLX,394AP, 394AP(X),394AQ,394C,394F, 394FP,394FP(X),394FQ,394GE, 394GE(X),394H,394S,394SP, 394SP(X),394SQ,394TAQ,396,	SOCKET:1PIN THREAD: 3/8 UNFMM




Photo	Item Name	OEM/ REF	Applications	Description
	Safety Switch	1012043M91, 1679223M1, 1679223M2, 34198, 39121, 39855, 888501M2, 963417M2	122,130,133,135,140,145,148, 152,155,158,165,168,175,185, 188,1080,230,240,245,253,255, 260,265,275,285,290,298,2620, 2640,2645,2680,2685,2720, 2725,2625,340,342,350,352, 355,360,362,362 N,365,372, 375,382 N,390,390 T,396,398, 399,3050,3060,3065,3070,3075, 3080,3085,3090,3095,3115, 3120,3125,3610,3630,3635, 3645,3650,3655,3670,3680, 3690,550,560,575,590,592,595, 1004,1004 T,675,690,698,698 T, 699,6120,6130,6140,6150,6160, 6170,6180,8110,8120,8130, 8140,8150,8160	—
	Safety Switch	1696842M1, 1810037M91, 3611501M91, 3611502M91, 3697178M2, 3700197M93, 3701242M92, 3759508M91, 3763737M91	165,230,231,240,243,253,261, 263,350,352,355,360,362,362N, 365,372N,375,382N,390,390T, 396,398,399,410,420,430	—
	Safety Switch	0013886U92, 3598530M1, 3697346M1, 3761983M91	230,231,240,240 S,243,245,253, 261,263,265 S,275,275 E,285 S, 290,290 E,240 Xtra,340,342,350, 352,355,360,362,362 N,365, 372 N,375,375 E,382 N,390, 390 E,390 T,398,399,415,425, 435,440,445,460,465,475,481, 492,4215,4220,4225,4235,4240, 4245,4255,4260,4265,4270, 4315,4320,4325,4335,4345, 4355,4360,4365,4370,5335, 5340,5355,5360,410,420, 365 CKD,375 CKD,398 CKD, 399 CKD,MT434	—




Photo	Item Name	OEM/ REF	Applications	Description
	Odometer Sensor	1447481M91, 2758314	1014,1024,1114,1134,1250,240	—
	Odometer Sensor	1446059M1, 1853144M1, 1853368M1, 2758346, 2758348, 3699203M91, 41097	154,154 S,164,164 TS,174,174 S, 184,184 S,194,194 S,165, 165 MKIII,168,168 MKIII,168 S, 175,178,185,188,1080,233,234, 234 S,240,243,253,254,254 C, 254 S,263,263 T,264,264 T,264 TS, 265,273,274,274 S,274 SK,275, 283,284,284 S,285,290,293,294, 294 S,298,364,364 TCF,364 TS, 365,375,375 E,382 N,390,390 E, 390 T,398,565,575,590,592,595, 1004,1004 T,675,690,698,698 T, 699,1104,134 C,154 C,174 C, 194 C,234 C,234 CF,244 CF,254 C, 254 CF,264 TS,274 C,274 CF,294 C, 364 CF,364 C,154 F,164 TF,174 F, 184 F,194 F,168 F,134 V,154 V, 164 TV,174 V	—
	Odometer Sensor	—	475	—


Photo	Item Name	OEM/ REF	Applications	Description
	Throttle Position Sensor	836666980	3630,3640,3640V/S/F/GE,3650, 3650S/F/V/GE,3660S/F/V/GE, 4707,4708,4709,5470,5480, 5611,5612,5613,6460,6470, 6485,6490,6495,6497,6499, 7260,7270,7274,7278,7485, 7490,7495,8450,8460,8470,8480	—


Photo	Item Name	OEM/ REF	Applications	Description
 A photograph of an air temperature sensor. It features a cylindrical metal body with a blue and gold color scheme. Two white electrical pins extend from the bottom of the sensor.	Air Temperature Sensor	4224819M1	2665,2670,3425,3425V/S/F, 3435,3435V/S/F,3445V/S/F, 3455V/S/F,410,435,440,445, 481,5425,5435,800	SOCKET:2PIN


Photo	Item Name	OEM/ REF	Applications	Description
	Sensor	3763601M1	240,253,263,281,362,365,375,	
			383,390,390T,393,396,398,	
			4225,4235,4240,4243,4245, 4253,4255,4260,4263,4265,	
			4270,4325,4335,4345,4355,	
			4360.4370	


Photo	Item Name	OEM/ REF	Applications	Description
	Fuse Box	Hao'an	230,240,250,265,275,375E,290, 390E,375E	VOLT:12V SOCKET:6PIN


Photo	Item Name	OEM/ REF	Applications	Description
	Relay	1696565M1	340,342,350,352,355,360,362, 365,375,390,390 T,396,398,399	VOLT:12V SOCKET:4 PIN




Photo	Item Name	OEM/ REF	Applications	Description
	Flasher	135701000000, 3617865M1	133,135,145,152,158,168,230, 231,235,240,245,250,255,260, 261,2620,2625,2640,265,2680, 2685,2720,2725,275,290,298, 3050,3060,3065,3070,3075, 3080,3090,3095,3115,3120, 3125,342,352,3610,362,3630, 3635,3645,365,3650,3655, 3670,3680,3690,372,375, 375E BRAZILIAN,382,390, 390E BRAZILIAN,390T,396,398, 399,550,560,565,575,590,592, 595,6120,6130,6140,6150, 6160,6170,6180,6190,6235, 6245,6255,6260,6265,6270, 6280,6290,8110,8120,8130, 8140,8150,8160,8170,8180, 8210,8220,8240,8250,8260, 8270	VOLT: 9.5V-16VV

Photo	Item Name	OEM/ REF	Applications	Description
	Bush	3113029R91	1004,1004T,1007,1014,1024, 1114,1134,133,135,135V,140, 145,145S,145V,148,152F,152S, 152V,154F,155,158,158F,158S, 158V,16,165,168,168F,168S, 174F,174S,178,184F,184S,185, 188,194F,194S,2205,2210,2220, 2225,2230,230,231,234CF,235, 240,240S,243,244CF,245,250, 253 (Italy),253 (UK),254CF,255, 255 (USA),260,2620,2625, 263 (UK),263T (Italy),2640,2645, 264TCF,265,2680,2685,2705, 2720,2725,274,274C,274CF, 274SK,275,284,285,285 (USA), 290,294,294C,294S,298,3050, 3060,3065,3065S,307,3070, 3075,3080,3085,3090,3095, 3115,3120,3125,330,333,334V, 340,342,35,350,352,353,353LX, 353S,354AP,354AQ,354F,354FP, 354FQ,354GE,354S,354SP, 354SQ,354V,354VQ,355,356CF, 35X,360,3610,362,362N,363, 3630,3635,363LX,363S,3645, 364AP,364AQ,364CF,364F,364FP, 364FQ,364GE,364S,364SP, 364SQ,364V,364VQ,365,3655, 366CF,3670,367CF,3680,3690, 372N,373,373LX,373S,374AP, 374AP(X),374AQ,374F,374FP, 374FP(X),374FQ,374GE, 374GE(X),374H,374S,374SP, 374SP(X),374SQ,374V,374VQ, 375,375E,376C,376CF,376XCF, 377,382N,383,383LX,383S, 384AP,384AP(X),384AQ,384F, 384FP,384FP(X),384FQ,384GE, 384GE(X),384S,384SP,384SP(X), 384SQ,384V,384VQ,387,390, 390E,390T,393,393LX,393S, 393TLX,394AP,394AP(X),394AQ, 394C,394F,394FP,394FP(X), 394FQ,394GE,394GE(X),394H, 394S,394SP,394SP(X),394SQ, 394TAQ,396,396C,396CF,396CT, 397,397T,398,399,4215,4220, 430,440,506,507,520,525,530, 530S,535,560,565,575,590,592, 595,660,665,675,690,698,698T, 699,765,800,805,810,815,820, 825,835,840,845,8925,8925T, 8926,8926T,8937,8937T,8939, 8939T	





Photo	Item Name	OEM/ REF	Applications	Description
	Holder	36544327, 1661970M1	168 MKIII,168F,168S,265,275, 285,290,375,375E,390,390E, 565,575,590,675,690	—
	Holder	1860768M1	168,185,188,265,265S,275, 290,375,375E,390E	RH
	Holder	1860769M1	168,185,188,265,265S,275, 290,375,375E,390E	LH

Photo	Item Name	OEM/ REF	Applications	Description
	Cabin Filter	3388840M2	399,3050,3060,3070,3120,3140, 3610,3630,3635,3645,3650,3655, 3660,3670,3680,3690,4225,4235, 4243,4245,4253,4255,4270,4325, 4335,4345,4355,4360,4370,5425, 5435,5445,5455,5460,5465,6140, 6150,6170,6180,6190,6235,6245, 6255,6270,6280,6290,6445,6455, 6460,6465,8140,8150,8160,8170, 8220,8240,8250,8260,8270,8280, 4233,4263,4333,8245,8300,8600, 8800,8850	OVERALL LENGTH: 880MM WIDTH: 135MM HEIGHT: 61MM